

A full-page underwater photograph of two divers. The diver in the foreground is a man with reddish hair, wearing a black SCUBAPRO wetsuit with yellow accents, a black mask, and a regulator. He is looking towards the camera. The diver in the background is a woman wearing a black wetsuit with pink accents and a black mask. They are swimming near a large, rusted metal structure, possibly part of a shipwreck. Bubbles are visible around the divers. The water is clear and blue.

**SCUBAPRO**



**2020** PRICE LIST  
RETAIL (SRI LANKA)



# CONTACTS

## HALCHEM LANKA PVT LTD


73/15 A, Temple Road, Off Kirulapona Avenue, Colombo 05

Tel: +94 112 514 495 / 112 514 496  
Email: [sales@halchem.net](mailto:sales@halchem.net)  
Web: [www.scubapro.com](http://www.scubapro.com) [www.halchem.lk](http://www.halchem.lk)

### SALES & CUSTOMER SERVICE

Managing Director :	Cyril Halloluwa	<a href="mailto:cyril.h@halchem.net">cyril.h@halchem.net</a> Mobile: +94 777 135 375
---------------------	-----------------	---

## FOLLOW US ON



- All prices are in **LKR** and is subject to change without prior notice. Pictures are for illustration purpose only and may not be exact.

## INDEX



7 REGULATORS

36 COMPUTERS & INSTRUMENTS

61 BCs

75 X-TEK

81 DIVE WEAR

114 FINS, MASK & SNORKELS

141 FREE DIVING

143 BAGS & ACCESSORIES

157 PROMOTIONAL ITEMS

169 RENTAL

**DEEP DOWN** YOU WANT THE **BEST**





# SCUBAPRO





# ABOUT

## DIVERS OUR OCEANS THE FUTURE OF THIS PLANET

For over 50 years, SCUBAPRO has been committed to the sport of diving and to the protection of the world's oceans that provide us all with so much of our enjoyment, exploration and adventure.

From our environmentally-responsible products, materials and manufacturing techniques to sponsoring the conservation efforts of numerous organizations and our Deep Elite Ambassadors work, no dive company does more to protect the environments we all love to explore.

## TAKING ACTION //

### SUSTAINABLE PRODUCTS.

SCUBAPRO dive wear is the greenest – or rather bluest – in the industry. In 2012, SCUBAPRO was the first to introduce X-Foam neoprene in an ongoing effort to reduce pollutants and harmful emissions. In 2016, we were the first to introduce solvent-free glue on our Everflex suits. Today, all SCUBAPRO neoprene drysuits, wetsuits, shortys, hoods and gloves thicker than 1.5mm feature solvent-free glue to better protect divers and the environment.

We are also proud to offer the dive industry's first wetsuit made of Naturalprene, a neoprene blend that comes primarily from rubber trees harvested from renewable rubber-tree farms. Further reducing its environmental footprint, the suit has no zippers, is embossed instead of printed, uses recycled tires for color, and has an outer lining made from recycled plastic bottles. In the near future our goal is to transition all of our neoprene products to this highly eco-friendly neoprene made from the renewable rubber tree.

### RESPONSIBLE PACKAGING.

- All of our regulators, instruments and dive computers are packaged in 100% plastic-free carton boxes. Our next step is to move from boxes to fabric cases, like the one already used in the packaging of the MK25 EVQ/S620 TI.
- Working diligently over the past few years, we have removed 98% of the plastic packaging from our line of accessories (they are now shipped on carton header cards). Our goal is to reach 100% in 2019.
- Most of our masks come in a reusable box that can be used for transport and storage, and is also handy for holding small items you need for diving (retractor, spare parts or Sea Drops).
- Plastic boot bags have been replaced with fabric bags, which can be reused for transport and storage. Similar packaging for dive socks, gloves and hoods will follow in 2019.
- Some of our fins are already available in reusable mesh bags. For 2019, new fin packaging will be boxes made from recycled paper. Similar packaging for BCDs will be implemented the following year.
- Starting in 2019 all plastic packaging will be removed from spare parts.

SCUBAPRO products help new and experienced divers to discover and experience the amazing undersea world, and we invite everyone to join us in working to preserve it for future generations.

### PROMOTING DIVING WHILE PROTECTING OUR OCEANS.

It is the SCUBAPRO way. Our mission, our passion. And SCUBAPRO leads by example.

## BUILDING AN OCEAN ETHOS.

SCUBAPRO believes in working together to take on the biggest issues facing our oceans, while encouraging every diver to be conservation-minded. For over 50 years, we have partnered with organizations that share these ideals, including Mission Blue, Galapagos National Parks, Conservation International, WWF, Antinea Foundation, San Diego Oceans Foundation, REEF, and the National Marine Life Center, among others.

## LIVING OUR VALUES.

SCUBAPRO is staffed by avid divers who recognize a personal responsibility to preserve and protect the very thing that our products allow divers to explore. Renowned marine biologist and preservationist Dr. Sylvia Earle sat on our board for many years, while SCUBAPRO's president is on the Advisory Board of the National Oceanic and Atmospheric Administration (NOAA) Marine Sanctuaries. SCUBAPRO employees are active volunteers, and our regional offices regularly lead beach cleanups and donation drives. And because we believe more divers lead to more ocean advocates, we contribute to causes that create new divers, from underprivileged children to veterans.

**12.7 MILLION TONS OF PLASTIC END UP IN OUR OCEANS EVERY YEAR.**

## IT'S TIME TO ACT!



**SCUBAPRO**  
cares





SCUBAPRO





# MK25T EVO/S620X-Ti

Part number	Description	Retail
12.620.400	INT 232	LKR 451,200

SCUBAPRO's top regulator technology is on display in this ultra-light, corrosion-resistant reg system. The MK25T EVO is machined from a solid block of titanium which will not corrode, even in concentrated saltwater conditions, promising a century of trouble-free use. It offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The new S620 X-Ti, with its durable and good-looking titanium faceplate, embraces the best features of SCUBAPRO's renowned S600 in an upgraded, state-of-the-art design. Smaller and lighter than the S600 but using the same-sized diaphragm, the S620 X-Ti delivers excellent performance; work of breathing has been reduced by 37% over the S600, providing effortless airflow under all dive conditions. The full titanium inlet tube is ultra-light, the large purge button improves water circulation, and the new exhaust tee increases performance while directing bubbles out of the field of view for the ultimate in lightweight performance.

## First Stage

- Air-balanced flow-through piston in a full titanium body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patented XTIS (Extended thermal Insulating system) thermally insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Four high-flow and one axial super high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Weight: INT 232: 475g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.2-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Titanium barrel is rugged, anti-corrosion and lightweight for long-term reliability.
- Diaphragm fits inside a more compact casing for maximum breathing sensitivity.
- User controls include an easy-grip diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) lever.
- New exhaust tee increases performance while directing bubbles out of the field of view.
- Newly designed Compact Hi-Flow mouthpiece is mounted on an enlarged mouthpiece pipe to improve airflow as well as mouth comfort.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Specific matching colors (blue, pink, yellow, purple, white and orange) on mouthpiece and hose protector are available as an accessory.
- Weight: 168g.
- Airflow at 200bar: 1850 l/min.

Limited Lifetime Warranty





# MK25 EVO/A700 BT CARBON

Part number	Description	Retail
12.770.700	INT 232	LKR 268,800

SCUBAPRO's flagship reg system, featuring a tough hand-made carbon fiber cover on the A700's full-metal casing, plus a unique DLC Black Tech protective coating on both first and second stages. Offering superb breathing performance, excellent impact resistance and dependable protection against the ravages of salt water and corrosion, this race-car-sleek system looks as good as it works.

## First Stage

- Air balanced flow-through piston in a Black Tech-coated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Weight: INT 232: 790g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Hand-made carbon fiber front cover and rugged metal case and valve housing are able to withstand years of aggressive diving.
- Carbon fiber is virtually bulletproof and also extremely lightweight. The A700 Carbon's cover weighs only 10 grams, compared to the 42-gram weight of the original A700's metal cover, resulting in more comfortable diving.
- Special Torx cover screws are able to support a higher tightening torque without damage.
- Metal case construction enables the use of a larger diaphragm inside a compact casing, increasing breathing sensitivity.
- User controls include a diver-adjustable inhalation effort knob and coaxial-flow Venturi-Initiated Vacuum Assist (VIVA) lever.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 233g.
- Airflow at 200bar: 2000 l/min.
- Maximum low pressure: 14bar.

Limited Lifetime Warranty



# MK25 EVO / D420 new

Part number	Description	Retail
12.420.000	INT 232	LKR 204,000
12.420.300	DIN 300	LKR 208,800

Combining the iconic design of the original D-Series regulators with the latest advances in breathing performance technology, SCUBAPRO engineers have created a 21st century regulator in terms of quality, reliability, performance and style. The new D420 features a brand new balanced valve inside a housing supported by a full metal structure. Called the Progressive Flow Control Valve, it is able to deliver abundant airflow for the best breathing performance, with a natural smoothness comparable to what you might experience breathing on the surface. The uniquely shaped fiberglass-reinforced nylon casing is ultra-durable and allows the LP hose to be connected on either the right or left side for maximum rigging flexibility. A new dive/pre-dive system includes a switch on the top of the casing with a thumb tab for adjusting the direction of airflow right out of the valve. The highly efficient purge button is a technical jewel based on a new concept that gives the D420 its unique face. Teamed with the venerable MK25 EVO balanced piston first stage, this is a regulator system purpose-designed for today's avid divers and SCUBAPRO brand enthusiasts everywhere.

## First Stage

- Air balanced flow-through piston design delivers consistent and effortless airflow, regardless of depth, tank pressure, or breathing rate.
- Patented XTIS (Extended Thermal Insulating System) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high-pressure ports allow the first stage to be positioned either up or down.
- Four high-flow and one axial super high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Weight (g): INT 232,790g; DIN 300, 572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.2-9.8.

## D420 Second Stage

- NEW. Uniquely shaped fiberglass-reinforced nylon casing carries on the D-Series heritage with the latest advances in breathing performance technology.
- NEW. Air-balanced Progressive Flow Control Valve is able

to deliver abundant airflow with a natural smoothness comparable to breathing on the surface.

- NEW dive/pre-dive system includes a switch on the top of the case with a thumb tab for adjusting the direction of airflow right out of the valve.
- NEW casing design features inner winglets that direct airflow towards the exhaust valve, creating a dramatic improvement in exhalation effort.
- NEW. Diaphragm is located in the lower section of the casing to take advantage of the pressure gradient in the upright position, making breathing even easier.
- Reversible hose attachment allows for either left- or right-side LP hose connections for maximum rigging flexibility.
- Large purge button is easy to reach and depress, with or without gloves.
- Exhaust tee is compact and efficiently deflects bubbles from the diver's view while enhancing ease of exhalation.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Compact Hi-Flow mouthpiece improves airflow as well as mouth comfort, fitting all mouth sizes, from largest to smallest.
- CE certified according to the latest EN250A European Standards for all diving conditions, including extreme cold water.
- Weight (without mouthpiece): 216g.
- Airflow at 200bar: 1800 l/min.



12.420.000

**XTIS**  
EXTENDED THERMAL  
INSULATING SYSTEM



12.420.300



# MK25 EVO/G260 BT

Part number	Description	Retail
12.771.500	INT 232	LKR 204,000
12.771.600	DIN 300	LKR 208,800

A reg system aimed at technical divers, the MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The G260's casing is built from rugged nylon fiberglass and uses freeze resistant components. Both first and second stages have a Black Tech scratch-resistant coating that protects against the ravages of salt water and corrosion. This durable coating includes an inner layer of chemical Nickel (FDA approved) and an outer glossy DLC (Diamond Like Carbon) finish. It's a rugged reg system that delivers solid breathing performance in all diving conditions and water temperatures.

## First Stage

- Air balanced flow-through piston in a Black Tech-coated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patented XTIS (Extended thermal insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow and one axial super high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT or 300 bar DIN configuration.
- Weight: INT 232 : 790g; DIN 300 : 572g
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Rugged reinforced technopolymer design features SCUBAPRO's largest second stage casing and diaphragm for the ultimate in breathing sensitivity, regardless of position in the water.
- Dark anodized aluminum front cover ring adds scratch resistance without adding weight.
- Metal components, including metal air barrel and metal valve inlet tube, increase resistance to freezing when diving in extreme conditions.
- High-flow exhaust valve reduces exhalation for better overall breathing comfort.
- A diver-adjustable inhalation effort knob fine-tunes air delivery to suit changing depths, water conditions and personal tastes.
- Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch prevents free flows in cold water or when used as an octopus.
- Reversible hose attachment allows you to easily adjust hose routing for tech diving configurations.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 275g.
- Airflow at 200bar: 1800 l/min .

Limited Lifetime Warranty





# MK25 EVO/A700

Part number	Description	Retail
12.770.040	INT 232	LKR 201,600

SCUBAPRO's flagship reg system is designed for divers who want the best. The MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The A700 offers effortless inhalation and an ease of exhalation that is unmatched in a precision-handcrafted, full-metal package. Together they provide unparalleled breathing performance in all water temperatures.

## First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT configuration.
- Weight: INT 232: 790 g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Rugged full-metal case, front cover and valve housing are able to withstand years of aggressive diving.
- Metal construction enables the use of a larger diaphragm inside a compact casing, increasing breathing sensitivity.
- User controls include a diver-adjustable inhalation effort knob and coaxial-flow Venturi-Initiated Vacuum Assist (VIVA) lever.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight (without mouthpiece): 261g.
- Airflow at 200bar: 2000 l/min.

Limited Lifetime Warranty





# MK25 EVO/S620Ti

Part number	Description	Retail
12.620.000	INT 232	LKR 189,600
12.620.300	DIN 300	LKR 192,000

SCUBAPRO teams its high performance first stage with a brand new air-balanced second stage. The MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand.

The new S620 Ti embraces the best features of SCUBAPRO's renowned S600 in an upgraded, state-of-the-art design. Smaller and lighter than the S600 but using the same-sized diaphragm, the S620 Ti delivers excellent performance; work of breathing has been reduced by 37% over the S600, providing effortless airflow under all dive conditions. The full titanium inlet tube is ultra-light, the larger water circulation holes in the front purge cover allow faster inhalation response and the new exhaust tee increases performance while directing bubbles out of the field of view. In all water temperatures, in all dive conditions, this new reg system is a winner.

## First Stage

- Air-balanced flow-through piston in a chrome plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patented XTIS (Extended Thermal Insulating system) thermally insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- Spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Four high-flow and one axial super high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300: 572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Rugged reinforced technopolymer case and front cover are able to withstand years of aggressive diving.
- Titanium barrel is rugged, anti-corrosion and lightweight for long-term reliability.
- Uses the S600's large diaphragm inside a compact casing for maximum breathing sensitivity.
- Diaphragm fits inside a more compact casing for maximum breathing sensitivity.
- User controls include an easy-grip diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) lever.
- New exhaust tee increases performance while directing bubbles out of the field of view.
- Compact Hi-Flow mouthpiece improves airflow as well as mouth comfort, fitting all mouth sizes, from largest to smallest.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Specific matching colors (blue, pink, yellow, purple, white and orange) on mouthpiece and hose protector are available as accessories.
- Weight: 179g.
- Airflow at 200bar: 1850 l/min.

Limited Lifetime Warranty



**XTIS**  
EXTENDED THERMAL  
INSULATING SYSTEM





# MK25 EVO/S600

Part number	Description	Retail
12.971.050	INT 232	LKR 163,200
12.971.070	DIN 300	LKR 165,600

Combining SCUBAPRO's best-selling second stage and its top-performing first stage is a match made in diver heaven. The MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The S600, with its rugged fiberglass casing and stainless steel front face and ring, provides a steady, effortless flow of air, regardless of depth. In all water temperatures, in the most demanding dive conditions, this reg system performs flawlessly.

## First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300: 572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort when diving at varying depths and supply pressures.
- Metal valve housing is able to withstand years of aggressive diving.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight (without mouthpiece): 200g.
- Airflow at 200bar: 1850 l/min.
- Maximum low pressure: 14bar.
- Changeable purge covers allow you to make your regulator truly unique.

Limited Lifetime Warranty



\* COLOR COVERS SOLD SEPARATELY

# MK25 EVO/G260

Part number	Description	Retail
12.252.010	INT 232	LKR 153,600
12.252.030	DIN 300	LKR 156,000

Offering effortless air delivery and outstanding reliability, this is the go-to air delivery system for cold water or technical diving. There's no better example of solid first stage performance in all water temperatures than the MK25 EVO. Teamed with the venerable G260, this system can be relied upon to deliver top-of-the-line performance in the most extreme conditions.


## First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300: 572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Nylon fiberglass design features SCUBAPRO's biggest second stage casing and diaphragm for the ultimate in breathing sensitivity, regardless of position in the water.
- Anodized aluminum front cover ring.
- Metal components, including metal air barrel and metal valve inlet tube, increase resistance to freezing when diving in extreme conditions.
- High-flow exhaust valve reduces exhalation for better overall breathing comfort.
- A diver-adjustable inhalation effort knob fine-tunes air delivery to suit changing depths, water conditions and personal tastes.
- Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch prevents free flows in cold water or when used as an octopus.
- Reversible hose attachment allows you to easily adjust hose routing for tech diving configurations.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight (without mouthpiece): 268g.
- Airflow at 200bar: 1800 l/min.

Limited Lifetime Warranty





# MK21/S560

Part number	Description	Retail
12.974.000	INT 232	LKR 115,200
12.974.300	DIN 300	LKR 117,600

This reg system is feature rich which offers SCUBAPRO reliability and is priced right. About 20% smaller than SCUBAPRO's flagship MK25 but benefitting from the same core technology, the MK21 features a modern, cutting-edge design whose size and weight make it an excellent choice for travel divers. The full-featured S560 second stage, built with a rugged reinforced techno-polymer case, is lightweight too, and also easy to use. Together they create the must-have reg system for recreational divers of all skill levels.

## First Stage

- Air-balanced flow-through piston provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Polished chrome-plated marine grade brass body is close to 20% smaller than the MK25, making it an easy travel companion.
- Unique thermal exchange design with external fins optimizes freezing resistance.
- Two high pressure ports, one on each side of the body, allow the first stage to be positioned either up or down.
- Standard "smart" hose routing cap offers four low pressure ports angled for more convenient hose routing (+/- 20°).
- Optional hose routing cap increases routing configurations with four angled low pressure ports (0°/30°) plus a fifth centralized high-flow low pressure port, ideal for technical diving.
- Redesigned yoke allows for easier mounting on a cylinder, and a redesigned cap protects internal components from water intrusion after the dive.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 780g; DIN 300: 570g
- Airflow at 200bar: (l/min): >7500.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort when diving at varying depths and supply pressures.
- Lightweight techno-polymer casing helps reduce jaw fatigue and improve diving comfort.
- Techno Polymer inlet tube contributes to reliability and long life.
- High flow exhaust valve reduces exhalation effort to lower overall work of breathing.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight (without mouthpiece): 160g.
- Airflow at 200bar: 1850 l/min
- Maximum low pressure: 14bar.

Limited Lifetime Warranty



# MK21/C370

Part number	Description	Retail
12.979.000	INT 232	LKR 110,400

The ultra-compact MK21/C370 regulator system delivers the ideal blend of comfort and performance. About 20% smaller than SCUBAPRO's flagship MK25 but benefitting from the same core technology, the MK21 features a modern, cutting-edge design whose size and weight make it an excellent choice for travel divers. The C370 brings forth the best features of its predecessor, the C350, while adding a balanced valve to its design. Its exhaust tee, based on the S620 Ti's design, contributes to a 10% improvement in work of breathing over the C350. Together they create a no-nonsense air delivery system that delivers big performance in a small package.

## First Stage

- Air-balanced flow-through piston provides constant and effortless airflow unaffected by depth, tank pressure or breathing rate.
- Polished chrome-plated marine grade brass body is close to 20% smaller than the MK25, making it an easy travel companion.
- Unique thermal exchange design with external fins optimises freezing resistance.
- Two high pressure ports, one on each side of the body, allow the first stage to be positioned either up or down.
- Standard "smart" hose routing cap offers four low pressure ports angled for more convenient hose routing (+/- 20°).
- Optional hose routing cap increases routing configurations with four angled low pressure ports (0°/30°) plus a fifth centralized high-flow low pressure port, ideal for technical diving.
- Redesigned yoke allows for easier mounting on a cylinder, and a redesigned cap protects components from water intrusion after the dive.
- Weight: INT 232: 780G.
- Airflow at 200bar: (l/min): >7500.
- Intermediate pressure: 9.0-9.8 bar

## Second Stage

- Air-balanced valve for smooth inhalation effort at varying depths and supply pressures.
- Compact rugged fiberglass reinforced nylon casing and exhaust tee take up little space in a dive bag.
- Stainless steel frame on the front cover adds the SCUBAPRO signature.
- The poppet and lever allows the design to maintain the same overall size as the C350.
- The exhaust tee is based on the S620 Ti's design and contributes to better work of breathing (a 10% improvement over the C350).
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA).
- Large purge button is easy to activate, even wearing thick gloves.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Compact Hi-Flow mouthpiece improves airflow as well as mouth comfort, fitting all mouth sizes, from largest to smallest.
- Weight: 171g.
- Airflow at 200bar: (l/min): 1600 bar



10.721.004



# MK17 EVO/S620Ti

Part number	Description	Retail
12.623.000	INT 232	LKR 170,400
12.623.300	DIN 300	LKR 172,800

Teaming SCUBAPRO's best-selling second stage with its environmentally sealed first stage creates a reliable air delivery system for all diving conditions. The MK17 EVO is completely sealed off from the elements, ensuring trouble-free operation no matter how cold or murky the water gets. It is more compact yet delivers better breathing performance than its predecessor. Its improved internal design allows more airflow from the LP ports which have been reconfigured for better hose routing.

The new S620 Ti embraces the best features of SCUBAPRO's renowned S600 in an upgraded, state-of-the-art design. Smaller and lighter than the S600 but using the same-sized diaphragm, the S620 Ti delivers excellent performance; work of breathing has been reduced by 40% over the S600, providing effortless airflow under all dive conditions. The full titanium inlet tube is ultra-light, the large purge button improves water circulation, and the new exhaust tee increases performance while directing bubbles out of the field of view. In all water temperatures, in all dive conditions, this new reg system is a winner.

## First Stage

- Air balanced diaphragm delivers constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Environmentally sealed system prevents water and pollutants from fouling the inner mechanism.
- Dry ambient pressure chamber increases freezing resistance, ensuring consistent airflow in the coldest conditions.
- Improved airflow on all LP ports
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in either 232bar INT or 300bar DIN configurations. DIN version comes with a dual-compound wheel that features an ergo shape and soft grip on a rugged black nylon frame.
- Weight: INT 232: 710g; DIN 300: 490g
- Airflow at 200bar: 6900 l/min.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Rugged reinforced technopolymer case and front cover are able to withstand years of aggressive diving.
- Titanium barrel is rugged, anti-corrosion and lightweight for long-term reliability.
- Uses the S600's large diaphragm inside a compact casing for maximum breathing sensitivity.
- Metal case construction enables the use of a larger diaphragm inside a compact casing, increasing breathing sensitivity.
- User controls include an easy-grip diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) lever.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 179g.
- Air flow at 200bar: 1850 l/min.

Limited Lifetime Warranty



# MK17 EVO/S600

Part number	Description	Retail
12.927.050	INT 232	LKR 146,400
12.927.070	DIN 300	LKR 148,800

Teaming SCUBAPRO's best-selling second stage with its environmentally sealed first stage creates a reliable air delivery system for all diving conditions. The MK17 EVO is completely sealed off from the elements, ensuring trouble-free operation no matter how cold or murky the water gets. It is more compact yet delivers better breathing performance than its predecessor. Its improved internal design allows more airflow from the LP ports which have been reconfigured for better hose routing. The S600, with its rugged fiberglass reinforced nylon casing and stainless steel front face front face, provides a steady, effortless flow of air, regardless of depth.

## First Stage

- Air balanced diaphragm delivers constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Environmentally sealed system prevents water and pollutants from fouling the inner mechanism.
- Dry ambient pressure chamber increases freezing resistance, ensuring consistent airflow in the coldest conditions.
- Improved airflow on all LP ports
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in either 232bar INT or 300bar DIN configurations. DIN version comes with a dual-compound wheel that features an ergo shape and soft grip on a rugged black nylon frame.
- Weight: INT 232: 710g; DIN 300: 490g
- Airflow at 200bar: 6900 l/min.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort when diving at varying depths and supply pressures.
- Metal valve housing is able to withstand years of aggressive diving.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight (without mouthpiece): 200g.
- Airflow at 200bar: 1850 l/min.
- Maximum low pressure: 14bar.
- Changeable purge covers allow you to make your regulator truly unique.

Limited Lifetime Warranty





# MK11/C370

Part number	Description	Retail
12.175.000	INT 232	LKR 96,000

The MK11/C370 is a great choice for dive-trekkers. The balanced diaphragm MK11, with its chrome-plated brass body specially designed to reduce size and weight, is an ideal travel companion. Its system features internal parts that are sealed from the elements. The new C370 brings forth the best features of its predecessor, the C350, while adding a balanced valve to its design. Its new exhaust tee, based on the S620 Ti's design, contributes to a 10% improvement in work of breathing over the C350. With this regulator system in your dive bag you'll be ready to hit the road.

## First Stage

- Air balanced diaphragm design delivers constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Marine grade brass body has sealed internal parts to prevent water and pollutants from fouling the inner mechanism while enhancing cold-water performance.
- Two high pressure, two low pressure and two high-flow ports maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in either 232bar INT.
- Weight: INT 232: 860g
- Airflow at 200bar: 5500 l/min.
- Intermediate pressure (bar): 9.0-9.8.

## Second Stage

- Air-balanced valve for smooth inhalation effort at varying depths and supply pressures.
- Compact rugged fiberglass reinforced nylon casing and new exhaust tee take up little space in a dive bag.
- Stainless steel frame on the front cover adds the SCUBAPRO C-Series signature.
- The poppet and lever allows the design to maintain the same overall size as the C350.
- The exhaust tee is based on the S620 Ti's design and contributes to better work of breathing (a 10% improvement over the C350).
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA).
- Large purge button is easy to activate, even wearing thick gloves.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Compact Hi-Flow mouthpiece improves airflow as well as mouth comfort, fitting all mouth sizes, from smaller to largest.
- Weight: 171g.
- Airflow at 200bar: (l/min): 1600 bar

Limited Lifetime Warranty



# MK2 EVO/R195 NITROX

Part number	Description	Retail
12.920.060	DIN 200*	LKR 91,200

This go-anywhere regulator is now available as a dedicated nitrox delivery system. The MK2 EVO is the only classical downstream piston-style first stage with internal components specifically designed to resist freezing in extreme cold-water conditions. The R195 is easy to maintain, easy to use, and with its left or right hose routing capability, it's also the perfect system for use on stage or pony bottles. For simplicity and reliability – and in compliance with the most stringent safety norms – you can count on this nitrox reg system.

## First Stage

- New XTIS (Extended Thermal Insulating System) with mechanism fully insulated from the environment, increasing freezing resistance by 50%. (Patent pending)
- Key insulation system components in blue.
- Airflow increased by 15%
- The larger piston provides better breathing performance and sensitivity, yet the overall body size, reduced by 3,5mm, results in a more compact first stage.
- Removable orifice allows easier maintenance and longer regulator life.
- Modern cosmetic design.

## Second Stage

- Classic Downstream Valve
- Adjustable VIVA
- Reversible Hose Attachment
- Larger Big Diaphragm
- Pre-tuned inhalation effort
- Super comfort High-flow mouthpiece
- Weight (without mouthpiece): 178g.
- Airflow at 200bar: 1550 l/ min.

Limited Lifetime Warranty



Comparison between standard DIN and M26 DIN

**XTIS**  
EXTENDED THERMAL  
INSULATING SYSTEM



\* M26 DIN Fitting

# MK2 EVO/R195

Part number	Description	Retail
12.118.000	INT 232	LKR 76,800

## First Stage

- New XTIS (Extended Thermal Insulating System) with mechanism fully insulated from the environment, increasing freezing resistance by 50%. (Patent pending)
- Key insulation system components in blue.
- Airflow increased by 15%
- The larger piston provides better breathing performance and sensitivity, yet the overall body size, reduced by 3,5mm, results in a more compact first stage.
- Removable orifice allows easier maintenance and longer regulator life.
- Modern cosmetic design.
- Weight: INT 232: 670g

## Second Stage

- Classic Downstream Valve
- Adjustable VIVA
- Reversible Hose Attachment
- Larger Big Diaphragm
- Pre-tuned inhalation effort
- Super comfort High-flow mouthpiece
- Weight: 178g.
- Airflow at 200bar: 1550 l/min.

Limited Lifetime Warranty

**XTIS**  
EXTENDED THERMAL  
INSULATING SYSTEM





# MK2 EVO/R095

Part number	Description	Retail
12.096.000	INT 232	LKR 66,000
12.096.300	DIN 300	LKR 67,200

## First Stage

- New XTIS (Extended Thermal Insulating System) with mechanism fully insulated from the environment, increasing freezing resistance by 50%. (Patent pending)
- Key insulation system components in blue.
- Airflow increased by 15%
- The larger piston provides better breathing performance and sensitivity, yet the overall body size, reduced by 3,5mm, results in a more compact first stage.
- Removable orifice allows easier maintenance and longer regulator life.
- Modern cosmetic design.
- Weight: INT 232: 670g; DIN 300: 450g

## Second Stage

- Classic Downstream Valve
- Dealer-Adjustable VIVA
- Reversible LP Hose Attachment

Limited Lifetime Warranty



# MK25 EVO

Part number	Description	Retail
10.713.010	INT 232	LKR 81,600
10.713.030	DIN 300	LKR 84,000

## First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radical ly increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300: 572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

Limited Lifetime Warranty



10.713.010

10.713.030

# MK21

Part number	Description	Retail
10.721.000	INT 232	LKR 62,400
10.721.300	DIN 300	LKR 64,800
10.721.004	Kit, 5 port cap	LKR 12,480

## First Stage

- New compact sized piston-controlled first stage
- Mid-range piston 1st stage offering the best compromise for the right price and the right performance
- Unique thermal exchange design with external fins, optimizing freezing resistance
- Optional replaceable head for optimal positioning with 4 LP routing configurations (0°/30°). Ideal for Technical diving
- Standard head with 4 LP hose routing (+/- 20°) and 2 HP ports, one on each side of the body
- Weight: INT 232: 780g; DIN 300: 570g



10.721.004



10.721.000



10.721.300

Limited Lifetime Warranty

# MK17 EVO

Part number	Description	Retail
10.714.010	INT 232	LKR 67,200
10.714.030	DIN 300	LKR 69,600

The new MK17 EVO is completely sealed off from the elements, ensuring trouble-free operation no matter how cold or murky the water gets. It is more compact yet delivers better breathing performance than its predecessor. Its improved internal design allows more airflow from the LP ports which have been reconfigured for better hose routing.

## First Stage

- Air Balanced Diaphragm
- New machined body
- 2 HP ports
- 4 High flow ports
- New cover and caps
- New DIN wheel
- Weight: INT 232: 710g; DIN 300: 490g



10.714.010



10.714.030

Limited Lifetime Warranty



# MK11

Part number	Description	Retail
10.708.000	INT 232	LKR 52,800
10.708.300	DIN 300	LKR 55,200

## First Stage

- Now 20% lighter, same internal performance
- Balanced, diaphragm controlled High Performance First Stage
- Externally Adjustable Intermediate Pressure
- 4 LP (2 High-Flow-Port) and Dual HP Ports
- Weight: INT 232: 860g; DIN 300: 640g

Limited Lifetime Warranty



10.708.000



10.708.300

# MK2 EVO

Part number	Description	Retail
10.063.000	INT 232	LKR 38,400
10.063.300	DIN 300	LKR 40,800

## First Stage

- New XTIS (Extended Thermal Insulating System-Patent pending) with mechanism fully insulated from the environment, increasing freezing resistance by 50 %.
- Key insulation system components in blue.
- Airflow increased by 15 %
- The larger piston provides better breathing performance and sensitivity, yet the overall body size, reduced by 3,5 mm, results in a more compact first stage.
- Removable orifice allows easier maintenance and longer regulator life.
- Modern cosmetic design.
- Weight: INT 232: 670g; DIN 300: 450g

Limited Lifetime Warranty



10.063.000



10.063.300

## A700

Part number	Description	Retail
11.700.000	Second Stage	LKR 120,000

### Second Stage

- Precision handcrafted construction and design masterpiece
- Polished chrome exterior for a lifetime of quality and timeless styling
- Compact dimensions for lightweight comfort
- Exceptional breathing performance at any depth
- The Work of Breathing (WOB) has been lowered to a value of 0.5 J/l
- New aligned VIVA system with co-axial 2-piece dive switch
- Full metal body and metal components assure maximum performance
- Metal provides the best thermal exchange imaginable in cold water
- Weight (without mouthpiece): 261g

Limited Lifetime Warranty



## S620 Ti

Part number	Description	Retail
11.620.000	Second Stage	LKR 106,800

### Second Stage

- Titanium barrel
- Technopolymer Body and Components
- Peak Performance Air-Balancing System
- Air-Balanced Linear-Flow Valve
- Diver Adjustable VIVA and Inhalation Effort Control
- New Mouth Piece
- Weight: 179g

Limited Lifetime Warranty





## S600

Part number	Description	Retail
11.603.000	Second Stage	LKR 87,600

### Second Stage

- Technopolymer Body and Components
- Peak Performance Air-Balancing System
- Air-Balanced Linear-Flow Valve
- Diver Adjustable VIVA and Inhalation Effort Control
- New Mouth Piece
- Weight (without mouthpiece): 200g

Limited Lifetime Warranty



## G260 BT

Part number	Description	Retail
11.263.880	Second Stage	LKR 88,800

### Second Stage

- Premium technical 2. Stage
- G260 technology with a stealth, rugged, nylon fibreglass case and a dark anodized aluminum ring
- Stealth design knob and nut
- Airbalanced Flow Valve
- Diver's Adjustable Inhalation Effort
- Adjustable VIVA
- Super Comfort High Flow Mouthpiece
- Weight: 275g

Limited Lifetime Warranty



## G260

Part number	Description	Retail
11.263.000	Second Stage	LKR 76,800

### Second Stage

- Metal components for excellent cold water resistance
- Reversible Hose Attachment
- Peak Performance Air-Balancing System
- Air-Balanced Linear-Flow Valve
- Diver Adjustable VIVA
- For tectical diving very heavy duty casing
- Weight (without mouthpiece): 268g

Limited Lifetime Warranty



## S560

Part number	Description	Retail
11.560.000	Second Stage	LKR 62,400

### Second Stage

- Lightweight techno-polymer barrel
- Air Balanced flow Valve
- Diver's Adjustable Inhalation Effort
- Adjustable VIVA
- High Flow Exhaust Valve
- Super comfort high-flow mouthpiece
- Weight (without mouthpiece): 160g.

Limited Lifetime Warranty



## C370

Part number	Description	Retail
11.370.000	Second Stage	LKR 57,600

### Second Stage

- Compact body and exhaust tee take up little space in a travel dive bag.
- Stainless steel frame on the front cover adds some style.
- Optimal flow design incorporates a special barrel and balanced poppet valve to produce maximum airflow under any diving conditions.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA).
- Large purge button is easy to activate, even wearing thick gloves.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 171g.

Limited Lifetime Warranty



## R195

Part number	Description	Retail
11.331.000	Second Stage	LKR 40,320

### Second Stage

- Classic Downstream Valve
- Adjustable VIVA
- Reversible Hose Attachment
- Larger Big Diaphragm
- Pre-tuned inhalation effort
- Super comfort High-flow mouthpiece
- Weight (without mouthpiece): 178g.

Limited Lifetime Warranty





## R095

Part number	Description	Retail
11.330.600	Second Stage	LKR 32,640

### Second Stage

- New streamlined look and evident
- Scubapro branding with embossed purge button
- Classic Downstream valve
- Pre-tuned VIVA for uncomplicated use
- Reversible hose attachment

Limited Lifetime Warranty



## R195 OCTOPUS

Part number	Description	Retail
11.331.200	Octopus	LKR 45,120

- Classic downstream valve comes with VIVA switch to control free flows.
- Large diaphragm allows for smooth and easy breathing.
- Yellow super-flow hose is 100cm and features an oversized bore to increase airflow.
- Reversible hose attachment makes it easy to use on deco tanks.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.

Limited Lifetime Warranty



## R095 OCTOPUS

Part number	Description	Retail
11.330.400	Octopus	LKR 35,040

- Classic downstream valve design for optimal breathing performance.
- Preset inhalation and Venturi-Initiated Vacuum Assist (VIVA) provides hassle-free air delivery.
- Reversible hose attachment makes it easy to use for sidemount, pony or deco tanks.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Includes yellow purge cover and 100cm high-viz yellow hose.

Limited Lifetime Warranty



# REGULATOR COLOR COVERS -S600

Part number	Color	Retail
11.602.030P	WHITE	LKR 2,640
11.602.033P	RED	LKR 2,640
11.602.036	BLACK	LKR 1,440
11.602.042P	HYDROS BLUE	LKR 2,880
11.602.045P	HYDROS YELLOW	LKR 2,880
11.602.046P	HYDROS ORANGE	LKR 2,880
11.602.047P	HYDROS PURPLE	LKR 2,880
11.602.049P	HYDROS PINK	LKR 2,880



11.602.030P



11.602.033P



11.602.042P



11.602.045P



11.602.046P



11.602.047P



11.602.049P



COLORED COVERS, MOUTHPIECES AND HOSE PROTECTORS TO MATCH THE SEAWING NOVAS & THE HYDROS PRO BCD, REG SOLD SEPARATELY



## COLORED MOUTHPIECES AND HOSE PROTECTORS

Part number	Color	Retail
01.040.040	RED	LKR 3,120
01.040.060	YELLOW	LKR 3,120
01.040.080	WHITE	LKR 3,600
01.040.019	HYDROS PURPLE	LKR 3,600
01.040.330	HYDROS BLUE	LKR 3,600
01.040.360	HYDROS YELLOW	LKR 3,600
01.040.370	HYDROS PINK	LKR 3,600
01.040.390	HYDROS ORANGE	LKR 3,600



Add more color to your regulator for a totally customized look. Or use the new mouthpiece/hose protection (1st stage) color kits to easily distinguish your mixes on tech dives. Available in several colors they let you to match your regulator to the rest of your gear.

## PROTECTIVE SLEEVE

Part number	Description	Retail
11.700.010	BLACK	LKR 576
11.700.018	WHITE	LKR 960
11.700.030	YELLOW	LKR 720
11.700.019	HYDROS PURPLE	LKR 960
11.700.223	HYDROS BLUE	LKR 960
11.700.225	HYDROS YELLOW	LKR 960
11.700.226	HYDROS ORANGE	LKR 960
11.700.227	HYDROS PINK	LKR 960



## MOUTHPIECES

Part number	Color	Retail
01.040.090	Mouthpieces Air 2 - 5th Gen	LKR 720
01.040.102	Mouthpiece - Blue	LKR 864
01.040.120	Mouthpiece Silicone Supercomfort for A700, S600, R195, G260, S560, R095	LKR 1,680
01.040.123	Mouthpiece Junior - Silicone Clear	LKR 1,920
01.040.131	Mouthpiece Vinyl - Black	LKR 720
01.040.051	Mouthpiece Silicone Material and tie strap w/Pkg - Black	LKR 2,160
01.040.162P	Mouthpiece for S620Ti & C370	LKR 3,360



01.040.120

## OCTOPUS CLIPS

Part number	Color	Retail
01.097.134	Octopus Retainer & Plug w/clip - Yellow	LKR 1,440
01.097.136	Octopus Retainer & Plug w/clip - Grey	LKR 1,440



01.097.134

## SUPERFLOW HOSES LP

Part number	Description	Retail
01.309.020	Low Pressure Hose 20cm (add QD BPI for side mount system)	LKR 8,640
01.310.026	Low Pressure Hose AIR2/BPI (64 cm)	LKR 7,680
01.309.027	Low Pressure Hose (56cm)	LKR 9,120
01.310.034	Low Pressure Hose Octopus - Yellow (100 cm)	LKR 9,840
01.309.035	Low Pressure Hose w/Hose Sleeve - R Series (75 cm)	LKR 8,880
01.309.038	Low Pressure Hose w/Swivel & Hose Sleeve - G260 Tactical (75 cm)	LKR 24,480
01.310.040	Low Pressure Hose Octopus - Black (100 cm)	LKR 9,600
01.309.080	Low Pressure Hose (210cm)	LKR 13,680

# ACCESSORIES & SPARES

Part number	Description	Retail
10.019.100	DIN to Yoke - 1st Stage	LKR 36,000
10.045.030	MK2 Plus/MK2EVO DIN Conversion Kit	LKR 9,840
10.760.030	Titanium Conversion Kit, DIN 300	LKR 91,680
11.101.003	Elbow 2nd Stage Connector 120° LP	LKR 8,640
11.101.004P	Elbow 2nd Stage Connector 90° LP	LKR 9,840
01.040.025	Reusable clip for mouthpiece	LKR 864
10.101.211	Protection Cap - DIN	LKR 960
10.101.212	Protection Cap - Yoke	LKR 960
01.043.300	Video Exhaust Adaptor Kit	LKR 4,320
40.978.000	Air Nozzle/Blow Gun	LKR 6,480
10.770.110	Yoke Protector	LKR 576
11.035.001	Neoprene Reg Cover - Round logo	LKR 2,400
11.035.002	Neoprene Reg Cover - S logo	LKR 2,400



10.019.100



10.045.030



11.101.003



11.101.004P



01.040.025



10.101.211



10.101.212



01.043.300



40.978.000



10.770.110



11.035.001



11.035.002











**DEEP DOWN** YOU WANT THE **BEST**

SCUBAPRO.COM

# REGULATOR CHART

## REGULATOR COMBOS


	D-SERIES			S-SERIES		
						
	MK25 EVO/ D420	MK25 BT EVO/ A700 BT CARBON	MK25 EVO/ A700	MK25T EVO/ S620 X-Ti	MK25 EVO/ S620 Ti	MK17 EVO/ S620 Ti
<b>FIRST STAGE</b>						
Air-Balanced Piston: Ultra-fast breathing response regardless of pressure or depth.	•	•	•	•	•	
Balanced Diaphragm: Keeps water out while delivering air promptly at all tank pressures.						•
Classic Downstream Piston: Reliable performance with minimal maintenance.						
XTIS	•	•	•	•	•	
Full Titanium Body				•		
Dry Chamber						•
Low-Pressure Ports (HFP*)	5 HFP	5 HFP	5 HFP	5 HFP	5 HFP	4 HFP
High-Pressure Ports	2	2	2	2	2	2
Swivel Ports	•	•	•	•	•	
Externally Adjustable Intermediate Pressure	•	•	•	•	•	
Optional 5th HFP Cap						
DIN/YOKE					•	•
<b>SECOND STAGE</b>						
Air-Balanced Valve: Ultra-high airflow that remains stable under all conditions.	•	•	•	•	•	•
Classic Downstream: Simple operation with rugged, reliable perfor- mance.						
Titanium Valve Housing				•	•	•
Titanium Faceplate				•		
Metal Valve Housing		•	•			
Metal Components	•	•	•	•	•	•
Adjustable Inhalation Effort		•	•	•	•	•
Coaxial Adjustable VIVA		•	•			
Adjustable VIVA	•			•	•	•
Large Diaphragm						
Flow-Engineered High-Performance Exhaust Tee				•	•	•
Super Comfort High-Flow Mouthpiece	•	•	•			
Compact High-Flow Mouthpiece				•	•	•
Reversible Hose Attachment	•					
Optional Color-Match Diaphragm Covers						
Optional Color-Match Mouthpiece & Hose Protector		•	•	•	•	•

			G-SERIES		C-SERIES	R-SERIES		
								
MK25 EVO/ S600	MK21/ S560	MK17 EVO/ S600	MK25 BT EVO/ G260 BT	MK25 EVO/ G260	MK11/ C370	MK2 EVO/ R095	MK2 EVO/ R195	MK2 EVO/ R195 NITROX
.	.		.	.				
		.			.			
						.	.	.
.			.	.		.	.	.
		.						
5 HFP	4 HFP and Optional 5 HFP	4 HFP	5 HFP	5 HFP	4 HFP	4	4	4
2	2	2	2	2	2	1	1	1
.			.	.				
.	.	.	.	.	.			
	.							
.	.		.	.			.	M26 DIN
.	.	.	.	.	.			
						.	.	.
.		.	.	.		.	.	.
.	.	.	.	.	.	.	.	.
.	.	.	.	.	.			
.	.	.	.	.	.		.	.
.	.	.	.	.	.		.	.
					.			
.	.	.	.	.		.	.	.
					.			
			.	.		.	.	.
.		.						
.	.	.	.	.	.		.	.









**SCUBAPRO**



# GALILEO HUD

Part number	Description	Retail
05.110.100	GALILEO HUD WITH TRANSMITTER	LKR 316,800
05.110.101	GALILEO HUD WITHOUT TRANSMITTER	LKR 261,600
05.110.001	GALILEO HUD MASK HOLDER	LKR 7,200

The Galileo HUD is an innovative and thoroughly unique air-integrated dive computer. This new-to-the-dive-world, technologically-advanced computer offers a heads-up display mounted on a dual-lens mask. It delivers excellent readability along with hands-free data monitoring, creating a user experience unlike anything previously seen in diving.



**COMPATABILITY:** The Galileo HUD is compatible with a variety of SCUBAPRO masks, including the Spectra, Spectra Mini, Zoom EVO (special mask holder), Synergy Twin, Synergy 2 Twin, and Flux Twin.

**“FLOATING” DISPLAY:** The Galileo HUD’s micro OLED screen is designed to be mounted on a diving mask in close proximity to the human eye. Using precision near-eye optics, this “floating” display creates a screen image that appears at a virtual distance of approximately 3ft/1m, which allows divers to keep their eyes on both their dive data and the underwater scenery at the same time,

**HANDS-FREE DATA MONITORING:** Super-convenient for photographers and tech divers who are often engaged in underwater activities that require both hands. Also, since you don’t have to raise an arm or reach for a console to check your dive data, the Galileo HUD allows a more streamlined profile moving through the water.

**SINGLE-KNOB USER CONTROL:** When it’s time to change screens or make adjustments, the Galileo HUD features an intuitive push-wheel that allows you to access functions with one hand. To operate the push-wheel, simply rotate it to navigate up and down within a menu, or increase or decrease a user setting.

**FLIP-UP HINGE:** The Galileo HUD offers a convenient Flip-Up feature, reminiscence of military night vision goggles, that enables you to tilt the HUD display up and out of the

way. When it’s time to resume data monitoring, simply tilt the display back down into position and you’re ready to track your dive.


#### **GALILEO HUD INCLUDES:**

HUD, Mask Mount, Zip Ties, USB charging cable, Transmitter, Read First, Quick Card, Protection foil. (Manual will be available online).






# GALILEO HUD




Lite Dive Display



PDIS



Navigation



Dive Profile



## FEATURES:

- Lightweight (neutrally buoyant) and easily mountable to a dual-lens mask.
- Hinge mechanism allows you to easily flip up the HUD when not in use.
- Intuitive menu structure and push-wheel interface make for effortless navigation through the system.
- Full-color OLED 96x64p display lets you select Default, Tec or Retro color configurations.
- Choice of 2 algorithms: Predictive Multi-Gas Bühlmann ZH-L16 ADT MB PMG, or ZHL16 GF.
- PMG algorithm offers Microbubble levels and Profile Dependent Intermediate Stops (PDIS).
- Selectable dive modes: SCUBA, Gauge, Apnea and CCR.
- Trimix and Nitrox compatible, with advanced CCR functionality.
- Up to 8 selectable gases in SCUBA mode, plus 8 selectable diluent gases and 2 set points for CCR diving.
- Compatible with the SCUBAPRO Smart transmitter for hoseless tank pressure monitoring.
- Provides true remaining bottom time (RBT) based on the workload from breathing.
- 3D full-tilt digital compass allows you to store 3 pre-programmed headings.
- Includes built-in GPS for surface navigation.
- Maximum operating depth: 120m.
- Rechargeable battery provides up to 27 hours of dive time per charge in Power Save mode.
- 2GB memory stores 10,000 hours of diving.
- Download data via Bluetooth or USB cable.
- Compatible with Apple and Android devices using LogTRAK.



05.110.001



HUD shown on Spectra mask [sold separately]

## G2 (GALILEO 2)

Part number	Description	Retail
05.080.100	G2 with Tank Transmitter and HRM (Complete)	LKR 270,720
05.080.102	G2 Wrist with Tank Transmitter only	LKR 251,400
05.080.101	G2 Wrist Unit Only	LKR 207,360
06.205.315	USB Cable - G2	LKR 9,600

With all of its new features, its ease of use, its screen options, plus the ability to use as much or little of the technology as you want, the G2 is poised to become the favorite computer for divers of all skill levels, from beginner to tech diver. The G2 is designed go anywhere – open water to freediving to CCR to sidemount. And the G2 will grow with the new diver - wherever their passion for diving takes them.

- Same intuitive menu structure, simple 3-button control system, and diver-friendly functions that make the Galileo so easy to use. Enables a seamless transition from the Galileo to the G2. All accessories are reverse compatible as well.
- Full-Color TFT (Thin-Film Transistor) 2.2in/5.6cm Dot matrix display screen (320x240p). Produces vibrant colors for maximum readability to quickly direct your attention to what you need to know.
- TFT screens use less energy. More efficient than other screen types to help extend battery life.
- See as much or as little as you like. Choice of screen display configurations. Customize your data presentation with Light, Classic, Full or Graphical screen options to suit your individual diving style.
- Customize menu listings. Use as much or as little of the G2 technology as you need – your choice.
- Multiple language choices. Select from more than 19 languages for receiving dive data.
- Predictive Multi-Gas ZHL-16 ADT MB algorithm. Advanced Uwatec algorithm programs up to 8 nitrox/trimix mixes to handle any recreational or technical diving scenario.
- Integrated heart rate monitor. Measures heartbeat and skin temperature and incorporates both into the workload calculations. Integration with the HRM is exclusive to SCUBAPRO.
- Heart rate monitor also lets you visually track your heart rate “real time” to ensure you stay in your individual target zone to maximize your fun and safety at depth.
- Hoseless air integration. Monitors tank pressure plus provides true remaining bottom time (RBT) and allows air consumption to be factored into the decompression calculation. Provides support for up to 9 transmitters when all features are activated.
- Improved, full tilt digital compass. The best available. Includes half-compass rose and bearing memory.
- Rechargeable battery. Provides up to 50 hours of dive time per charge. Battery only service by dealer.
- Huge 485MB memory. Stores pictures, tables, tissue loading status, and 1,000 hours of dive profiles.
- USB cable or Bluetooth Low Energy interface. Easily download dive data wirelessly to your phone or handheld device. Download dive data to a PC/Mac using LogTRAK software.



LIGHT Screen  
without warning



### PLUS:

- Fiberglass-reinforced thermoplastic slim-line casing. Ultra-durable & UV resistant.
- Curved ergonomic low-profile shape. Sits comfortably on the arm and resists rotating (integrated bungee mounts are provided for tech divers). Can also be used on a retractor.
- Rugged TR 55 transparent thermoplastic lens protects the full color dot matrix TFT display.
- Features a backlight to enhance low-light readability.
- Sleek, Swiss design. The best elements of the Galileo in an upscale design.
- Stainless steel control buttons (3).
- Accessible, intuitive, easy to use even when wearing gloves.
- Multiple dive modes. Scuba, Freediving, Gauge, CCR and Sidemount for total in-water versatility.
- (Freediving, Trimix, CCR and Sidemount modes are disabled from the factory. Activation is easy – no downloading or upgrading is required.)
- Special freediving logbook. Stores repetitive dives sequentially under the same freediving session.
- Maximum operating depth. 394ft/120m for reliable data computing regardless of diving situation.

## G2 (GALILEO 2 )



FULL Screen  
without warning



CLASSIC Screen  
with warning



GRAPHIC Screen  
with warning



COMPASS Screen



05.060.002



05.055.030



06.205.315



05.080.100  
G2 Complete



## G2 (GALILEO) CONSOLE

Part number	Description	Retail
05.081.111	G2 Console	LKR 253,200

For divers who prefer a console-style dive computer, the G2 Console joins the Galileo family, offering yet another option for handling important dive data. Featuring a cell phone-style portrait-shaped screen, the G2 Console is easy to use, easy to read, and offers a compass with two screen styles. The rugged casing boot protects against bumps and includes hose protection to safeguard the quick disconnect fitting. Data downloading and analysis is easy with full Android/iPhone/PC/Mac compatibility. The G2 Console is designed to go anywhere, and will grow with the new diver – wherever their passion for diving takes them.

- Cell phone-style screen is familiar and very easy to read at depth.
- Air integrated system includes a quick-disconnect fitting that enables you to separate the dive computer from the HP hose for easy post-dive data downloading, traveling, and safe storage.
- Ultra-durable casing boot protects against bumps and includes hose protection to safeguard the quick-disconnect fitting.
- Dive modes: SCUBA, Gauge, and Trimix. (Trimix mode is disabled from the factory. Activation is easy – no down-loading or upgrading is required.)

### PLUS:

- Ultra-durable casing boot protects against bumps and includes hose protection to safeguard the quick disconnect fitting.
- Scuba and trimix modes: (the trimix mode is disabled from the factory. Activation is easy – no downloading or upgrading is required.)

logtrak<sup>®</sup>  
SCUBAPRO



## LED & SMART

Part number	Description	Retail
05.055.030	Transmitter Smart + LED / Galileo	LKR 76,800

Enjoy the convenience of air integration without the hassle of a dangling hose. This low-profile Smart transmitter works with SCUBAPRO's most advanced dive computers. It screws into a high pressure port on your first stage and relays tank pressure and true remaining bottom time (RBT) to the computer screen. The latest version features a built-in LED that gives you an estimate of pressure when the first stage is attached to a tank. This lets you know if the tank has gas without needing to activate the computer.

- Easy to use, you only need to pair it to your computer once—the first time you use it.
- Coded transmission technology prevents interference between different dive computers.
- Compatible with Galileo Sol, Galileo Luna and M2 personal dive computers.



Part number	Description	Retail
05.064.101	A1 Dive Computer	LKR 78,720

The new A1 is a single gas nitrox dive computer designed for new divers and casual recreational divers looking for a simple yet versatile wrist-style computer that can be worn on the surface as well as under water. The A1 offers full time-keeping functions, and three Dive modes plus a Sport mode. An intuitive menu system and clearly marked button controls make it easy to access and understand all functions. Offering just the right balance of topside features, underwater functions and ease of use, the A1 will quickly become an integral part of not just your diving life, but of your everyday life as well.

- Targeted to new divers and casual recreational divers.
- Modern design is functional and stylish for topside time-keeping as well as underwater data tracking.
- High-resolution matrix display with large numbers is easy to read under water, even in adverse conditions.
- Lightweight design is so comfortable on the wrist you won't want to take it off.
- Intuitive menu and four button controls make it easy to navigate through the system.
- ZH-L16 algorithm accommodates single-gas Nitrox capability from 21% to 100% O<sub>2</sub>.
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N<sub>2</sub> loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the

algorithm to match your experience level, age and physical conditioning.

#### PLUS:

- Full functions for topside time-keeping.
- 3 Dive modes: Scuba, Gauge, and Apnea.
- In Sport mode sport-related functions like a swim stroke counter and a stopwatch can be activated.
- Max Operating Depth: 120m.
- Bluetooth Low Energy interface lets you download dives to any iOS or Android device or PC/Mac.
- Firmware can be user-updated by going to [scubapro.com](http://scubapro.com).
- CR2450 battery is rated for up to two years/300 dives.
- **Included: Protection Foil, Quick Card, Arm Strap Extension, Read First (user manual is available online).**



Current Depth

05.064.101



Bluetooth® **logtrak**  
SCUBAPRO

Dive logs can be stored and analysed with a PC/Mac/Android



Menu  
Planner



Decompression  
Planner\_Backlit



Current Time



Current MBL



Deco Stop



NST with MBLO



Elapsed Dive Time



Total Ascent Time



Ready to connect



Side View

Part number	Description	Retail
05.064.201	A2 Dive Computer	LKR 122,400

The new A2 is designed for advanced divers and technical divers who appreciate the compactness and convenience of a wrist-style dive computer, but demand the kind of features and functions that enable them to excel in their sport. For daily topside use the A2 offers full timekeeping functions and a Sport mode. When it's time to go diving, the A2 offers everything an advanced recreational diver wants, and everything a technical diver needs. It starts with wireless air integration that monitors tank pressure and provides true remaining bottom time. The digital tilt-compensated compass provides easy navigation under water or on the surface. The A2 lets you choose from six Dive modes, including Trimix and CCR, and because it's designed with Human Factor Diving™, it incorporates cutting edge biometrics that enable you to live your life in dive mode. Whatever type of diving you do, the A2 is ready to go there with you.

- Targeted to advanced recreational divers and technical divers as well as CCR divers and freedivers.
- Smart technology wireless air-integration can handle multiple transmitters.
- Air-integration monitors tank pressure and provides true remaining bottom time (RBT) calculations based on the workload from breathing. Transmitter sold separately.
- Heart rate monitor records heart-beat and skin temperature (with SCUBAPRO HRM Belt only; sold separately) that can be factored into the decompression calculation along with workload.
- Digital tilt-compensated 3D compass allows for easy navigation.
- Predictive Multi-Gas ZH-L16 ADT MB algorithm accommodates eight gases (21-100% O<sub>2</sub>) plus two in CCR mode.
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N<sub>2</sub> loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.
- Multiple Dive modes: Scuba, Gauge,

Apnea, Trimix, Sidemount, CCR.

- Sport mode offers sport-related functions like a swim stroke counter, activity counter (pedometer) and stopwatch.

#### PLUS:

- Modern design with full functionality is perfect for topside time-keeping as well as underwater data tracking.
- High-resolution matrix display with large numbers is easy to read under water, even in adverse conditions.
- Lightweight design is so comfortable on the wrist you won't want to take it off.
- Intuitive menu and four button controls make it easy to navigate through the system.
- Max Operating Depth: 120m.
- Bluetooth Low Energy interface lets you download dives to any iOS or Android device or PC/Mac.
- Firmware can be user-updated by going to [scubapro.com](http://scubapro.com).
- CR2450 battery is rated for up to two years/300 dives.
- Included: Protection foil, Quick Card, Arm Strap Extension, Read First (user manual is available online). Optional equipment: transmitter, heart rate belt.**



Current Depth  
05.064.201



**Bluetooth® logtrak**  
SCUBAPRO

Dive logs can be stored and analysed with a PC/Mac/Android



Remaining Bottom Time



No Stop Time



Water Temp



Navigation



Skin Temp



Logbook in / Out



Gas Mix



Part number	Description	Retail
27.300.110	Z1 - Black/Silver	LKR 122,400
27.300.210	Z1 - White/Blue	LKR 122,400

**\*While stocks last**

Powered by the Sun, this Wristwatch-Style Computer takes Modern Diving to a New Level.

Wearing a Z1, casual recreational divers can be styling during the work week and dive-ready on the weekend, all the while knowing they are contributing to a healthier planet.

The wristwatch-style Z1 is a good-looking timepiece for topside use. At the same time, it's a ruggedly built dive computer. Its hybrid construction combines a polyacrylate case with a 316L stainless steel bezel (polyacrylate resin provides better heat-resisting properties than polycarbonate). This gives the Z1 a high-quality feel and appearance, yet enables it to excel in both durability and light weight.

- Solar charging system provides hassle-free battery charging.
- Internal battery can be charged by outdoor sunlight or indoor fluorescent light.
- Power saving function maximizes your dive time between charges.
- Battery can last for more than 8 years before needing replacing. (Maximum life span depends on use and conditions.)
- Hybrid construction combines an attractive polyacrylate case and 316L stainless steel bezel for lightweight durability.
- Buhlmann (ZHL-16C) algorithm offers Nitrox capability from 21% to 100% O<sub>2</sub> for up to 4 Nitrox mixes.
- Provides full time-keeping functions, including a stopwatch.
- Digital onboard electronic compass allows for easy navigation.
- A non-step altitude measurement configures the pressure reduction based on the current atmospheric pressure rather than using an altitude ranking.
- Large, bold numbers in the center of the screen, plus eye-catching green highlights, ensure that all dive data is always easy to read.
- Super bright backlight can be activated for 1.5 seconds or 3 seconds by simply tilting the arm (when the Auto-Light function is set to ON).
- Audible and visual alarms keep you alert to your dive status.
- Depth and time interval alarms are diver-selectable prior to the dive.
- Logbook stores 30 dives and includes a dive history which can be analyzed with wireless technology.
- Bluetooth 4.0 Low Energy connectivity lets you download dives to any iOS or Android device.
- Dive modes: Scuba, Freediving and Gauge.
- Maximum operating depth: 328ft/100m.
- Available in a variety of eye-pleasing casing and wrist band colors (see below).
- Will also accept M2 and Chromis colored wrist bands.

 **Bluetooth®**



27.300.110



27.300.200

27.300.210



Z1 SHOWN WITH OPTIONAL COLORED BANDS

# MANTIS 2 (M2)

Part number	Description	Retail
05.063.100	Mantis 2 (M2) with Transmitter and HRM	LKR 181,800
05.060.002	SCUBAPRO HRM Belt	LKR 28,800

**\*While stocks last**

The M2 is a dive computer like no other. Designed with SCUBAPRO's Human Factor Diving™ approach to product design, the M2 offers everything you expect from the leader in diving equipment. It is loaded with topside features and underwater functions, including air integration and electronic navigation, and most importantly, incorporates cutting-edge biometrics that enable you to live your life in dive mode.

- Human Factor Diving™ is SCUBAPRO's revolutionary new approach to product development that combines Human Factors Engineering, biometrics and wearable technology to create cutting-edge high-tech self-tracking devices that make diving safer and more fun.
- Targeted to recreational and technical divers as well as CCR divers and freedivers.
- Predictive Multi-Gas ZHL8 ADT MB algorithm accommodates three gas mixes (21-100% O2).
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N2 loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.
- Smart technology wireless air integration handles multiple transmitters.
- Heart rate monitor records heartbeat and skin temperature (with SCUBAPRO HRM Belt only) that can be factored into the decompression calculation along with workload.
- Digital tilt-compensated onboard compass allows for easy navigation.
- Casing is built from the highest marine grade 316L stainless steel with a two-toned brushed finish that protects and looks great.
- Control buttons are assembled in modules using triple O-rings to maintain the casing's watertight integrity.
- Great for freediving.

## PLUS:

- Programs three gas mixes (21-100% O2).
- Four Dive modes-Scuba, Gauge, Freediving and CCR.
- Swim mode.
- Sport mode.
- Full topside time-keeping functions.
- Chronograph with lap memory for running.
- Fixed PPO2 CCR algorithm.
- Visually pleasing segmented LCD display.
- Protective mineral glass.
- Easy-to-read characters and graphics.
- Intuitive menu.
- Simple circular navigation system.
- **Scuba:** Four second sampling rate/50 hours of enhanced logbook in diving mode.
- **Freediving:** One second sampling rate/10 hours of enhanced logbook in apnea mode.
- Maximum operating depth: 394ft/120m.
- CR2450 user replaceable battery rated two years/300 dives.
- PC and Mac compatible using LogTRAK.



05.063.101



05.060.002



05.055.030

# MANTIS 2 (M2) ACCESSORIES

Part number	Description	Retail
05.063.005	Mantis 2 (M2) Metal Strap	LKR 31,200
05.063.004	Mantis 2 (M2) Wrist Strap - Black	LKR 7,200
05.063.006	Mantis 2 (M2) Wrist Strap - White	LKR 7,200
05.063.007	Mantis 2 (M2) Wrist Strap - Blue	LKR 7,200
05.063.008	Mantis 2 (M2) Wrist Strap - Orange	LKR 7,200
05.063.009	Mantis 2 (M2) Wrist Strap - Yellow	LKR 7,200
05.063.010	Mantis 2 (M2) Wrist Strap - Pink	LKR 7,200
05.063.011	Mantis 2 (M2) Wrist Strap - Purple	LKR 7,200
05.063.001	Mantis 2 (M2) Cradle	LKR 20,400

## MANTIS 2 SHOWN WITH OPTIONAL COLORED BANDS



05.063.005



05.063.004



05.063.006



05.063.007



05.063.008



05.063.009



05.063.010



05.063.011



05.063.001



# MANTIS ACCESSORIES - MANTIS 1

Part number	Description	Retail
05.060.006	Mantis M1 Blue Strap	LKR 4,320
05.060.007	Mantis M1 Red Strap	LKR 4,320
05.060.008	Mantis M1 Orange Strap	LKR 4,320
05.060.009	Mantis M1 Yellow Strap	LKR 4,320
05.060.010	Mantis M1 Pink Strap	LKR 4,320
05.060.011	Mantis M1 Black Strap	LKR 4,320
05.060.001	Cradle - Mantis 1	LKR 20,400
06.204.060	Pin Wriststrap - Mantis 1	LKR 240
06.204.061	Mantis M1 Case O-Ring	LKR 240
06.204.327	Push Pin Tool - Mantis 1 strap pins	LKR 2,880

05.060.001



05.060.006



05.060.007



05.060.008



05.060.009



05.060.010



# CHROMIS

Part number	Color	Retail
05.061.100	Black	LKR 71,520
05.061.200	White	LKR 71,520
05.061.300	Black/Orange	LKR 71,520
05.061.310	Black/Lime Green	LKR 71,520
05.061.210	White/Blue	LKR 83,520
05.061.400	Black/Gold	LKR 83,520
05.061.420	Deep Blue	LKR 83,520

SCUBAPRO's "sporty" wristwatch-style dive computer, the Chromis is always ready for action, both in and out of the water. Offering all of SCUBAPRO's core features except Predictive Multi-Gas (PMG), the Chromis offers full timekeeping functions, a patented stroke counter for surface swimming and a full-featured deco computer for diving.

- ZHL8 ADT MB algorithm accommodates one nitrox mix from 21% to 100% O<sub>2</sub>.
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N<sub>2</sub> loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.
- Casing features an engraved 316L stainless steel front ring and back plate.
- Four buttons allow for easy menu navigation.
- Extra-sharp alphanumeric characters are inspired by Samurai katanas.
- Continuously updated average depth display in Gauge mode can be reset at any time.
- Zigzag strap design compensates for dive suit compression to maintain a secure fit at depth.
- Deep blue option to match Deep Blue regulator.

- All-black option to match Carbon Fiber regulator.
- Also great for freediving.

## PLUS:

- Three Dive modes: Scuba, Gauge and Freediving.
- Swim mode includes surface stroke counter.
- Intuitive menu system.
- Large, easy-to-read display.
- Maximum operating depth: 120m.
- Full topside time-keeping functions.
- Stopwatch in Scuba and Gauge modes.
- Optional USB connection with cradle.
- Large capacity CR2430 battery.
- Strap extension is included.



05.061.210



05.061.100



05.061.200



05.061.300



05.061.310



05.061.400



05.061.420

## CHROMIS ACCESSORIES

Part number	Description	Retail
05.061.002	Chromis Black Strap	LKR 4,320
05.061.004	Chromis Orange Strap	LKR 4,320
05.061.007	Chromis Full Black Strap with black buckles	LKR 6,480
06.204.231	Extension Strap- Black	LKR 3,840
05.061.001	Chromis Cradle	LKR 19,200



05.061.001

## INFRARED INTERFACE (IRDA)

Part number	Description	Retail
05.050.001	USB Smart IrDA Dongle	LKR 18,720

This handy accessory provides an Infrared connectivity solution for PCs that are not equipped with built-in infrared ports that allow for the transfer of your dive data from dive computer to SmartTRAK/LogTRAK. Simply plug it into a USB port for quick and easy downloading.

### Provides data transfer capability for:

- Aladin One, Aladin Sport, Aladin Prime, Aladin TEC, Aladin TEC 2G, Aladin 2G, Aladin TEC 3G.
- Galileo SOL, Galileo TERRA, Galileo LUNA.
- Smart Pro, Smart COM, Smart TEC, Smart Z.

### Systems Compatibility:

- Windows platforms (98, 2000, XP, VISTA, Windows 7). Drivers supplied with device.
- Windows 8. Drivers can be download from SCUBAPRO website.
- MacOS X.
- Windows 10 Drivers available soon.





# ALADIN H MATRIX W QR

Part number	Description	Retail
05.047.110	Aladin H Matrix with QR - LCD, Bluetooth and d.compass	LKR 93,600

With its compact size and intuitive data display, the new Aladin H is a sharp-looking and full-featured dive computer targeted to avid recreational divers looking for a convenient air-integrated dive computer. Featuring a metallic faceplate and easy-to-read segmented display on top and middle rows, and a matrix display on the bottom row, the Aladin H's full air integration eliminates the need to carry a separate submersible pressure gauge. With the on-board digital compass and you have an ultra-compact, full-function, hose-attached dive computer.

- Predictive Multi-Gas ZHL16 ADT MB algorithm accommodates three gases (21-100% O<sub>2</sub>).
- Fully air-integrated, the algorithm calculates remaining bottom time (RBT) and estimates workload based on breathing rate.
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N<sub>2</sub> loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.
- Features a protector boot covering the metal connection between HP hose and dive computer's HP sensor.



# ALADIN SPORT (MATRIX)

Part number	Description	Retail
05.046.110	Aladin Sport Matrix	LKR 66,720

Featuring a metallic silver faceplate and easy-to-read display, the new SCUBAPRO Aladin SPORT (Matrix) is targeted to divers who want multi-gas functions as well as to recreational divers who appreciate a dive computer with the kind of features that enable them to evolve in their sport. The computer screen features an easy-to-read segmented display on the top and middle rows, plus an eye pleasing matrix display on the bottom row where you'll also find an easy-to-use on board digital compass. Available as a wrist mount.

- Predictive Multi-Gas ZHL16 ADT MB algorithm accommodates three gases (21-100% O<sub>2</sub>).
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N<sub>2</sub> loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.

## PLUS:

- Three Dive modes: Scuba, Freediving and Gauge.
- Maximum operating depth: 120m.
- Altimeter.
- Saltwater and freshwater settings.
- Digital compass, displayed on matrix bottom row.
- Active back light.
- Visual and audible alarms.
- Full watch functions.
- Adjustable ppO<sub>2</sub> from 1.0 and 1.6, and it can be set to off.
- Bookmark function.
- Lens protection cap.
- CR2450 user-replaceable battery rated for two years/300 dives.
- Dive logs can be stored and analyzed via new **Bluetooth 4.0 technology**.

- Using the Bluetooth Low Energy (Bluetooth 4.0) feature divers can download their dives to iOS and Android devices that handle the Bluetooth Low Energy technology.
- For PCs and Macs that are not equipped with built-in Bluetooth Low Energy technology, the end user will have to buy a Bluetooth Low Energy USB dongle which is available on the market.
- Uwatec has tested and recommends the use of the following dongle: Bluegiga BLED112.
- Up to three nitrox mix (0 to 100%) 3 gas computer.



05.046.110

# ALADIN ONE MATRIX

Part number	Description	Retail
05.045.110	Aladin One Matrix with wristband	LKR 54,912
05.045.230	Aladin One Matrix + Console 2 + PG Gauge	LKR 66,600
05.045.010	Aladin One Matrix capsule	LKR 50,400

IDEAL FOR DIVING SCHOOLS AND BASES!

## PLUS:

- Nitrox compatible 21-50% in 1% increments
- Nitrox Reset function is ideal for dive rentals
- 12 and 24 hour mode
- Auto or manual Safety stop with timer (3 minutes)
- Full watch functions (UTC, alarm)
- Adjustable ppO<sub>2</sub> between 1.0 and 1.6bar
- Maximum operating depth: 120m
- Back light
- **Bigger font digits over last model**
- **New easy menus**
- Menu names shown in matrix screen
- **ZH16 ADT algorithm**
- Visual and audible alarms
- **Full reset between dives for hire computer**
- **Safety Stop timer – add Auto or manual @ 5 meters**
- Dive logs can be stored and analyzed via new **Bluetooth 4.0 technology**
- CR2450 user replaceable battery rated for two years/300 dives
- **Full dive planer including decompression dives**
- Wrist boot can be fitted for bungee straps



05.045.110



05.045.230



05.045.010

# DIGITAL 330M

Part number	Description	Retail
05.014.110	Wrist Mount Metre	LKR 43,440
05.014.010	Capsule only	LKR 39,600

Although targeted primarily to technical divers, the Digital 330M is an ideal data delivery system for beginning divers, and a useful backup instrument for any diver. Whatever your skill level, the Digital 330M can be counted on to provide outstanding electronic accuracy in all diving conditions.

- Incorporating state-of-the-art technology, a bevy of information is provided in a compact information center.
- Data includes actual and maximum depth, ascent speed, dive time in minutes and temperature.
- Auto on/off feature means it's always ready to dive after a quick self-test.
- Variable ascent rates are displayed in a percentage and with a fast ascent warning.
- Depth-rated to 330m to suit all technical deep-diving scenarios.
- Surface interval is displayed for 24 hours for safety and convenience.
- Logbook provides data for the last nine dives to allow for post-dive review and analysis.
- Provides automatic altitude compensation when changing dive locations.



05.014.110

## 3-GAUGE IN-LINE CONSOLE

(Metal Compact PG, Std DG, Compass FS-2)

Part number	Description	Retail
05.011.753	Metric/Bar	LKR 70,560

This sleek, three-gauge console combines a SCUBAPRO metal pressure gauge, depth gauge and FS-2 compass, creating an easy-to-use, at-a-glance information center.

- Compact pressure gauge (0-400bar) with brass case.
- Oil-filled analog depth gauge with linear Bourdon tube design.
- 35-degree tilt, oil-filled compass.
- Available in imperial and metric.



## 3-GAUGE IN-LINE CONSOLE

(Plastic Compact PG, Std DG, FS-1.5)

Part number	Description	Retail
05.011.714	Metric/Bar, Compass	LKR 60,000

Three-gauge console with compact, plastic-case pressure gauge, easy-to-read depth gauge and FS-1.5 compass. Perfect for the diver who values convenience, accuracy, and style.

- Compact pressure gauge (0-400bar).
- 26-degree tilt, oil-filled compass.
- Oil-filled analog depth gauge with linear Bourdon tube design.



## 2-GAUGE CONSOLE, SP METAL PG

(Metal Compact PG, Compact DG)

Part number	Description	Retail
05.023.210	Metal PG Metric/Bar, uDGM	LKR 48,000

Two-gauge console including a compact brass-case pressure gauge and a compact oil-filled analog depth gauge with linear Bourdon tube design.





## 2-GAUGE U-LINE CONSOLE

(Compact Plastic PG, Compact DG)

Part number	Description	Retail
05.012.210	Pressure/Bar and Depth/Meter Gauge (New)	LKR 41,760

Two-gauge compact console includes a compact plastic-case pressure gauge and a compact oil-filled analog depth gauge with linear Bourdon tube design. C1 compass can be attached at the bottom of the console boot.



## CONSOLE MAKO

Part number	Description	Retail
05.022.213P	CONSOLE Mako FB - Scubapro PG/FS-2 - Bar	LKR 53,280

- Compact console combines with FS-2 compass and pressure gauge



## COMPACT PRESSURE GAUGE

Part number	Description	Retail
05.023.112	Compact Scubapro PG COMPLETE 0° BAR	LKR 28,320
05.023.122	Compact Scubapro PG COMPLETE 0° PSI	LKR 28,320
05.022.012	Compact Scubapro PG Capsule 0° BAR	LKR 16,320
05.022.022	Compact Scubapro PG Capsule 0° PSI	LKR 16,320

- Compact Pressure Gauge 0-400 bars with brass case
- Red zone between 50 and 0 bar and 10 bar increments



05.023.112

## STANDARD PRESSURE GAUGE

Part number	Description	Retail
05.011.112	Standard PG w Hose/Rubber cover 0 <sup>0</sup> Bar	LKR 25,920
05.011.012	Standard PG Capsule w Swivel 0 <sup>0</sup> Bar	LKR 16,320
28.039.302P	Compact Pressure Gauge Capsule - Bar	LKR 17,280
28.039.902P	Compact PG Capsule - PSI	LKR 17,280
28.075.000	Standard Brass Pressure Gauge HP 80	LKR 25,920
28.075.002P	Standard Brass Pressure Gauge Capsule HP 80	LKR 16,800



28.039.302P



28.075.002P



28.075.000



05.011.112

## PRESSURE GAUGE, U-LINE (Compact Plastic-Case PG)

Part number	Description	Retail
05.012.112	U-Line Pressure Gauge, Metric/Bar	LKR 23,520
05.012.122	U-Line Pressure Gauge, Imperial/ Psi	LKR 23,520
05.012.012	U-Line Pressure Gauge Capsule w Swivel Metric/Bar	LKR 15,360



05.012.112

# DEPTH GAUGE

Part number	Description	Retail
05.011.111	Metric, to 60m	LKR 24,480
05.011.011	DG Standard Capsule with Temp (°C)	LKR 21,120
05.012.011	U-line depth gauge capsule, Metric/Bar	LKR 18,720
05.012.021	U-line depth gauge capsule, Imperial/Psi	LKR 18,720

This handy depth gauge features a fluorescent scale, a built-in temperature gauge and fits nicely in a streamlined and comfortable wrist strap.

- Oil-filled gauge housed in an impact-resistant nylon case.
- 60m linear scale features maximum depth indicator for the easy logging of maximum depth.
- Bourdon tube design provides precise readings at all depths.



05.011.111

## FS-2 COMPASS

Part number	Description	Retail
05.017.101	FS-2, Universal, w/wrist mount	LKR 22,800
05.017.111	FS-2, Universal, w/retractor mount	LKR 20,160
05.017.121	FS-2, Universal, w/retractor mount and retractor	LKR 29,280
05.017.001	FS-2 Capsule only	LKR 18,240
06.203.115	Retractor mount for compass FS-1/FS-2	LKR 4,560
06.203.170	Retractor for compass FS-1/FS-2	LKR 11,520
06.203.523	Galileo Retractor Clip Set	LKR 1,680
06.202.342	WRIST Mount w Strap FOR COMPASS FS-1 /FS-2	LKR 6,240
06.204.469	WRIST Mount w Strap FOR COMPASS FS-1 /FS-1.5 /FS-2	LKR 6,240

The FS-2 compass provides a unique tilt angle of up to 35 degrees, making it easier to read and operate in almost any position. With a floating magnet separate from the compass rose, the FS-2 has greater operating freedom than conventional compasses. This means you can use the same compass for both Northern and Southern hemispheres, making it the perfect navigation instrument for traveling divers.

- Scratch-resistant and durable oil-filled polycarbonate case.
- Highly luminous dial for easy reference in low light conditions.
- Side view window for easy and accurate navigation.
- Available in a wrist model or capsule.



05.017.121



05.017.101

## FS-1.5 COMPASS

Part number	Description	Retail
05.018.101	FS-1.5 N, w/wrist mount	LKR 17,280
05.018.001	FS-1.5 N, Capsule	LKR 13,680

A compact and durable instrument for precise underwater navigation. Mounted in a pressure-resistant oil-filled polycarbonate housing, this compass is easy to read and easy to use. Calibrated to the Northern hemisphere.



05.018.101



## EMPTY BOOTS

Part number	Description	Retail
28.075.021	Cover-Pressure Gauge Black (For 28.075.000)	LKR 1,920
06.203.624	Rubber Boot - Standard PG (For 05.011.112)	LKR 4,800
06.204.370	Rubber Boot - Scubapro Compact PG (For 05.023.112)	LKR 4,320
06.203.621	Rubber Boot - U-line PG (For 05.012.112)	LKR 4,320
06.204.348	Rubber Boot - Console Mako	LKR 7,200
06.203.622	Rubber Boot - U-line Console 2 (For 05.012.210)	LKR 5,520
06.204.400	Rubber Boot - Scubapro Compact Console 2 (For 05.023.210)	LKR 5,520
06.202.300	Rubber Boot - Console 3	LKR 6,240
06.204.119	Rubber Boot - 2 - Gauge Console	LKR 5,520



06.202.300



06.203.621



06.203.624



06.204.400

## ARMSTRAPS

Part number	Description	Retail
06.203.027	Wrist Strap - Galileo	LKR 6,240
06.204.268	Wrist Strap and Boot for 2G/Prime/Tec/Tec 2G/Tec 3G/Sport	LKR 6,480
06.204.269	Wrist Strap - ALADIN "Puck"/DDG/ Std DG	LKR 4,560
06.204.468	Wrist Strap - Aladin2 /G2/	LKR 4,800
06.003.201	Wrist Strap - Aladin Sport Black	LKR 6,480
06.003.207	Wrist Strap - Aladin Pro, Grey	LKR 6,480

## SCREEN PROTECTORS

Part number	Description	Retail
06.205.261	Protection film G2	LKR 2,400
06.204.779	Protection Film Galileo Sol / Luna	LKR 2,400
06.202.514	Protection Shield Galileo Sol / Luna	LKR 5,280
06.204.290	Protection Film Chromis / M2	LKR 720
06.204.045	Protection Film - Mantis 1	LKR 1,440
06.202.362	Adhesive Screen Guard for 2G/Prime/Tec/Tec 2G/Tec 3G/Sport/One	LKR 1,440
06.202.927	Plastic Screen Guard for 2G/Prime/Tec/Tec 2G/Tec 3G/Sport	LKR 3,600

## BATTERY KIT

Part number	Description	Retail
27.730.107	Battery CR2032 - Mantis 1	LKR 480
06.201.273	Battery only CR2450 - Aladin/ SMART	LKR 1,920
06.201.919	Battery Kit for 2G/Prime/Tec/Tec 2G/ Tec 3G/Sport/One/XP10	LKR 5,040
06.201.920	Battery Kit - Transmitter Smart	LKR 4,800
06.204.470	Battery Kit - Aladin2	LKR 5,040
06.202.872	Battery Kit - Galileo	LKR 6,720
06.204.286	Battery Only CR2430 - Chromis	LKR 1,680
06.204.730	Battery Kit with O-ring - Chromis	LKR 3,840
06.204.071	Battery Kit - Transmitter Smart + LED	LKR 7,440
06.203.053	Battery Cover - Galileo	LKR 5,520
06.007.710	Battery Set for Aladin	LKR 12,480
06.204.873	Battery Kit - M2	LKR 5,040
06.201.615	Battery Cover Aladin Prime	LKR 3,840

## HP SWIVELS & COUPLINGS

Part number	Description	Retail
06.007.330	HP Swivel Pin-long, 26.6 w/O-ring - 400 Bar SPGS	LKR 2,640
06.007.300	HP Swivel Pin-short, 19.1 w/O-ring - Old Std Uwatec SPGS	LKR 2,640
28.132.005	Swivel HP w/2 O-ring (For Italian Gauge)	LKR 1,440
06.203.548	Swivel Atmaflex Hose W O-Ring	LKR 1,440

## HIGH PRESSURE HOSE

Part number	Description	Retail
05.003.090	HOSE with QR - 90cm Kevlar	LKR 23,040
05.004.010	HP HOSE - 10cm extension for transmitter Kevlar	LKR 10,800
05.004.015	HP HOSE - 15cm Kevlar	LKR 11,040
05.004.060	HP HOSE - 60cm Kevlar	LKR 12,960
05.004.085	HP HOSE - 85cm Kevlar	LKR 13,920
01.044.008	HP Hose (20 cm)	LKR 7,680
01.044.031	HP Hose (80cm)	LKR 11,520
01.044.121	HP Hose Kit for Nitrox use	LKR 1,680
01.334.005	HP Quick-Connector	LKR 8,640
05.005.001	Quick Release - compact	LKR 24,480



**DEEP DOWN** YOU WANT THE **BEST**

SCUBAPRO.COM



**SCUBA PRO**





# HYDROS X

new

Part number	Size	Retail
21.900.200	MEN-S	LKR 220,800
21.900.300	MEN-M	LKR 220,800
21.900.400	MEN-L	LKR 220,800
21.900.500	MEN-XL-XXL	LKR 220,800
21.901.100	LADY-XS-S	LKR 220,800
21.901.300	LADY-M	LKR 220,800
21.901.400	LADY-L	LKR 220,800

The HYDROS X is the world's first front-adjustable BCD to offer a fully injection molded Monprene® thermoplastic harness. This unique feature allows you to tailor the harness shape to perfectly fit your torso, creating superior comfort. Add the full-sized backpack and stainless steel Super Cinch tank band and you also get excellent stability both on the surface and at depth. The air cell and harness are modular and detachable. The bladder, made out of EndurTex high-tenacity nylon fabric, is extremely lightweight and durable while offering generous lift capacity, aided by lower back bellows. In the event of damage, every component on the HYDROS X is detachable and easily replaceable. Its flat-buckled quick-release integrated weight system and rear trim weight pockets work together to offer a more comfortable and balanced ride when cruising the depths. The two big zippered cargo pockets offer great gear-carrying capacity and are easily accessible even when the weight pouches are fully loaded. Two stainless steel D-rings provide clip-on points for additional gear. In addition, the HYDROS X features a Multi-Mount Accessory Matrix with multiple D-Rings and mounting points that easily attach various dive accessories.

- HYDROS X is based on the same modular Monprene® harness and backpack design popularized by the Hydros Pro back-inflation BCD.
- NEW EndurTex high-tenacity 420 nylon fabric bladder is lightweight yet extremely durable.
- Monprene® thermoplastic harness is extremely resistant to UV, chemicals and abrasion, plus it doesn't absorb water to minimize drying time.
- Rotating quick-release shoulder buckles allow you to route your shoulder straps to optimize fit.
- Super Cinch tank buckle system locks the tank in solid for maximum stability at depth.
- Integrated front weight system is based on the same Monprene® pockets found on the HYDROS PRO.
- Two big zippered cargo pockets offer great gear-carrying capacity and are easily accessible even when the weight pouches are fully loaded.
- Two stainless steel D-rings provide clip-on points for additional gear.
- Includes Multi-Mount Accessory Matrix with multiple D-rings and mounting points that easily attach various dive accessories.
- Color kits available pg 65.
- Offered in 4 sizes for men (S, M, L, XL) and 3 sizes for women (S, M, L).
- Buoyant lift ranges from 13kg to 20kg for men, and 13kg to 17kg for women, depending on size.



# HYDROS PRO

## THE ABILITY TO CHANGE ANYTHING, CHANGES EVERYTHING.

The HYDROS PRO is a true breakthrough in dive comfort and convenience. The moldable Monprene®, adjustable fit and multi-attachment points combine to make this the most customizable and comfortable BC ever. Winner of the 2016 Red Dot award for product design, the HYDROS PRO is an incredible feat of SCUBAPRO engineering, built for anyone who loves to dive.

Interchangeable straps, a packable design and an included backpack with room for your entire dive kit make the HYDROS PRO perfect for any destination and any dive.

- Ultra Durable: Patented Injection Molded Monprene® Gel Harness is extremely resistant to UV, chemicals and abrasion. The fabric-free harness uses no velcro or zippers.
- Instant Dry: Ideal for travel due to less water retention and lower post-dive weight.
- “BC-4-Life” Modular Design: Customizable to add/remove weight systems, straps and pouches. Extended lifespan due to simplified repairs. Virtually every component, including buckles, can be replaced without stitching.
- 3D Ergonomic Design: Conforms to your body shape for maximum comfort.
- Lightweight: Advanced materials keep weight low.
- Neutrally Buoyant: Near-Zero inherent buoyancy requires less lead, resulting in better buoyancy control and much more enjoyable diving.
- Body Grip Gel: Prevents BC from shifting and riding up.
- Torso Flex Zone: Auto-adjusts to your torso length for excellent comfort and freedom of movement.
- Articulated Shoulder Straps: Allow straps to adjust to your body shape to achieve a snug fit.
- Cross-Flow Channel: Unrestricted internal airflow reduces air trapping for enhanced maneuverability and easy deflation at any angle.
- 2-Stage Inflation: Tri-bungee system controls air distribution to maintain a compact shape under water and high lift capacity at the surface.
- Dorsal Weight-Wing: Anti-abrasion and instant dry. Optimal “Outboard” trim pockets.
- Buckle Weight System: Simple, safe and reliable quick-release buckles offer a fixed location for easy one-hand operation.
- Multi-Mount Accessory Matrix: Multiple D-Rings and mounting points for a knife + light + SMB + hoses + crotch strap and much more.
- Smart-Pack Design: Folding shoulder and waist straps pack into the wing, creating an unbelievably compact package for easy transport and storage.
- With BPI



reddot award 2016  
winner



travel friendly



HYDROS PRO shown with  
Trav-Tek straps

### HYDROS PRO SIZE CHART:

SIZE		HEIGHT	WEIGHT	CUMMERBUND CIRCUMFERENCE	LIFT
		(cm)	(kgs)	(cm)	(N)
♂	S	157-170	54-70	66-99	160
	M	170-183	65-85	71-115	180
	L	179-188	80-110	76-127	180
	XL-2XL	185-199	100-130	81-147	180
♀	XS-S	150-170	45-65	66-99	160
	M	160-180	55-77	71-115	160
	L	170-185	68-95	76-127	180

\* This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size.

# HYDROS PRO

Part number	Color	Size	Retail
21.730.200	BLACK	MEN-S	LKR 191,520
21.730.300	BLACK	MEN-M	LKR 191,520
21.730.400	BLACK	MEN-L	LKR 191,520
21.730.500	BLACK	MEN-XL-XXL	LKR 191,520
21.731.400	WHITE	MEN-L	LKR 191,520
<b>*While stocks last</b>			
21.731.500	WHITE	MEN-XL-XXL	LKR 191,520
<b>*While stocks last</b>			
21.736.100	WHITE	LADY-XS-S	LKR 191,520
21.736.300	WHITE	LASY-M	LKR 191,520
21.736.400	WHITE	LADY-L	LKR 191,520
21.738.300	PINK	LADY-M	LKR 191,520
<b>*While stocks last</b>			
21.738.400	PINK	LADY-L	LKR 191,520
<b>*While stocks last</b>			
21.739.400	PURPLE	LADY-L	LKR 191,520
<b>*While stocks last</b>			

travel friendly



Includes: Travel Tek Straps and Backpack

SMART PACK  
SYSTEM



**MOLDS**  
TO YOUR BODY &  
PROVIDES EXTREME  
COMFORT & STABILITY



**CUSTOMIZE**  
YOUR FIT & COLOR  
ANYTIME. COLOR KITS  
AVAILABLE



**TRAVEL  
FRIENDLY**  
FIT A FULL DIVE KIT  
INTO THE INCLUDED  
BACKPACK



**ACCESSORIZE**  
MODULAR SYSTEM  
ALLOWS  
CUSTOMIZATION &  
REPAIRS



**INSTANT DRY**  
LIGHTWEIGHT &  
COMPACT MAKES IT  
TRAVEL FRIENDLY



**MONPRENE®**  
CONSTRUCTION  
MEANS ULTRA  
DURABILITY



**SPECIALIZED FIT**  
UNIQUE DESIGN FOR  
MEN & WOMEN

# HYDROS PRO BCD ACCESSORIES

Part number	Color	Retail
21.745.010	Color Kit - HYDROS PRO- Army Green	LKR 9,120
21.745.100	Color Kit - HYDROS PRO- Black	LKR 9,120
21.745.200	Color Kit - HYDROS PRO - Blue	LKR 9,120
21.745.250	Color Kit - HYDROS PRO- Turquoise	LKR 9,120
21.745.400	Color Kit - HYDROS PRO- Orange	LKR 9,120
21.745.500	Color Kit - HYDROS P RO - Yellow	LKR 9,120
21.745.600	Color Kit - HYDROS PRO - White	LKR 9,120
21.745.700	Color Kit - HYDROS PRO - Pink	LKR 9,120
21.745.710	Color Kit - HYDROS PRO - Purple	LKR 9,120
21.746.001	Knife & Accessory Plate	LKR 3,504
21.746.002	Mini D-Ring Set	LKR 3,504
21.746.400	Accessory Bungee Set - M	LKR 3,024
21.746.500	Accessory Bungee Set - L	LKR 3,024
21.746.005	HYDROS NINJA Pocket	LKR 8,400
21.746.006	HYDROS Cargo Thigh Pocket	LKR 9,360



21.745.010



21.745.100



21.745.200



21.745.250



21.745.400



21.745.500



21.745.600



21.745.700



21.745.710



21.746.001



21.746.002



21.746.400



21.746.500



21.746.005



21.746.006



HYDROS PRO shown with accessories.



# X-BLACK

Part Number	Size	Retail
21.719.200	S	LKR 195,600
21.719.300	M	LKR 195,600
21.719.400	L	LKR 195,600
21.719.500	XL	LKR 195,600



Detail



Detail



The front-adjustable X-Black features SCUBAPRO's exclusive AirFlex system (highlighted by the red bungees threaded throughout the BCD) that simplifies buoyancy control and guarantees an extremely stable ride at depth. Loaded with convenience and performance features, the X-Black is also one of the most comfortable BCDs available, thanks to its ergonomic cut, and it offers a huge lift capacity.

- Constructed of a combination of durable 1000 denier and 420 denier nylon for long-term wear.
- Adjustable cummerbund compensates for suit compression, ensuring a snug fit at varying depths.
- Non-rotating quick-release shoulder buckles optimize strap routing to maximize fit.
- Airnet backpack is water-draining and comfortable during long dives.
- AirFlex system with special bladder delivers enormous buoyant lift capacity.
- Super Cinch tank buckle system locks the tank in solid for maximum stability at depth.
- Quick-release integrated weight pouches ditch quickly and easily and secure with buckles.
- Two rear trim pouches allow you to achieve a well-balanced swimming position.
- Built-in grommets provide attachment points for a knife.
- Two large zippered pockets and a zippered cummerbund pouch provide lots of cargo-carrying capability.
- Eight aluminum D-rings, four large and pre-bent, provide convenient clip-on points for additional gear.
- Optional to upgrade with an AIR2.

# X-FORCE

Part Number	Size	Retail
21.717.200	S	LKR 168,720
21.717.300	M	LKR 168,720
21.717.400	L	LKR 168,720
21.717.500	XL	LKR 168,720
21.717.600	2XL	LKR 168,720
<b>*While stocks last</b>		

X-FORCE is more than a powerhouse of features, making it perfect for passionate and advance recreational divers. New, pre-formed wrap-around bladder provides higher buoyancy with increased volume in lower back. Say goodbye to squeezing with its superior fit and weight distribution, for unbelievable comfort.

- New quick-release weight buckle retaining system allows one-hand operation and easy to find for optimal safety.
- Additional back pockets offer trim counterweight storage.
- New backpack and soft neck protection with Air-Net padding for increased comfort and protection.
- Shoulder pads and straps covered in anti-slip material.
- New graphics include embossed SCUBAPRO logo and 'Professional Diver' silver logo, along with reflective piping on sides and back.
- Constructed of a combination of durable 1000 denier and 420 denier nylon for longterm wear.
- Cordura® Lock protects against the elements.
- Octopus holder on both sides, keeps gear neat and accessible.
- Available with Balanced Power Inflator (BPI) or optional AIR2.



## CLASSIC ADVENTURE 2

Part number	SIZE	Retail
21.120.100	XS	LKR 184,800
21.120.200	S	LKR 184,800
21.120.300	M	LKR 184,800
21.120.400	L	LKR 184,800
21.120.500	XL	LKR 184,800

- A fantastic product that has been trusted by customers deeply for a quarter of century.
- The traditional model that is maintained the completed prototype very well.
- An inflator that is easy to operate and easy to remove maintaining its position.
- Single bag that has a stable buoyancy can control the buoyancy as expected.
- With BPI



## CLASSIC ZERO G

Part number	Size	Retail
<b>BLACK</b>		
22.125.100	XS	LKR 141,600
22.125.200	S	LKR 141,600
22.125.300	M	LKR 141,600
22.125.400	L	LKR 141,600
22.125.500	XL	LKR 141,600

Part number	Size	Retail
<b>TPU-ORANGE</b>		
22.238.200	S	LKR 175,200
22.238.300	M	LKR 175,200
22.238.400	L	LKR 175,200
22.238.500	XL	LKR 175,200

- CLASSY ZERO G. is the best BC for storage capacity.
- Large Velcro-type main pockets and zipper type chest pockets are the best combination in BCs of SCUBAPRO.
- This Chic design is for both of men and women.
- The Orange color that Scubapro customers wanted so much has appeared finally.
- Storage capacity and multi-function are applied to the surface of the orange gloss.
- Double TPU coating gives excellent water-resistance effect, and it is much easier and convenient to drain and dry after diving.
- With BPI. Optional Air 2 version available on request.



22.125.X00



22.238.X00

## CLASSIC ABBY CB

Part number	Size	Retail
<b>BLUE</b>		
22.136.100	XS	LKR 144,000
22.136.200	S	LKR 144,000
22.136.300	M	LKR 144,000



22.136.X00

Part number	Size	Retail
<b>WHITE</b>		
22.137.100	XS	LKR 144,000
22.137.200	S	LKR 144,000
22.137.300	M	LKR 144,000



22.137.X00

- Special tailor made for Asian women
- Stable BC with enhanced comfort and sense of fitting.
- You can choose the color of Blue or White.
- With BPI. Optional Air 2 version available on request.

## GLIDE BLACK/ GREY

Part number	SIZE	Retail
22.285.120	XS	LKR 133,920
22.285.220	S	LKR 133,920
22.285.320	M	LKR 133,920
22.285.420	L	LKR 133,920
22.285.520	XL	LKR 133,920

- Front adjustable BC
- New “Y-FIT” shoulders layout
- 420 Nylon bladder fabric
- New fittings (including dump valves, elbow, corrugated hose and BPI)
- Front weight pockets integration
- Weight pocket with 40mm flat buckle
- Trim weight pockets
- Zippered cargo pockets
- Super cinch tank buckle
- Metal grommets for knife attachment
- Stainless steel D-rings
- Lift Capacity (kgs) - XS/10, S/12, M/15, L/16, XL/18

### Y-FIT shoulder concept

- Shoulders get a Y shape to fit the body better
- A specific stainless steel triangular ring manages the forces in the Y centre
- Shoulder strap attached to the backpack
- Design inspired by motorcycle backpacks






Part Number	Size		Retail
22.142.210	S		LKR 127,200
22.142.310	M		LKR 127,200
22.142.410	L		LKR 127,200
22.142.510	XL		LKR 127,200

The Seahawk 2 is an all-purpose BCD that features an ergonomic shoulder design with rotating buckles and a soft, reinforced backpack – this makes the Seahawk 2 much lighter than its predecessor, and extremely easy to fold and pack. The stainless steel Super Cinch tank band is positioned low and is supported by an additional Velcro strap to secure the tank when diving. Other features include a 50mm waist strap with lightweight cam buckle, generous cargo pockets and modern airway and valve fittings. Offering a streamlined shape yet substantial buoyant lift when needed, the Seahawk 2 is the perfect choice for divers looking for freedom of movement, comfort and stability when cruising the depths.



22.142.X10



- Ergonomic shoulder design with rotating buckles improves fit, helps distribute the load and enhances stability.
- Reinforced soft backpack with high-grip tank patch and inner padding add to comfort, reduce overall weight, and make it easy to fold and pack.
- Super Cinch stainless steel tank band system is positioned low and teamed with a second Velcro™ strap to secure the tank for transport and diving.
- 50mm waist strap with lightweight plastic buckle lets you fine-tune adjustments for a perfect fit.
- Two large zippered pockets provide lots of cargo-carrying capability.
- Constructed of 1000 denier nylon and 420 denier nylon for maximum durability.
- High-quality air cell offers a streamlined shape when deflated and substantial buoyant lift when inflated.
- Soft neoprene neck roll and padded back pad enhance comfort during long dives.
- Quick-release integrated weight pouches secure with low-profile buckles.
- Two rear trim pouches help create a comfortable swimming position.
- Six stainless steel 40mm D-rings, plus two additional 25mm D-rings on the pockets, provide lots of clip-on points for additional gear and instrumentation.
- Available with a Balanced Power Inflator or an AIR2.

# EQUATOR

Part number *While stocks last	SIZE	Retail
21.725.100	XS	LKR 124,800
21.725.200	S	LKR 124,800
21.725.300	M	LKR 124,800
21.725.400	L	LKR 124,800
21.725.500	XL	LKR 124,800

With the Equator you can enjoy all the comfort and security of a full-featured front-adjustable BC, along with the light weight and packing advantages of a travel BC. Comfortable and stable at depth, for divers who do lots of local diving as well as travel diving, but prefer to own just one BC, there's no better choice than the Equator.

- 420 denier nylon construction ensures a long and active dive life.
- Wraparound air bladder provides a secure, comfortable ride at depth and on the surface.
- Double band system locks the tank in solid for maximum stability at depth.
- Octopus pockets on each side offer options for carrying a backup second stage.
- Easy-to fold lightweight Airnet backpack is comfortable and makes dive travel so much easier.
- Rotating quick-release shoulder buckles allow you to route your shoulder straps to maximize fit.
- Quick-release integrated weight pouches ditch easily and secure with low-profile squeeze buckles.
- Two large zippered pockets fitted with knife attachment grommets provide lots of cargo-carrying capability.
- Four large pre-bent stainless steel D-rings, along with two smaller stainless D-rings, provide convenient clip-on points for additional gear.



# GO

Part number	Size	Retail
21.720.100	XS	LKR 127,200
21.720.200	S	LKR 127,200
21.720.300	M	LKR 127,200
21.720.400	L	LKR 127,200
21.720.500	XL	LKR 127,200

Lightweight, easy to pack and extremely comfortable, the Go is a true travel BC. At the same time, it offers all the performance and convenience features you'd expect from a full-featured general-purpose BC. It is well-padded and comfortable yet carries virtually no inherent buoyancy. Generous buoyant lift enables it to be used for temperate water diving as well.

- Constructed of 210 denier nylon covered with polyurethane for lightweight durability.
- Wraparound air bladder provides a secure, comfortable ride at depth and on the surface.
- Coated mesh cummerbund is lightweight and dries quickly and easily.
- Double-band system locks the tank in for maximum stability at depth.
- Rotating quick-release shoulder buckles allow you to optimize the routing of your shoulder straps to maximize fit.
- Airnet padded backpack is water-draining, easy to fold, and enhances comfort during long dives.
- Quick-release integrated weight pouches ditch easily and secure with low-profile squeeze buckles.
- Optional trim weight pockets for better trim in the water.
- Two large low profile zippered pockets fitted with stainless steel knife attachment grommets provide lots of cargo-carrying capability.
- Six aluminum D-rings, two large and pre-bent, provide convenient clip-on points for additional gear.
- The BC folds easy and stows in its own bag for travel or storage.



Part Number	Size		Retail
21.721.100	XS		LKR 110,400
21.721.200	S		LKR 110,400
21.721.300	M		LKR 110,400
21.721.400	L		LKR 110,400
21.721.500	XL		LKR 110,400

The new Level front-adjustable BCD brings together all the best performance and comfort features you'll need for any recreational diving scenario. It is lightweight yet extremely rugged – the bladder is made of EndurTex high-tenacity 420 nylon fabric – but what the Level BCD really delivers is comfort. Convenient swivel shoulder buckle straps, a sternum strap and adjustable cummerbund with double-pull over-strap enable you to dial in the perfect fit. The bladder is designed to comfortably wrap around your body without squeeze, and the full-sized backpack, working together with SCUBAPRO's Super Cinch tank band, holds the tank rock solid for maximum stability. The integrated weight system loads easy and ditches even easier with its low-profile 40mm flat buckles. Also included are two large cargo pockets, one of which offers metal grommets for attaching a knife, four D-rings for clipping on additional gear, and two Octo pockets for storing both a safe second and a console hose.

- Super Cinch tank buckle system locks the tank in solid for maximum stability at depth.
- Optional rear trim pouches enable you to achieve a well-balanced dive position.
- Two large pockets with Velcro closures provide lots of cargo-carrying capacity, plus one is fitted with metal grommets for attaching a knife.
- Four stainless steel D-rings, three pre-bent, provide lots of clip-on points for additional gear.
- A pair of Octo pockets are perfect for storing a safe second and console hose.
- EndurTex high-tenacity 420 nylon fabric bladder is light-weight yet extremely durable.
- Wraparound bladder comfortably hugs your body without squeeze.
- Convenient swiveling shoulder buckle straps, sternum strap and cummerbund with over-strap provide plenty of adjustment to achieve that perfect fit.
- Quick-release integrated weight pouches each hold up to 5kg of ballast and feature high-security 40mm flat buckles.



21.721.X00  
BPI

## T-ONE

Part Number	Size	Retail
21.703.000	2XS	LKR 88,800
21.703.100	XS	LKR 88,800
21.703.200	S	LKR 88,800
21.703.300	M	LKR 88,800
21.703.400	L	LKR 88,800
21.703.500	XL	LKR 88,800
21.703.600	2XL	LKR 88,800

- Standard Nylon Band
- Fabric: C 1000D/N 420 D
- 2 stainless steel D-Rings
- Padded Back Pack
- 2 Velcro Pockets
- Octopus Holder



## AIR 2

Part number	Description	Retail
21.090.000	Air 2 5th Gen Octopus/Inflator	LKR 49,200
21.090.000U	Air 2 5th Gen With BCD upgrade	LKR 29,280

This excellent BC inflator/reg is in its 5th generation with dramatically improved work of breathing. Sleek ergonomic inflate/deflate controls allow for pinpoint buoyancy control.

- Test-proven breathing performance and cracking effort surpass many traditional downstream second stages when it comes to ease of breathing.
- New dive/pre-dive switch lets you detune the unit when not in use, eliminating free flows.
- Flexible purge cover is easy to locate and depress for quick clearing.
- Power inflate and deflate buttons are positioned on top of the housing for easy buoyancy control.
- Power inflate button features a lighter lever for easy inflation.
- Power inflate and deflate buttons can be differentiated by color and touch due to their different shapes and sizes, improving ascent control and safety when inflating or deflating the BC.
- CE certified EN250A>10°C/50°F warm water test controls) as a second stage regulator.



21.090.000



## BPI

Part number	Description	Retail
21.610.000	BPI Inflator, black, NEW - w/hose	LKR 24,720
21.600.100	BPI Inflator - w/hose	LKR 21,840
21.626.013	LP hose BPI QD coupling	LKR 4,224
21.080.626	Adapter Air2 hose to BPI	LKR 8,160
21.009.006	Adapter Air 2 QD	LKR 8,640



21.610.000



21.600.100



21.626.013



21.080.626



21.009.006

## BCD ACCESSORIES

Part number	Description	Retail
20.135.005	Super cinch band, short - Metal	LKR 11,280
23.073.010	Super cinch band assy. plastic	LKR 6,000
21.200.003	Over pressure Valve Assy - BC Dump Valve	LKR 2,880
21.200.017	Pull Dump Valve Assy	LKR 5,760



20.135.005



23.073.010



21.200.003



21.200.017

## WEIGHT POCKET

Part number	Description	Retail
23.107.010	Pocket, Weight pouch w/rigid backing (X Series) (pair)	LKR 17,280
23.107.030	Pocket Weight - Equator/Equalizer/HYDROS PRO/GO (pair)	LKR 16,320
23.702.000	Weight Pocket - Knighthawk(S-M)/ Classic (XS-M)/ Glide Pro (XS-L) (unit)	LKR 7,440
23.703.000	Weight Pocket - Knighthawk(L-XXL) / Classic (L-XL) / Glide Pro (XL-XXL) (unit)	LKR 7,440
23.704.000	Weight Pocket - BELLA/ Ladyhawk - All size (5 KG)/ Glide X (XS-L)(unit)	LKR 7,440
23.705.000	Weight Pocket - Seahawk (all) / Glide X (XL-XXL) / Equator CN (6 KG)(unit)	LKR 7,440
23.720.010	Weight Pocket Kit - GO (all size)(pair)	LKR 12,480
23.727.030	Weight Pocket Kit - X-One (pair)	LKR 17,280
23.721.010	Trim Weight Pocket Kit (pair)	LKR 18,720



23.107.010



23.703.000



23.704.000



23.720.010



23.727.030



23.721.010



**SCUBAPRO**



# SIDEMOUNT

Part number	Description	Retail
21.726.001	Harness only	LKR 84,000
21.726.200	Wing only (12 Lit.)	LKR 76,800
21.726.400	Wing only (20 Lit)	LKR 81,600
21.726.117	Cover	LKR 9,600
21.726.008	Weight Strap	LKR 2,400

- Modular approach
- Compact independent aircell
- Aircell size: 20 liters lift & 12 litres lift
- Soft Airnet finished backpack
- Compatible with current X-TEK Steel and aluminum back plates
- Stainless steel grommets, D-rings and handles
- New Dump valve, corrugated hose and BPI
- Specific streamlined elbow
- Bungee and hooks for tank support
- Fully adjustable, easy to wear and configure
- Harness includes crotch strap
- Side bungees for streamlined shape
- Optional top cover for total streamlining and increased durability



21.726.001



21.726.117



21.726.XXX

## SIDEMOUNT REGULATOR KIT-MK25 EVO/G260 new

Part number	Retail
12.252.060	LKR 343,200

Offering effortless air delivery and outstanding reliability, this is the go-to air delivery system for cold water or technical diving. There's no better example of solid first stage performance in all water temperatures than the MK25 EVO. Teamed with the venerable G260, this system can be relied upon to deliver top-of-the-line performance in the most extreme conditions.

### KIT CONTAINS:

- Two MK25 EVO DIN 300 (10.713.030)
- Two G260 (11.263.000)
- Two Compact Guages (28.039.302P)

### PLUS

- Two HP hose 20cm (01.044.008)
- LP hoses: 20cm (x2) (01.309.020), 64cm (x1) (01.310.026), 200cm (x1) (01.309.080)
- BPI quick coupling x 2 (21.626.013)
- LP hose elbow x 1 (11.101.003)
- Regulator Necklace x 1 (01.010.000)
- Plug x 2 (11.263.110)





## X-TEK PURE TEK SYSTEM

Part number	Description	Retail
22.195.010	13Kg	LKR 182,400

- Donut Wing with 13kg lift capacity
- 1680 DEN Ballistic Nylon outer shell
- 420 DEN Nylon inner bladder
- Stainless Steel back plate
- Continuous harness with stainless steel back plate for best stability when using twin cylinders
- Two shoulder D-rings and one waist stainless steel D-ring on the left side
- 50mm wide crotch strap with two stainless steel D-rings
- With X-Tek single tank adapter with two super cinch straps
- Heavy duty dedicated tech diving inflator



## X-TEK PURE TEK HARNESS

Part number	Description	Retail
22.179.000	Harness complete	LKR 76,800
23.804.000	Harness w/o backplate w/o crotch strap	LKR 17,760

Traditional harness and back plate create a comfortable and super-stable platform for carrying single or double tanks.

- Continuous web harness and stainless steel back plate with back pad work together to provide optimal stability, regardless of the number of cylinders you're carrying.
- Shoulder straps attach to back plate with tri-glide fasteners.
- Stainless steel waist buckle and 50mm crotch strap help dial in fit.
- Two stainless shoulder D-rings and one waist D-ring are provided as clip-on points for carrying additional gear.



22.179.000



# X-TEK FORM HARNESS

Part number	Description	Retail
22.182.000	Complete harness	LKR 115,200
23.806.000	Harness w/o backplate, w/o crotch strap	LKR 68,400

- Stainless steel back plate
- Tri-compound Comfort-Harness-System
- Anatomically optimized back padding
- Adjustable shoulder straps in length and alignment
- 50 mm Crotch Strap with two stainless steel D-rings
- Optionally equipped with QR-weight system



23.806.000  
Shown with crotch  
strap (not included)

# X-TEK DONUT WINGS

Part number	Description	Retail
22.193.010	13 kg (Single)	LKR 75,600
22.210.010	18kg (Single)	LKR 80,400
22.183.010	18 kg (Twin)	LKR 80,400
22.184.010	27 kg (Twin)	LKR 86,400
22.187.010	40 kg (Twin)	LKR 182,400

The shape and internal design of X-TEK donut wings mean you can always expect unparalleled buoyancy control regardless of your diving position.

- Wings are built with a 1680D Ballistic nylon outer shell and a 420D nylon inner bladder.
- Airflow is controlled via a SCUBAPRO Balanced Power Inflator (BPI).
- Available for single or double tank configurations in three lift capacities: 13kg, 18kg or 27kg.



Single  
22.193.010  
22.210.010



Twin  
22.18X.010  
Shown fully assembled  
with harness and backplate

# X-TEK BACK PLATES

Part number	Description	Retail
23.800.000	Stainless steel	LKR 44,400
23.801.000	Aluminium	LKR 34,800

Available in corrosion-resistant stainless steel and lightweight aluminum, X-TEK back plates are made of quality metals and feature an ergonomic shape for maximum comfort, control and stability. The stainless steel version weighs 2.4kg; the aluminum version features a special black coating and weighs 0.9kg, making it the perfect travel companion.



23.800.000



23.801.000

# X-TEK ACCESSORIES

Part number	Description	Retail
23.802.000	Single Tank Adaptor – 2 Super Cinch Straps included	LKR 29,520
23.803.000	Weight Pocket System, pair	LKR 22,080
23.807.000	Travel Adaptor	LKR 26,880
23.808.000	Backplate Storage Pack (includes screws)	LKR 19,680
23.809.000	Shoulder Pads, pair	LKR 6,720
23.810.000	Storage Bag, Small	LKR 7,920
23.811.000	Storage Bag, Large	LKR 8,400
23.812.000	Counter Weight Pockets, pair	LKR 7,440
23.818.000	Crotch Strap - 50mm	LKR 6,240
01.010.000	Regulator Necklace	LKR 1,440
45.070.000	X-Tek Wetnotes	LKR 8,880



23.802.000



23.803.000



23.807.000



23.808.000



23.809.000



23.810.000 23.811.000



23.812.000



23.818.000



01.010.000



45.070.000

# STAINLESS STEEL SNAPS

Part number	Description	Retail
01.030.090	Double end snap - 90mm	LKR 2,880
01.030.100	Double end snap - 100mm	LKR 3,120
01.031.010	Swivel bolt snap - 10mm/64mm	LKR 2,640
01.031.013	Swivel bolt snap - 13mm/76mm	LKR 2,640
01.031.019	Swivel bolt snap - 19mm/92mm	LKR 3,120
01.031.025	Swivel bolt snap - 25mm/96mm	LKR 3,600
01.032.032	Swivel bolt snap roundeye 32mm/122mm	LKR 4,320

- Stainless steel snaps AISI 316 for securing accessories and stage tanks
- Available in various sizes in double-end and swivel versions



01.030.090    01.030.100    01.031.010    01.031.013    01.031.019    01.031.025    01.032.032

# X-TEK ACCESSORIES & SPARES

Part number	Part name	Description	Retail
01.080.180	D-Ring bend	50x45x6 mm	LKR 1,200
01.080.181	D-Ring straight	50x45x6 mm	LKR 1,200
01.080.175	Weight Stopper No teeth	50 mm	LKR 1,440
01.108.102	Screw Set (M6/14 mm)	Pair (2M 2F)	LKR 4,080
01.108.402	MB Washer for STA (M8, WASHER)	Pair (2M 2F)	LKR 4,320
22.182.0001	Low Nut and Bolt (M6/9MM)	Form Harness	LKR 2,160
22.230.140	Wing Bungee with Stopper		LKR 2,640

# TECH GAUGE

Part number	Description	Retail
28.152.002	PG CAPSULE BAR - DIAM 52MM (BLACK)	LKR 15,120
28.163.002	PG CAPSULE BAR - DIAM 63MM (BLACK)	LKR 17,520
28.152.202	PG CAPSULE BAR - DIAM 52mm (WHITE)	LKR 15,120
28.163.202	PG CAPSULE BAR - DIAM 63mm (WHITE)	LKR 17,520
01.045.006	TP HOSE 15CM	LKR 9,360
28.132.305	SWIVEL (VITON O-RING)	LKR 960



28.152.002    28.163.002    28.152.202    28.163.202    01.045.006    28.132.305





**SCUBAPRO**





# EVERFLEX 3MM STEAMER

Part Number	Size	Retail
<b>MAN - BLACK</b>		
63.482.100	XS	LKR 68,640
63.482.200	S	LKR 68,640
63.482.250	MS	LKR 68,640
63.482.300	M	LKR 68,640
63.482.320	MT	LKR 68,640
63.482.350	LS	LKR 68,640
63.482.400	L	LKR 68,640
63.482.500	XL	LKR 68,640
63.482.600	2XL	LKR 68,640
<b>WOMAN - BLACK/WHITE</b>		
63.481.000	2XS	LKR 68,640
63.481.100	XS	LKR 68,640
63.481.200	S	LKR 68,640
63.481.300	M	LKR 68,640
63.481.400	L	LKR 68,640

- Made from 100% Everflex neoprene, an X-Foam formulation, for durability and better health.
- **Suits are assembled using a solvent-free water-based glue, a 100% green process.**
- Multi-thickness panels deliver a superior combination of warmth and flexibility.
- Pure Design Concept uses fewer seams and panels for maximum range of motion.
- Double blind-stitched outer seams are durable and watertight, and single blind-stitched inner seams are comfortable against bare skin.
- Diamond Span inner lining's water-draining material enhances cold water protection. It is combined with a second lining for improved stretch, making donning and doffing that much easier.
- Diagonal rear YKK zippers with KA brass sliders offer increased long-term durability and ease of use.
- Wrists and ankles feature fuse-cut finished cuffs that are super-stretchy for easy donning and exceptional comfort (3/2mm).
- Small neck zippers enhances topside comfort.
- Innovative design delivers an improved fit.
- Seat areas are protected by an abrasion-resistant outside lining to increase durability and extend the life of the suits.
- Compression-molded zipper flap/spine pads reduce water entry and increases back protection.
- Tatex knee and shoulder pads offer protection against abrasion.
- Extensive range of sizes for both men and women means all divers can enjoy the perfect fit and the ultimate in comfort.



BLUE DIAMOND SPAN inner lining with water-draining material enhances cold-water protection.



63.482.XXX



63.481.XXX

# THERMAL TEC 3MM

Part number	SIZE	Retail
<b>MAN</b>		
64.470.100	XS	LKR 55,200
64.470.200	S	LKR 55,200
64.470.250	MS	LKR 55,200
64.470.300	M	LKR 55,200
64.470.320	MT	LKR 55,200
64.470.350	LS	LKR 55,200
64.470.400	L	LKR 55,200
64.470.450	XLS	LKR 55,200
64.470.500	XL	LKR 55,200
64.470.600	2XL	LKR 55,200
<b>WOMAN</b>		
64.471.000	2XS	LKR 55,200
64.471.100	XS	LKR 55,200
64.471.200	S	LKR 55,200
64.471.300	M	LKR 55,200
64.471.400	L	LKR 55,200



# DEFINITION 3MM

Part number	SIZE	Retail
<b>MAN</b>		
63.930.100	XS	LKR 52,800
63.930.200	S	LKR 52,800
63.930.300	M	LKR 52,800
63.930.400	L	LKR 52,800
63.930.500	XL	LKR 52,800
63.930.600	2XL	LKR 52,800
<b>WOMAN</b>		
63.931.000	2XS	LKR 52,800
63.931.100	XS	LKR 52,800
63.931.200	S	LKR 52,800
63.931.300	M	LKR 52,800
63.931.400	L	LKR 52,800

With the Definition 3mm SCUBAPRO takes all of the premium construction materials found on the Definition 5mm and includes special tailoring to create a suit that fits the body like no other, and provides extra stretch where it's needed most. The suit offers a level of warmth and comfort any warm-water diver will love.

- Made from X-Foam neoprene, the only “green” neoprene that complies with P.A.H. regulations.
- Built with the Body Map System, an exclusive manufacturing method that uses special tailoring and material inserts to compensate for the stresses of the human body.
- Ultraspan chest panel and Stretchtec side panels work together to produce a highly flexible and snug fit.
- Infrared (IR) fleece interior lining reflects body heat for extra thermal insulation and is extremely soft against the skin.
- Zippered seals at wrists and ankles plus a rear diagonal zipper block water entry, are comfortable and make the suit easy to put on and take off.
- Abrasion resistant fabric on shoulders and seat, along with elbow pads and kneepads, increase long-term durability.
- Spine pad cushions the tank, providing additional comfort during extended dives.
- Small neck zipper enhances topside comfort, eliminating the need to remove the suit between dives.
- I-Safe strap keeps a wrist instrument securely attached.



63.930.XXX



63.931.XXX




with double zippered seals make donning and doffing the suit even easier.



## SCUBA DIVING'S GREENEST DIVE WEAR

SCUBAPRO's 2018 neoprene suits, hoods and gloves 1.5mil and above.  
Better for you ... Better for the environment.



# SPORTS 3MM

Part number	SIZE	Retail
<b>MAN</b>		
63.647.100	XS	LKR 33,840
63.647.200	S	LKR 33,840
63.647.300	M	LKR 33,840
63.647.400	L	LKR 33,840
63.647.500	XL	LKR 33,840
<b>WOMAN</b>		
63.651.000	2XS	LKR 33,840
63.651.100	XS	LKR 33,840
63.651.200	S	LKR 33,840
63.651.300	M	LKR 33,840
63.651.400	L	LKR 33,840

This new-generation Sport steamer has been updated with new features and a fresh look. An ultra-comfortable dive suit designed for the tropics, it is a great choice for new divers, casual divers, and first-time suit buyers who enjoy warm water island diving in moderate to shallow depths.

- Made from X-Foam neoprene, the only “green” neoprene that complies with P.A.H. regulations.
- Designed to keep new divers and casual divers warm and comfortable while diving in moderate to shallow depths.
- Pure Design Concept uses fewer seams and panels for maximum flexibility.
- Triathlon cut employs wider panels covering the underarm and back areas that allow unrestricted arm and shoulder movement.
- Main vertical-cut YKK rear zipper with KA brass slider offers increased long-term durability and ease of use.
- Single-cuff ankles and wrists are backed with plush inside.
- The interior is lined with a plush material that enhances comfort and warmth and dries quickly.
- High-stretch neoprene is great for hard-to-fit divers who can now enjoy a suit that molds comfortably to the body.





## SPORTS 5MM

Part number	SIZE	Retail
<b>WOMAN</b>		
63.633.000	2XS	LKR 57,600
63.633.100	XS	LKR 57,600
63.633.200	S	LKR 57,600
63.633.300	M	LKR 57,600
63.633.400	L	LKR 57,600

Must-have thermal protection for first-time suit buyers who love leisurely warmer water diving.

Has wrist and ankle zippers.

- CE certified a Class B dive suit - rated for water temperatures ranging from 50°F/10°C to 64.5°F/18°C.



## PROFILE 0.5MM

Part number	SIZE	Retail
<b>MAN - BLACK</b>		
63.037.100	XS	LKR 24,480
63.037.200	S	LKR 24,480
63.037.300	M	LKR 24,480
63.037.400	L	LKR 24,480
63.037.500	XL	LKR 24,480

- X-Foam neoprene
- 100% Nylon 2 sides 0,5mm neoprene
- Everflex in Flexible Panels
- Anti-abrasion powertex on seat and shoulders
- In Black/Gray/White
- Tatex knee pads for heavy protection
- Glideskin interior and on wrist seals
- Thumb loops and ankle stirrups for easy donning



## ONEFLEX SHORTY 2.5MM

Part number	SIZE	Retail
<b>MAN</b>		
63.748.100	XS	LKR 20,400
63.748.200	S	LKR 20,400
63.748.300	M	LKR 20,400
63.748.400	L	LKR 20,400
63.748.500	XL	LKR 20,400
63.748.600	2XL	LKR 20,400



## ONEFLEX 3MM

Part number	SIZE	Retail
<b>MAN</b>		
63.568.100	XS	LKR 35,520
63.568.200	S	LKR 35,520
63.568.300	M	LKR 35,520
63.568.320	MT	LKR 35,520
63.568.400	L	LKR 35,520
63.568.500	XL	LKR 35,520
63.568.600	2XL	LKR 35,520
<b>WOMAN</b>		
63.569.000	2XS	LKR 35,520
63.569.100	XS	LKR 35,520
63.569.200	S	LKR 35,520
63.569.300	M	LKR 35,520
63.569.400	L	LKR 35,520



# ONEFLEX 5MM WITH POCKET

Part number	SIZE	Retail
<b>MAN</b>		
63.586.102	XS	LKR 58,800
63.586.202	S	LKR 58,800
63.586.302	M	LKR 58,800
63.586.402	L	LKR 58,800
63.586.502	XL	LKR 58,800
63.586.602	2XL	LKR 58,800

- Built using the Pure Design Concept (PDC), with larger panels to maximize the stretch characteristics of the material.
- Tough N2S and strong but high-stretch X-Foam formula neoprene construction can withstand intensive use over long periods of time.
- All-black color scheme with just two front and rear accents hold up in harsh conditions.
- Internal flap seals on arms and legs keep water flow to a minimum.
- Heavy-duty kneepads and metal sliders on zipper protect suits and extend life.
- Now you can dive with two leg pockets by wearing ONEFLEX



# EVERFLEX HOODED VEST 2.5MM

Part Number	Size	Retail
64.062.000	2XS	LKR 17,280
64.062.100	XS	LKR 17,280
64.062.200	S	LKR 17,280
64.062.300	M	LKR 17,280
64.062.320	MT	LKR 17,280
64.062.400	L	LKR 17,280
64.062.500	XL	LKR 17,280
64.062.600	2XL	LKR 17,280
64.062.700	3XL	LKR 17,280

When having slightly less thermal layering is the plan for the dive day, SCUBAPRO offers this thinner, lighter 2.5mm version of its classic hooded vest. Made from 100% Everflex neoprene, it is flexible and comfortable, making it the ideal thermal under layer for any SCUBAPRO steamer.

- Provides a thin neoprene protective layer over the torso and head, two critical areas for minimizing heat loss.
- Everflex neoprene is super-stretchy so it's easy to don and doff.
- Fast-drying, the vest remains comfortable for use and reuse during a long dive day.
- Light graphic print on side panels enhances styling.



## EVERFLEX HOODED VEST W/ FRONT ZIP 3MM

Part Number	Size	Retail
<b>MAN * Asian sizing on page 113</b>		
70.018.300	M	LKR 28,560
70.018.320	MT	LKR 28,560
70.018.400	L	LKR 28,560
70.018.500	XL	LKR 28,560
70.018.600	2XL	LKR 28,560
<b>WOMAN * Asian sizing on page 113</b>		
70.019.200	S	LKR 28,560
70.019.300	M	LKR 28,560
70.019.320	MT	LKR 28,560
70.019.400	L	LKR 28,560
70.019.500	XL	LKR 28,560



BLUE DIAMOND SPAN inner lining with water-draining material enhances cold-water protection.



## ECO 2.5MM

Part number	SIZE	Retail
63.755.100	XS	LKR 23,760
63.755.200	S	LKR 23,760
63.755.300	M	LKR 23,760
63.755.400	L	LKR 23,760
63.755.500	XL	LKR 23,760

- 2.5mm Polyester 2 Sides
- Straight back zip
- 100% Black
- Silver thread for style
- One S+SCUBAPRO logo on front
- Unisex using a Men cut





# EVERFLEX LONG SLEEVE 1.5MM - MEN

Part number	SIZE	Retail
<b>BLACK</b>		
63.420.100	XS	LKR 35,520
63.420.200	S	LKR 35,520
63.420.300	M	LKR 35,520
63.420.400	L	LKR 35,520
63.420.500	XL	LKR 35,520
63.420.600	2XL	LKR 35,520



63.420.X00

Part number	SIZE	Retail
<b>AEGEAN</b>		
63.421.100	XS	LKR 35,520
63.421.200	S	LKR 35,520
63.421.300	M	LKR 35,520
63.421.400	L	LKR 35,520
63.421.500	XL	LKR 35,520
63.421.600	2XL	LKR 35,520



63.421.X00

- Neoprene is lightweight, durable, water repellent and a highly efficient insulator for heat retention.
- Assembled using solvent-free Aqua glue, a 100% green process.
- High-tech plush and fleece lining reduces water flow and provides both comfort and extra warmth.
- Design helps block water intrusion to reduce convection.
- Provides effective insulation under water as well as at the surface.
- A slightly higher neck delivers maximum comfort and protects from BCD chafing.
- High stretch neoprene is easy to don and doff and offers excellent range of motion.
- Designed to be worn by itself or with Everflex 1.5mm pants and shorts.
- Solvent-free glue.
- Same sizing as wetsuits.



## EVERFLEX SHORT 1.5MM - MEN

Part number	SIZE	Retail
63.444.100	XS	LKR 19,920
63.444.200	S	LKR 19,920
63.444.300	M	LKR 19,920
63.444.400	L	LKR 19,920
63.444.500	XL	LKR 19,920
63.444.600	2XL	LKR 19,920



## EVERFLEX PANT 1.5MM - MEN

Part number	SIZE	Retail
<b>BLACK</b>		
63.433.100	XS	LKR 32,400
63.433.200	S	LKR 32,400
63.433.300	M	LKR 32,400
63.433.400	L	LKR 32,400
63.433.500	XL	LKR 32,400
63.433.600	2XL	LKR 32,400



Part number	SIZE	Retail
<b>AEGEAN</b>		
63.435.100	XS	LKR 32,400
63.435.200	S	LKR 32,400
63.435.300	M	LKR 32,400
63.435.400	L	LKR 32,400
63.435.500	XL	LKR 32,400
63.435.600	2XL	LKR 32,400

- Neoprene is lightweight, durable, water repellent and a highly efficient insulator for heat retention.
- Assembled using solvent-free Aqua glue, a 100% green process.
- High-tech plush and fleece lining reduces water flow and provides both comfort and extra warmth.
- Design helps block water intrusion to reduce convection.
- Provides effective insulation under water as well as at the surface.
- High stretch neoprene is easy to don and doff and offers excellent range of motion.
- Designed to be worn with Everflex 1.5mm long sleeve or short sleeve thermal tops.
- Solvent-free glue.
- Same sizing as wetsuits.



63.433.X00



63.435.X00

## EVERFLEX LONG SLEEVE 1.5MM - WOMEN

Part number	SIZE	Retail
63.423.100	XS	LKR 35,520
63.423.200	S	LKR 35,520
63.423.300	M	LKR 35,520
63.423.400	L	LKR 35,520

- Neoprene is lightweight, durable, water repellent and a highly efficient insulator for heat retention.
- Assembled using solvent-free Aqua glue, a 100% green process.
- High-tech plush and fleece lining reduces water flow and provides both comfort and extra warmth.
- Design helps block water intrusion to reduce convection.
- Provides effective insulation under water as well as at the surface.
- A slightly higher neck delivers maximum comfort and protects from BCD chafing.
- High stretch neoprene is easy to don and doff and offers excellent range of motion.
- Designed to be worn by itself or with Everflex 1.5mm pants and shorts.
- Solvent-free glue.
- Same sizing as wetsuits.



## EVERFLEX SHORT 1.5MM - WOMEN

Part number	SIZE	Retail
63.449.000	2XS	LKR 14,880
63.449.100	XS	LKR 14,880
63.449.200	S	LKR 14,880
63.449.300	M	LKR 14,880
63.449.400	L	LKR 14,880



# EVERFLEX LEGGING - LADY

Part number	SIZE	Retail
<b>CARIBBEAN</b>		
63.440.100	XS	LKR 31,680
63.440.200	S	LKR 31,680
63.440.300	M	LKR 31,680
63.440.400	L	LKR 31,680



63.440.X00

Part number	SIZE	Retail
<b>BLACK *While stocks last</b>		
63.437.000	2XS	LKR 31,680
63.437.100	XS	LKR 31,680

- Neoprene is lightweight, durable, water repellent and a highly efficient insulator for heat retention.
- Assembled using solvent-free Aqua glue, a 100% green process.
- High-tech plush and fleece lining reduces water flow and provides both comfort and extra warmth.
- Design helps block water intrusion to reduce convection.
- Provides effective insulation under water as well as at the surface.
- High stretch neoprene is easy to don and doff and offers excellent range of motion.
- Designed to be worn with Everflex 1.5mm long sleeve or short sleeve thermal tops.
- Solvent-free glue.
- Same sizing as wetsuits.



63.437.X00



## SWIM BLACK RASHGUARD UPF50 - MEN

Part number	SIZE	Retail
62.031.100	XS	LKR 6,480
62.031.200	S	LKR 6,480
62.031.300	M	LKR 6,480
62.031.400	L	LKR 6,480
62.031.500	XL	LKR 6,480
62.031.600	2XL	LKR 6,480

Chlorine resistant - ideal for swimming pool use.



## RASH GUARD SHORT SLEEVE UPF 50 - MEN

Part number	SIZE	Retail
<b>Graphite</b>		
65.022.100	XS	LKR 8,880
65.022.200	S	LKR 8,880
65.022.300	M	LKR 8,880
65.022.320	MT	LKR 8,880
65.022.400	L	LKR 8,880
65.022.500	XL	LKR 8,880
65.022.600	2XL	LKR 8,880



# RASH GUARD LONG SLEEVE UPF 50 - MEN

Part number	SIZE	Retail
<b>Black</b>		
65.031.100	XS	LKR 8,880
65.031.200	S	LKR 8,880
65.031.300	M	LKR 8,880
65.031.400	L	LKR 8,880
65.031.500	XL	LKR 8,880
65.031.600	2XL	LKR 8,880
<b>Ice</b>		
65.034.100	XS	LKR 8,880
65.034.200	S	LKR 8,880
65.034.300	M	LKR 8,880
65.034.400	L	LKR 8,880
65.034.500	XL	LKR 8,880
65.034.600	2XL	LKR 8,880
<b>Graphite</b>		
65.032.100	XS	LKR 12,720
65.032.200	S	LKR 12,720
65.032.300	M	LKR 12,720
65.032.400	L	LKR 12,720
65.032.500	XL	LKR 12,720
65.032.600	2XL	LKR 12,720
<b>Aegean</b>		
65.033.100	XS	LKR 12,720
65.033.200	S	LKR 12,720
65.033.300	M	LKR 12,720
65.033.320	MT	LKR 12,720
65.033.400	L	LKR 12,720
65.033.500	XL	LKR 12,720
65.033.600	2XL	LKR 12,720



65.031.X00



65.034.X00



65.032.X00



65.033.X00



# T FLEX LONG SLEEVE UPF 80 - MEN

Part number	SIZE	Retail
<b>Black</b>		
65.231.100	XS	LKR 12,960
65.231.200	S	LKR 12,960
65.231.300	M	LKR 12,960
65.231.320	MT	LKR 12,960
65.231.400	L	LKR 12,960
65.231.500	XL	LKR 12,960
65.231.600	2XL	LKR 12,960
<b>Graphite</b>		
65.232.100	XS	LKR 12,960
65.232.200	S	LKR 12,960
65.232.300	M	LKR 12,960
65.232.400	L	LKR 12,960
65.232.500	XL	LKR 12,960
65.232.600	2XL	LKR 12,960
<b>Aegean</b>		
65.233.100	XS	LKR 12,960
65.233.200	S	LKR 12,960
65.233.300	M	LKR 12,960
65.233.320	MT	LKR 12,960
65.233.400	L	LKR 12,960
65.233.500	XL	LKR 12,960
65.233.600	2XL	LKR 12,960
<b>Orange</b>		
65.230.100	XS	LKR 12,960
65.230.200	S	LKR 12,960
65.230.300	M	LKR 12,960
65.230.400	L	LKR 12,960
65.230.500	XL	LKR 12,960
65.230.600	2XL	LKR 12,960



65.231.X00



65.232.X00



65.233.X00



65.230.X00

The best UV protection rating the industry has to offer. UPF 80 dive wear is tested using the UV Standard 801, which tests fabrics in their “worst-case” scenario. In other words, in real world conditions of use – wet and stretched – two stress factors that adversely affect a fabric’s protective qualities. A UPF 80 rating represents the ultimate in quality and UV protection, wet or dry.

## HYBRID THERMAL 1MM - MEN

Part number	SIZE	Retail
65.331.100	XS	LKR 17,760
65.331.200	S	LKR 17,760
65.331.300	M	LKR 17,760
65.331.400	L	LKR 17,760
65.331.500	XL	LKR 17,760
65.331.600	2XL	LKR 17,760



Built with a mix of quality 1mm X-Foam neoprene for warmth and durable nylon for stretch and comfort. On the underside of the nylon panels a microplush interior makes the top warm and cozy. This fleece fabric absorbs less water, which keeps heat against the body, increasing overall warmth. It also dries quickly.



## HYBRID HOODED VEST 1MM - MEN

Part number	SIZE	Retail
65.341.100	XS	LKR 12,480
65.341.200	S	LKR 12,480
65.341.300	M	LKR 12,480
65.341.320	MT	LKR 12,480
65.341.400	L	LKR 12,480
65.341.500	XL	LKR 12,480
65.341.600	2XL	LKR 12,480
65.341.700	3XL	LKR 12,480



Soft and warm, the vest protects your torso and head. Warmth and protection where you need it most.



## HYBRID SHORTS CARGO POCKETS - MEN

Part number	SIZE	Retail
65.351.200	S	LKR 17,520
65.351.300	M	LKR 17,520
65.351.400	L	LKR 17,520
65.351.500	XL	LKR 17,520
65.351.600	2XL	LKR 17,520



Wear it by itself or over a dive suit. Includes nylon drawstring and cargo pockets.





## HYBRID CARGO PANTS - MEN

Part number	SIZE	Retail
65.352.100	XS	LKR 22,320
65.352.200	S	LKR 22,320
65.352.300	M	LKR 22,320
65.352.400	L	LKR 22,320
65.352.500	XL	LKR 22,320
65.352.600	2XL	LKR 22,320

Wear it by itself or over a dive suit. Includes nylon drawstring and cargo pockets.



## T FLEX LONG SLEEVE INSTRUCTOR - MEN

Part number	SIZE	Retail
63.283.102	XS	LKR 12,720
63.283.202	S	LKR 12,720
63.283.302	M	LKR 12,720
63.283.402	L	LKR 12,720
63.283.502	XL	LKR 12,720
63.283.602	2XL	LKR 12,720



## SWIM BLACK RASHGUARD UPF50 - WOMEN

Part number	SIZE	Retail
62.531.100	XS	LKR 6,480
62.531.200	S	LKR 6,480
62.531.300	M	LKR 6,480
62.531.400	L	LKR 6,480
62.531.500	XL	LKR 6,480

Chlorine resistant - ideal for swimming pool use.



# LONG SLEEVE UPF50 - WOMEN

Part number	SIZE	Retail
<b>Caribbean</b>		
65.535.100	XS	LKR 9,840
65.535.200	S	LKR 9,840
65.535.300	M	LKR 9,840
65.535.400	L	LKR 9,840
65.535.500	XL	LKR 9,840
<b>Shell</b>		
65.538.100	XS	LKR 7,920
65.538.200	S	LKR 7,920
65.538.300	M	LKR 7,920
65.538.400	L	LKR 7,920
65.538.500	XL	LKR 7,920
65.538.600	2XL	LKR 7,920
<b>Jewel</b>		
65.539.100	XS	LKR 7,920
65.539.200	S	LKR 7,920
65.539.300	M	LKR 7,920
65.539.400	L	LKR 7,920
65.539.500	XL	LKR 7,920
65.539.600	2XL	LKR 7,920
<b>Flamingo</b>		
65.537.100	XS	LKR 10,560
65.537.200	S	LKR 10,560
65.537.300	M	LKR 10,560
65.537.400	L	LKR 10,560
65.537.500	XL	LKR 10,560



65.535.X00



65.538.X00



65.539.X00



65.537.X00

A garment with a rating of UPF 50 blocks 98% of UV radiation. UPF ratings 50 and above are considered to be in the “Excellent” Protection Category.

- Stylish skin protection increases comfort during diving.
- Made from high quality polyester fabric.
- Form-fitting.
- Dries quickly.



# T FLEX LONG SLEEVE UPF 80 - WOMEN

Part number	SIZE	Retail
<b>Caribbean</b>		
65.735.100	XS	LKR 11,760
65.735.200	S	LKR 11,760
65.735.300	M	LKR 11,760
65.735.400	L	LKR 11,760
65.735.500	XL	LKR 11,760
65.735.600	2XL	LKR 11,760
<b>Jewel</b>		
65.739.100	XS	LKR 11,760
65.739.200	S	LKR 11,760
65.739.300	M	LKR 11,760
65.739.400	L	LKR 11,760
65.739.500	XL	LKR 11,760
65.739.600	2XL	LKR 11,760
<b>Onyx</b>		
65.736.100	XS	LKR 11,760
65.736.200	S	LKR 11,760
65.736.300	M	LKR 11,760
65.736.400	L	LKR 11,760
65.736.500	XL	LKR 11,760
65.736.600	2XL	LKR 11,760



65.735.X00



65.739.X00



65.736.X00

The best UV protection rating the industry has to offer. UPF 80 dive wear is tested using the UV Standard 801, which tests fabrics in their “worst-case” scenario. In other words, in real world conditions of use – wet and stretched – two stress factors that adversely affect a fabric’s protective qualities. A UPF 80 rating represents the ultimate in quality and UV protection, wet or dry.

- Made from a blend of 86% super-soft nylon and 14% high-stretch spandex.
- Maximum comfort – maximum stretch.
- Form-fitting for that sleek hydrodynamic look and feel.



# T - FLEX LEGGINGS UPF 80 - WOMEN

Part number	SIZE	Retail
<b>Caribbean</b>		
65.775.100	XS	LKR 12,480
65.775.200	S	LKR 12,480
65.775.300	M	LKR 12,480
65.775.400	L	LKR 12,480
65.775.500	XL	LKR 12,480
65.775.600	2XL	LKR 12,480
<b>Jewel</b>		
65.779.100	XS	LKR 12,480
65.779.200	S	LKR 12,480
65.779.300	M	LKR 12,480
65.779.400	L	LKR 12,480
65.779.500	XL	LKR 12,480
<b>Onyx</b>		
65.772.100	XS	LKR 12,480
65.772.200	S	LKR 12,480
65.772.300	M	LKR 12,480
65.772.400	L	LKR 12,480
65.772.500	XL	LKR 12,480



65.775.X00



65.779.X00



65.772.X00

Leggings are the perfect complement to all the rash guards. They make slipping a wetsuit on easy and look great on their own.

The best UV protection rating the industry has to offer. UPF 80 dive wear is tested using the UV Standard 801, which tests fabrics in their “worst-case” scenario. In other words, in real world conditions of use – wet and stretched – two stress factors that adversely affect a fabric’s protective qualities. A UPF 80 rating represents the ultimate in quality and UV protection, wet or dry.





## HYBRID THERMAL 1MM - WOMEN

Part number	SIZE	Retail
Women		
65.831.100	XS	LKR 18,000
65.831.200	S	LKR 18,000
65.831.300	M	LKR 18,000
65.831.400	L	LKR 18,000
65.831.500	XL	LKR 18,000

Built with a mix of quality 1mm X-Foam neoprene for warmth and durable nylon for stretch and comfort. On the underside of the nylon panels a microplush interior makes the top warm and cozy. This fleece fabric absorbs less water, which keeps heat against the body, increasing overall warmth. It also dries quickly.



## RASHGUARD LONG SLEEVES - LADY

Part number	SIZE	Retail
Long Sleeve		
63.661.100	XS	LKR 11,040
63.661.200	S	LKR 11,040
63.661.300	M	LKR 11,040
63.661.400	L	LKR 11,040
63.661.500	XL	LKR 11,040



# NOVA SCOTIA 7.5/6.5 MM SEMI-DRY WITH HOOD

Part number	SIZE	Retail
63.696.200K	S	LKR 154,320
63.696.300K	M	LKR 154,320
63.696.400K	L	LKR 154,320
63.696.500K	XL	LKR 154,320
63.696.600K	2XL	LKR 154,320

Offering a snug-fitting, flexible dive suit with good thermal properties and minimal water intrusion, the new novaScotia semi-dry is the perfect solution for staying very warm and relatively dry while virtually eliminating hydrodrag, radically improving a diver's ability to move easily through the water. With its new 7.5/6.5mm thickness, easy-zip waterproof YKK Aquaseal Vislon zipper, improved plush lining to increase warmth and stretch, and a long list of convenience features, the novaScotia is the diver's answer to a comfortable, affordable semi-dry suit. Positioned between a traditional wetsuit and a neoprene drysuit, the novaScotia delivers the best of both worlds in cold water, temperate water, and multi-dive thermal protection.

- CE certified a Class A dive suit -- rated for water temperatures ranging from 7°C to 12°C).
- **New 7.5/6.5mm suit is made of 100% Everflex neoprene, an X-Foam formulation for better health, and it is assembled using eco-friendly solvent-free Aqua glue.**
- Pure Design Concept uses fewer seams and panels to ensure maximum flexibility.
- Blind-stitched seams block water entry.
- Internal stress discs installed at stitch intersections protect seams, extending the suit's working life.
- Rear shoulder-to-shoulder YKK Aquaseal Vislon waterproof main zipper with heavy-duty plastic slider is flexible yet provides an excellent seal against water entry.
- New plush interior liner in the arms, legs and shoulder areas increases warmth and stretch.
- Double zippered seals on ankles and wrists feature KA brass sliders for durability, water-tightness and ease of use.
- Fold-under neck seal is ultra-comfortable and keeps water seepage to a minimum.
- Right thigh 3D pocket offers lots of room for carrying extra gear. The hood hook has been moved to the outside of the pocket for added convenience.
- Shoulders and kneepads feature both anti-abrasion patterns and extra rubber prints to provide protection while adding a stylish look.
- Enhanced spine pad provides a welcomed cushion where the tank hits the diver's back.
- I-Safe straps on both arms offer non-slip mounting spots for securing wrist instruments.
- Available in black for men.
- Hood included.



BLUE DIAMOND SPAN inner lining with water-draining material enhances cold-water protection.



Part number	SIZE	Retail
60.320.200	S	LKR 350,400
60.320.300	M	LKR 350,400
60.320.400	L	LKR 350,400
60.320.500	XL	LKR 350,400

SIZES RUN LARGE. For detailed size information, please refer to the main Exposure Protection Sizing Guide.

The Evertech Dry Breathable is a premium trilaminate drysuit designed for avid divers and loaded with features. Built with a breathable fabric nylon/PU/nylon trilaminate blend, stitched and waterproof taped-twice seams, a diagonal front waterproof zipper, a Si-Tech ring seal system for wrists and neck and Si-Tech valves, this fabric suit is top quality throughout. A pair of large cargo pockets, lightweight attached boots and blue suspenders are just a few of the standard features included with a suit designed to keep you warm, dry and comfortable in all water conditions.

- **Updated: Attached semi-rigid dive boots feature soft yet protective soles that improve their anti-slip capabilities while enabling you to comfortably walk on objects like shells.**
- **Boots include Velcro straps to improve fit while preventing air from traveling to feet. Also included: fin strap retainers.**
- Breathable nylon/PU/nylon trilaminate design allows body perspiration evacuation, but keeps water out.
- Seams are stitched then waterproofed taped twice for maximum reliability.
- Neoprene neck collar keeps the hood in place, makes it easier to position the hood when wearing gloves, and helps protect the latex neck seal.
- Front diagonal BDM metal dry zipper keeps water out and makes self-donning easy.

- Si-Tech valves mounted on stitched and glued pads ensure efficient and trouble-free airflow control.
- Si-Tech ring system for latex wrist and neck seals provides quick replacement of damaged latex seals or the use of optional silicone seals.
- I-Safe straps on both arms offer a secure mounting spot for a wrist computer.
- Two large utility pockets are equipped with D-rings, easy-to-see blue bungee, high-security over-flaps and Velcro closures.
- A hook is provided on the right-thigh pocket for attaching a hood.
- Blue suspender system enhances fit and provides convenient lower suit support between dives.



Men's  
60.320.X00

## Included with suit:

- **NEW Hood**
- Suspenders
- Carry Bag
- LP Hose
- Repair Kit
- Zipper Wax
- Owners Manual



# EVERFLEX HOOD

Part number	SIZE	Retail
EVERFLEX NO BIB 5/3mm		
67.052.200	S	LKR 8,400
67.052.400	L	LKR 8,400
Inline change to 67.115.X00 with dark grey logo and new sizes:		
67.115.200	S/M	LKR 8,640
67.115.300	M/L	LKR 8,640
67.115.400	L/XL	LKR 8,640

Everflex hoods help protect the body from heat loss and raise the comfort quotient by keeping the head and ears warm while at depth.

- Constructed of high-stretch 100 percent Everflex neoprene for maximum comfort and durability.
- Extremely stretchy Silverskin lining feels good against the skin and provides a good seal to minimize water transfer.





## GO SOCK 3MM

Part number	Size	Retail
57.167.100	XS	LKR 6,000
57.167.200	S	LKR 6,000
57.167.300	M	LKR 6,000
57.167.400	L	LKR 6,000
57.167.500	XL	LKR 6,000

Designed to be worn with GO travel fins, the 3mm GO sock features a thin sole to provide cushion and stability, and a lowcut upper for comfort and easy donning and doffing. Offering versatile foot protection, this sock is also



## DELTA CLUB 5MM

Part number	Size	Retail
57.138.090	3XS /4	LKR 10,800
57.138.000	2XS /5	LKR 10,800
57.138.100	XS /6	LKR 10,800
57.138.200	S /7	LKR 10,800
57.138.300	M /8	LKR 10,800
57.138.400	L /9	LKR 10,800
57.138.500	XL /10	LKR 10,800
57.138.600	2XL /11	LKR 10,800
57.138.700	3XL /12	LKR 10,800

For 2019, the popular Delta 5mm, our top-selling leisure dive boot, gets a refresh. The boot maintains its sturdy but flexible outsole and rubberized protective armor, yet still feels very light on the foot. A revised ankle diameter and new contoured top improve fit and make sliding the YKK zipper up and down even easier. A full cut creates a comfortable, cramp-free fit.



Detail



NEW Waving edge



## DELTA SHORT 3MM

Part number	Size	Retail
57.166.090	3XS /4	LKR 6,480
57.166.000	2XS /5	LKR 6,480
57.166.100	XS /6	LKR 6,480
57.166.200	S /7	LKR 6,480
57.166.300	M /8	LKR 6,480
57.166.400	L /9	LKR 6,480
57.166.500	XL /10	LKR 6,480
57.166.600	2XL /11	LKR 6,480



This comfortable 3mm short boot is designed for tropical diving and snorkelling. Low-cut, lightweight, with just the right amount of protection, it slips on and off without the need for a zipper.

- Provides full-featured foot protection for warm-water diving.
- Light comfort sole offers good protection without being stiff or heavy.
- Can be comfortably worn with adjustable fins.



## BASE BOOTS 4MM

Part number	Size	Retail
57.013.000	2XS /5	LKR 8,160
57.013.100	XS /6	LKR 8,160
57.013.200	S /7	LKR 8,160
57.013.300	M /8	LKR 8,160
57.013.400	L /9	LKR 8,160
57.013.500	XL /10	LKR 8,160
57.013.600	2XL /11	LKR 8,160
57.013.700	3XL* /12	LKR 8,160
57.013.800	4XL* /13	LKR 8,160



The 4mm Base boot is an economical boot built for temperate water diving. Its rubberized armor on the toe and heel cap offers additional protection without sacrificing comfort. A thin sole increases flexibility while providing an effective antislip tread.

- Thin rubber sole increases flexibility while providing an effective anti-slip tread.
- Toe cap provides cushioning while protecting against abrasion from the edge of the fin pocket.
- Heel cap includes a molded fin strap keeper.
- The long zipper makes it easy to put it on. Secured with a Velcro tab.
- Exterior size logo is ideal for groups and rental applications.

**\*Special order only**



Detail

## SEAMLESS GLOVE 1.5MM

Part number	Size	Retail
58.000.100	XS	LKR 9,600
58.000.200	S	LKR 9,600
58.000.300	M	LKR 9,600
58.000.400	L	LKR 9,600
58.000.500	XL	LKR 9,600
58.000.600	2XL	LKR 9,600

- Using heat taping instead of traditional stitching transforms this lightweight glove into an extremely soft, flexible and tactile
- hand-warmer. By eliminating the stitching you gain in dexterity in the fingers, making it much easier to push buttons and handle gear at depth.



## D-FLEX 2MM

Part number	Size	Retail
58.164.100	XS-S	LKR 7,680
58.164.300	M-L	LKR 7,680
58.164.500	XL-2XL	LKR 7,680

Delivering the perfect balance of warmth and protection for tropical diving, this super-soft glove offers a lot of flexibility for maximum finger dexterity, plus its contoured shape provides a comfortable fit. A textured non-slip palm lets you maintain a good grip.



# TROPIC 1.5MM

Part number	Size	Retail
<b>GRAPHITE</b>		
58.031.000	2XS	LKR 8,160
58.031.100	XS	LKR 8,160
58.031.200	S	LKR 8,160
58.031.300	M	LKR 8,160
58.031.400	L	LKR 8,160
58.031.500	XL	LKR 8,160
<b>AEGEAN</b>		
58.032.000	2XS	LKR 8,160
58.032.100	XS	LKR 8,160
58.032.200	S	LKR 8,160
58.032.300	M	LKR 8,160
58.032.400	L	LKR 8,160
58.032.500	XL	LKR 8,160
<b>CARIBBEAN</b>		
58.033.000	2XS	LKR 8,160
58.033.100	XS	LKR 8,160
58.033.200	S	LKR 8,160
58.033.300	M	LKR 8,160
58.033.400	L	LKR 8,160
58.033.500	XL	LKR 8,160
<b>FLAMINGO</b>		
58.034.000	2XS	LKR 8,160
58.034.100	XS	LKR 8,160
58.034.200	S	LKR 8,160
58.034.300	M	LKR 8,160
58.034.400	L	LKR 8,160
58.034.500	XL	LKR 8,160
<b>BLACK</b>		
58.035.000	2XS	LKR 7,680
58.035.100	XS	LKR 7,680
58.035.200	S	LKR 7,680
58.035.300	M	LKR 7,680
58.035.400	L	LKR 7,680
58.035.500	XL	LKR 7,680





# WETSUIT/ RASH GUARD SIZING GUIDE - MEN

Dimensions	Chest in/cm	Waist in/cm	Hips in/cm	Height ft-in/cm	Weight lbs/kg
MEN					
2XS - 44	32-34 81-86	27-29 69-74	35-37 89-94	5'3"-5'5" 160-165	131-156 60-70
XS - 46	34-36 86-91	29-31 74-79	37-39 94-99	5'5"- 5'7" 165-170	142-167 65-75
S - 48	36-38 91-96	31-33 79-84	39-41 99-104	5'7"-5'9" 170-175	153-188 70-80
ST - 94	36-38 91-96	31-33 79-84	39-41 99-104	5'9"-5'11" 175-180	153-188 70-80
MS -25	38-40 96-101	33-35 84-89	41-43 104-109	5'7"-5'9" 170-175	164-189 75-85
M - 50	38-40 96-101	33-35 84-89	41-43 104-109	5'9"-5'11" 175-180	164-189 75-85
MT - 98	38-40 96-101	33-35 84-89	41-43 104-109	5'11"-6'1" 180-185	164-189 75-85
LS - 26	40-42 101-107	35-37 89-94	43-45 109-114	5'9"-5'11" 175-180	175-200 80-90
L - 52	40-42 101-107	35-37 89-94	43-45 109-114	5'11"-6'1" 180-185	175-200 80-90
LT - 102	40-42 101-107	35-37 89-94	43-45 109-114	6'1"-6'3" 185-190	175-200 80-90
XLS -27	42-44 107-112	37-39 94-99	45-47 114-119	5'11"-6'1" 180-185	186-211 85-95
XL - 54	42-44 107-112	37-39 94-99	45-47 114-119	6'1"-6'3" 185-190	186-211 85-95
XLT - 106	42-44 107-112	37-39 94-99	45-47 114-119	6'3"-6'5" 190-195	186-211 85-95
2XLS - 28	44-46 112-117	39-41 99-104	47-49 119-124	6'1"-6'3" 185-190	197-222 90-100
2XL - 56	44-46 112-117	39-41 99-104	47-49 119-124	6'3"-6'5" 190-195	197-222 90-100
2XLT - 110	44-46 112-117	39-41 99-104	47-49 119-124	6'5"+ >195	197-222 90-100
3XLS - 29	46-48 117-122	41-43 104-109	49-51 124-129	6'3"-6'5" 190-195	208-235 95-105
3XL - 58	46-48 117-122	41-43 104-109	49-51 124-129	6'5"+ >195	208-235 95-105
4XL - 60	48-51 122-129	43-45 109-114	51-53 129-135	6'5"+ >195	219-244 100-110
5XL - 62	51-53 129-135	45-47 114-119	53-55 135-140	6'5"+ >195	230-255 105-115

These charts are intended to act as a sizing guide. We recommend that all suits be tried on to ensure a perfect fit. Wetsuit chart applies to the following: Novascotia Semi-dry, All Everflex wetsuits, All Thermal Tec wetsuits, Profile 0.5, Sport 7mm Semi-dry, Sport 3,5,7mm steamers, Oneflex wetsuits, Tropical Steamer, Everflex Skin Suit, Everflex Hooded Vest 5mm, Everflex Hooded Vest 2.5mm, Pyroflex Steamers & Tops, Hybrid Jane, Hybrid shorty, Hybrid Shorts, Hybrid Cargo Shorts.

# WETSUIT/ RASH GUARD SIZING GUIDE - WOMEN

Dimensions	Chest in/cm	Waist in/cm	Hips in/cm	Height ft-in/cm	Weight lbs/kg
WOMEN					
2XS - 34 - 0	31-33 79-84	25-27 64-69	31-33 79-84	4'11"-5'1" 150-155	93-118 42-54
XS - 36 - 2	32-34 81-86	27-30 69-76	34-36 86-91	5'1"-5'3" 155-160	106-131 47-59
S - 38 - 4	34-36 86-91	28-30 71-76	35-37 89-94	5'3"-5'5" 160-165	115-140 52-64
ST - 74 - 4T	34-36 86-91	28-30 71-76	35-37 89-94	5'5"-5'7" 165-170	115-140 52-64
MS - 20 - 6S	35-37 89-94	30-32 76-81	37-39 94-99	5'3"-5'5" 160-165	126-151 57-69
M - 40 - 6	35-37 89-94	30-32 76-81	37-39 94-99	5'5"-5'7" 165-170	126-151 57-69
MT - 76 - 6T	35-37 89-94	30-32 76-81	37-39 94-99	5'7"-5'9" 170-175	126-151 57-69
LS - 21 - 8S	37-39 94-99	32-34 81-86	38-40 96-101	5'5"-5'7" 165-170	137-162 62-74
L - 42 - 8	37-39 94-99	32-34 81-86	38-40 96-101	5'7"-5'9" 170-175	137-162 62-74
LT - 80 - 8T	37-39 94-99	32-34 81-86	38-40 96-101	5'9"-5'11" 175-180	137-162 62-74
XLS - 22 - 10S	38-40 96-101	33-35 84-89	40-42 101-107	5'7"-5'9" 170-175	148-173 67-69
XL - 44 - 10	38-40 96-101	33-35 84-89	40-42 101-107	5'9"-5'11" 175-180	148-173 67-69
XLT - 84 - 10L	38-40 96-101	33-35 84-89	40-42 101-107	5'11"-6'1" 180-185	148-173 67-69
2XLS - 23 - 12S	40-42 101-107	35-37 89-94	42-44 107-112	5'9"-5'11" 175-180	159-184 72-84
2XL - 46 - 12	40-42 101-107	35-37 89-94	42-44 107-112	5'11"-6'1" 180-185	159-184 72-84
2XLT - 88 - 12T	40-42 101-107	35-37 89-94	42-44 107-112	>6'1" >185	159-184 72-84
3XL - 48 - 14	42-44 107-112	37-39 94-99	43-45 109-114	>6'1" >185	>181 >82
3XLT - 92 - 14T	42-44 107-112	37-39 94-99	43-45 109-114	>6'1" >185	>181 >82
4XL - 50 - 16	43-45 109-114	38-40 96-101	45-47 114-119	>6'1" >185	>181 >82

These charts are intended to act as a sizing guide. We recommend that all suits be tried on to ensure a perfect fit. Wetsuit chart applies to the following: Novascotia Semi-dry, All Everflex wetsuits, All Thermal Tec wetsuits, Profile 0.5, Sport 7mm Semi-dry, Sport 3,5,7mm steamers, Oneflex wetsuits, Tropical Steamer, Everflex Skin Suit, Everflex Hooded Vest 5mm, Everflex Hooded Vest 2.5mm, Pyroflex Steamers & Tops, Hybrid Jane, Hybrid shorty, Hybrid Shorts, Hybrid Cargo Shorts.

# DEFINITION 5MM & 3MM WETSUITS SIZING GUIDE

Sizes	Chest in/cm	Waist in/cm	Hips in/cm	Height ft-in/cm	Weight lbs/kg
MEN					
S	37 - 38 94 - 97	32 - 33 81 - 84	35 - 36 88 - 92	65 - 68 164 - 172	154 - 170 70 - 77
M	39 - 40 98 - 101	33 - 35 85 - 88	37 - 38 93 - 97	67 - 70 170 - 177	65 - 181 75 - 82
L	40 - 41 102 - 105	35 - 37 89 - 93	39 - 40 98 - 101	69 - 71 175 - 180	176 - 192 80 - 87
XL	42 - 43 106 - 109	37 - 39 94 - 98	40 - 41 102 - 104	70 - 73 177 - 185	187 - 203 85 - 92
2XL	43 - 44 110 - 113	39 - 41 99 - 103	41 - 42 105 - 107	71 - 75 180 - 190	198 - 214 90 - 97
3XL	45 - 46 114 - 117	41 - 43 104 - 108	43 - 44 108 - 112	73 - 77 185 - 195	220 - 236 100 - 107
WOMEN					
2XS	21 - 31 78 - 82	24 - 26 62 - 66	35 - 36 89 - 92	60 - 62 153 - 157	90 - 106 41 - 48
XS	32 - 33 82 - 85	26 - 27 66 - 69	36 - 37 92 - 95	62 - 63 157 - 161	106 - 121 48 - 55
S	34 - 35 86 - 89	28 - 29 70 - 73	38 - 39 96 - 98	63 - 65 161 - 165	121 - 139 55 - 63
M	35 - 37 90 - 93	29 - 30 74 - 77	39 - 40 99 - 102	65 - 67 165 - 169	139 - 154 63 - 70
L	37 - 38 94 - 97	31 - 32 78 - 81	40 - 41 102 - 104	67 - 68 169 - 173	154 - 165 70 - 75
This chart is intended to act as a sizing guide. We recommend that undergarments be tried on to ensure a perfect fit.					

# EVERFLEX HOODED VEST 2.5MM SIZING GUIDE

Dimensions	Chest in/cm	Waist in/cm	Hips in/cm	Height ft-in/cm	Weight lbs/kg
2XS - 34 - 0	31-33 79-84	25-27 64-69	31-33 79-84	4'11"-5'1" 150-155	93-118 42-54
XS - 36 - 2	32-34 81-86	27-30 69-76	34-36 86-91	5'1"-5'3" 155-160	106-131 47-59
S - 38 - 4	34-36 86-91	28-30 71-76	35-37 89-94	5'3"-5'5" 160-165	115-140 52-64
M - 50	38-40 96-101	33-35 84-89	41-43 104-109	5'9"-5'11" 175-180	164-189 75-85
MT - 98	38-40 96-101	33-35 84-89	41-43 104-109	5'11"-6'1" 180-185	164-189 75-85
L - 52	40-42 101-107	35-37 89-94	43-45 109-114	5'11"-6'1" 180-185	175-200 80-90
XL - 54	42-44 107-112	37-39 94-99	45-47 114-119	6'1"-6'3" 185-190	186-211 85-95
2XL - 56	44-46 112-117	39-41 99-104	47-49 119-124	6'3"-6'5" 190-195	197-222 90-100
3XL - 58	46-48 117-122	41-43 104-109	49-51 124-129	6'5"+ >195	208-235 95-105

This chart is intended to act as a sizing guide. We recommend that undergarments be tried on to ensure a perfect fit.

# EVERFLEX HOODED VEST W/ FRONT ZIP 3MM

Sizes	Chest in/cm	Height in/cm	Head Circumference in/cm	Length in/cm
MEN				
M	32 - 34 81 - 86	64 - 66 162 - 168	11.5 29	24 60
MT	34 - 36 86 - 91	65 - 68 166 - 172	12 30	25 63
L	36 - 38 92 - 97	68 - 70 172 - 178	14 35	26 65
XL	38 - 40 98 - 103	70 - 72 177 - 184	15 39	27 69
2XL	40-42 403-108	72-74 184-190	16 40	27 70
WOMEN				
S	29 - 31 74 - 78	61 - 62 155 -158	11 28	20 52
M	30 - 32 77 - 81	63 - 64 159 -162	11 28	21 53
MT	31 - 33 80 - 85	64 - 65 163 - 166	11.5 29	22 57
L	34 - 35 86 - 90	66 - 67 167 - 170	11.5 29	23 59
XL	35-36 91-95	68-69 171-175	12 30	24 60









**SCUBAPRO**





# SEAWING NOVA GORILLA

Part number	SIZE	Retail
ARMY GREEN		
25.728.200	S	LKR 41,760
25.728.300	M	LKR 41,760
25.728.400	L	LKR 41,760

- Clean water blade geometry
- Variable pivot control ribs
- Ergonomic foot pocket with extended heel plate
- Heavy duty marine grade bungee strap system
- Durable Monprene® construction
- Stiffer blade than the original Seawing Nova



Detail



25.728.X00

# SEAWING NOVA

Part number	SIZE	Retail
BLACK		
25.731.100	XS	LKR 39,120
25.731.200	S	LKR 39,120
25.731.300	M	LKR 39,120
25.731.400	L	LKR 39,120
25.731.500	XL	LKR 39,120
WHITE		
25.732.100	XS	LKR 39,120
25.732.200	S	LKR 39,120
25.732.300	M	LKR 39,120
25.732.400	L	LKR 39,120
25.732.500	XL	LKR 39,120
PINK		
25.735.100	XS	LKR 39,120
25.735.200	S	LKR 39,120
25.735.300	M	LKR 39,120
25.735.400	L	LKR 39,120



reddot award  
winner



25.731.X00



25.732.X00



25.735.X00

- Clean water blade geometry
- Variable pivot control ribs
- Ergonomic foot pocket with extended heel plate
- Heavy duty marine grade bungee strap system
- Durable Monprene® construction

\*While stocks last

# JET FIN W/SPRING STRAP

Part number	SIZE	Retail
<b>BLACK</b>		
25.365.300	M	LKR 30,720
25.365.400	L	LKR 30,720
25.365.500	XL	LKR 30,720
25.365.600	2XL	LKR 30,720



25.365.X00

Part number	SIZE	Retail
<b>CAMO 2 COLORS MIX</b>		
25.362.300	M	LKR 39,600
25.362.400	L	LKR 39,600
25.362.500	XL	LKR 39,600
25.362.600	XXL	LKR 39,600



25.362.X00

<b>CAMO 4 COLORS MIX</b>		
25.373.300	M	LKR 39,600
25.373.400	L	LKR 39,600
25.373.500	XL	LKR 39,600
25.373.600	XXL	LKR 39,600



25.373.X00

Part number	SIZE	Retail
<b>SPARES</b>		
25.365.305	Spring Heel Straps (M) (20CM)	LKR 9,120
25.365.405	Spring Heel Straps (L) (22CM)	LKR 9,120
25.365.505	Spring Heel Straps (XL) (26CM)	LKR 9,120
25.365.605	Spring Heel Straps (XXL) (28CM)	LKR 9,120
25.378.005	Rubber Strap-Jet Fins Black (pair)	LKR 7,680
25.378.025	Buckle Set for Rubber Strap - Jet Fins Black (pair)	LKR 5,760



25.365.X05

SCUBAPRO Jet Fins have a long and celebrated history of performance. They set the standard for power and durability in 1965, and continue to be immensely popular today.

- Proven vented design
- Spring heel strap



## JET SPORT ADJUSTABLE

Part number	Size	Retail
<b>RED</b>		
25.878.100	XS	LKR 14,400
25.878.200	S	LKR 14,400
25.878.300	M	LKR 14,400
25.878.400	L	LKR 14,400
25.878.500	XL	LKR 14,400
<b>BLACK</b>		
25.879.100	XS	LKR 14,880
25.879.200	S	LKR 14,880
25.879.300	M	LKR 14,880
25.879.400	L	LKR 14,880
25.879.500	XL	LKR 14,880
<b>YELLOW *While stocks last</b>		
25.880.100	XS	LKR 14,400
25.880.300	M	LKR 14,400
<b>BLUE *While stocks last</b>		
25.881.100	XS	LKR 14,400
25.881.200	S	LKR 14,400
25.881.300	M	LKR 14,400
<b>SPARES</b>		
25.878.101 XS- S	1 strap+Buckle+	LKR 2,640
25.878.103 M/L/XL	Buckle housing	LKR 2,640



25.878.X00

25.879.X00



25.880.X00

25.881.X00

- Three material construction
- Ergonomic foot pocket
- Quick release buckles
- Vented blade

## FLUIDA FULL FOOT FIN

Part number	Size	Retail
25.280.100	5XS /27-30	LKR 6,720
25.280.200	4XS /31-33	LKR 6,720
25.280.400	2XS /36-37	LKR 6,720
25.280.500	XS /38-39	LKR 6,720
25.280.600	S /40-41	LKR 6,720
25.280.800	L /44-45	LKR 6,720
25.280.900	XL /46-47	LKR 6,720

- Full Foot fin
- Soft foot pocket, resistant blade



## RENTAL FULL FOOT FIN

Part number	Size	Retail
<b>Scubapro</b>		
25.027.000	XXS	LKR 8,880
25.027.100	XS	LKR 8,880
25.027.200	S	LKR 8,880
25.027.300	M	LKR 8,880
25.027.400	L	LKR 8,880
25.027.500	XL	LKR 8,880



## GO TRAVEL

Part number	Size	Retail
25.740.090	3XS -Black	LKR 13,680
25.740.000	2XS - Black	LKR 13,680
25.740.150	XS-S - Black	LKR 13,680
25.740.300	M-L - Black	LKR 13,680
25.740.500	XL - Black	LKR 13,680
25.740.600	2XL - Black	LKR 14,640

- Light weight
- Ideal fin for divers, snorkelers and swimmers who enjoy traveling the world
- Barefoot design features a replaceable self-adjusting bungee heel strap
- Ultra-strong 100 percent Monprene
- Fins fit into IATA carry-on compliant luggage
- 5 sizes cover a wide range of fitment needs
- Black blade with black straps



## GO RENTAL

Part number	Size	Retail
25.743.090	3XS - Black w Purple Strap	LKR 13,680
25.743.000	2XS - Black w Green Strap	LKR 13,680
25.743.150	XS-S - Black w Blue Strap	LKR 13,680
25.743.300	M-L - Black w Yellow Strap	LKR 13,680
25.743.500	XL - Black w Orange Strap	LKR 13,680
25.743.600	2XL - Black w Grey Strap	LKR 13,680



25.743.090



25.743.000



25.743.150



25.743.300



25.743.500



25.743.600

# GO FIN ACCESSORIES

Part number	Size	Retail
25.748.100	Fin Strap, GO Bungee, Mini, Black (3XS & 2XS)	LKR 3,840
25.749.100	Fin Strap, GO Bungee, Midi, Black (XS-S to XL)	LKR 3,840
25.750.050	Fin Strap, GO Bungee, Mini, Purple (3XS & 2XS)	LKR 3,840
25.751.050	Fin Strap, GO Bungee, Midi, Purple (XS-S to XL)	LKR 3,840
25.752.000	Fin Strap, GO Bungee, Mini, Green (3XS & 2XS)	LKR 3,840
25.753.000	Fin Strap, GO Bungee, Midi, Green (XS-S to XL)	LKR 3,840
25.754.200	Fin Strap, GO Bungee, Mini, Blue (3XS & 2XS)	LKR 3,840
25.755.200	Fin Strap, GO Bungee, Midi, Blue (XS-S to XL)	LKR 3,840
25.756.500	Fin Strap, GO Bungee, Mini, Yellow (3XS & 2XS)	LKR 3,840
25.757.500	Fin Strap, GO Bungee, Midi, Yellow (XS-S to XL)	LKR 3,840
25.758.400	Fin Strap, GO Bungee, Mini, Orange (3XS & 2XS)	LKR 3,840
25.759.400	Fin Strap, GO Bungee, Midi, Orange (XS-S to XL)	LKR 3,840

GO FIN RESORT SIZE CHART										
International Sizing					3XS	2XS	XS-S	M-L	XL	2XL
♂ US ♀	UK	EU	(cm)							
10	9	27	18	●	----	----	----	----	----	----
11	10	28	18.5	●	----	----	----	----	----	----
12	11	29	19	●	----	----	----	----	----	----
13	12	30	20	●	○	----	----	----	----	----
1	13	31-32	21	○	●	----	----	----	----	----
2	1	33	22	----	●	----	----	----	----	----
3	4	2	34	23	----	●	----	----	----	----
4	5	3	35-36	23.5	----	●	○	----	----	----
5	6	4	37	24.5	----	○	●	----	----	----
6	7	5	38	25.5	----	----	●	----	----	----
7	8	6	39-40	26	----	----	●	○	----	----
8	9	7	41	27.5	----	----	○	●	----	----
9	10	8	42	28	----	----	----	●	----	----
10	11	9	43-44	29	----	----	----	●	○	----
11	12	10	45	30	----	----	----	○	●	----
12	13	11	46	30.5	----	----	----	----	●	○
13	14	12	47	31.5	----	----	----	----	○	●
14	15	13	48-49	32	----	----	----	----	○	●

This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size. Individual fit will vary depending on foot shape.

● Recommended size.

○ Secondary size option.

‘----’ shows that the selected model is not available to fit that particular foot size.

# GO SPORT

Part number	Size	Retail
<b>BLACK</b>		
25.761.100	XS	LKR 19,440
25.761.200	S	LKR 19,440
25.761.300	M	LKR 19,440
25.761.400	L	LKR 19,440
25.761.500	XL	LKR 19,440
<b>WHITE</b>		
25.762.100	XS	LKR 19,440
25.762.200	S	LKR 19,440
25.762.300	M	LKR 19,440
25.762.400	L	LKR 19,440
25.762.500	XL	LKR 19,440
<b>YELLOW</b>		
25.763.100	XS	LKR 19,440
25.763.200	S	LKR 19,440
25.763.300	M	LKR 19,440
25.763.400	L	LKR 19,440
25.763.500	XL	LKR 19,440
<b>BLUE</b>		
25.764.100	XS	LKR 19,440
25.764.200	S	LKR 19,440
25.764.300	M	LKR 19,440
25.764.400	L	LKR 19,440
25.764.500	XS	LKR 19,440
<b>TURQUOISE</b>		
25.765.100	XS	LKR 19,440
25.765.200	S	LKR 19,440
25.765.300	M	LKR 19,440
25.765.400	L	LKR 19,440
25.765.500	XL	LKR 19,440



25.761.X00



25.762.X00

new colors



\* THE SCUBA SKEGS SOLD SEPARATELY



25.763.X00



25.764.X00



25.765.X00

- Power Bars on the underside of the rails prevent over-flex to maintain the optimum angle of attack under high load conditions.
- In-water performance delivers speed, power, stability and maneuverability with a minimum of effort.
- Innovative Piggy Back Stack system interlocks one fin blade into the other, creating a snug pairing that makes packing and traveling that much easier.



## GO SPORT ACCESSORIES

Part number	Size	Retail
25.328.000	Scuba Skegs Army Green- 4 UNITS/SET	LKR 1,200
25.328.010	Scuba Skegs Green - 4 UNITS/SET	LKR 1,200
25.328.025	Scuba Skegs Silver - 4 UNITS/SET	LKR 1,200
25.328.050	Scuba Skegs Purple - 4 UNITS/SET	LKR 1,200
25.328.100	Scuba Skegs Black - 4 UNITS/SET	LKR 1,200
25.328.250	Scuba Skegs Turquoise - 4 UNITS/SET	LKR 1,200
25.328.200	Scuba Skegs Blue - 4 UNITS/SET	LKR 1,200
25.328.400	Scuba Skegs Orange - 4 UNITS/SET	LKR 1,200
25.328.500	Scuba Skegs Yellow - 4 UNITS/SET	LKR 1,200
25.328.700	Scuba Skegs Pink - 4 UNITS/SET	LKR 1,200



## JET FIN REVO

Part number	Size	Retail
<b>BLACK</b>		
25.360.000	Regular	LKR 45,600
25.362.000	Grande	LKR 45,600
<b>WHITE</b>		
25.363.000	Regular	LKR 45,600
25.364.000	Grande	LKR 45,600






25.360.000  
25.362.000



25.363.000  
25.364.000







# SEAWING NOVA ACCESSORIES

Part number	Description	Retail
25.712.001	Buckle Cover (Pair) Seawing Nova	LKR 960
25.712.002	Buckle Body (Pair) Seawing Nova	LKR 1,200
25.712.205	Complete Strap Set Seawing Nova Black, S	LKR 9,360
25.712.305	Complete Strap Set Seawing Nova Black, M	LKR 9,360
25.712.405	Complete Strap Set Seawing Nova Black, L	LKR 9,360
25.712.505	Complete Strap Set Seawing Nova Black, XL	LKR 9,360
25.714.205	Complete Strap Set Seawing Nova Blue, S	LKR 9,360
25.714.305	Complete Strap Set Seawing Nova Blue, M	LKR 9,360
25.714.405	Complete Strap Set Seawing Nova Blue, L	LKR 9,360
25.714.505	Complete Strap Set Seawing Nova Blue, XL	LKR 9,360
25.715.205	Complete Strap Set Seawing Nova Yellow, S	LKR 9,360
25.715.305	Complete Strap Set Seawing Nova Yellow, M	LKR 9,360
25.715.405	Complete Strap Set Seawing Nova Yellow, L	LKR 9,360
25.715.505	Complete Strap Set Seawing Nova Yellow, XL	LKR 9,360
25.718.205	Complete Strap Set Seawing Nova Grey - S	LKR 9,360
25.718.305	Complete Strap Set Seawing Nova Grey - M	LKR 9,360
25.718.405	Complete Strap Set Seawing Nova Grey - L	LKR 9,360
25.718.505	Complete Strap Set Seawing Nova Grey - XL	LKR 9,360

SIZE CHART: OPEN HEEL FINS				SEAWING NOVA & GORILLA, TWIN JET MAX, TWIN JET, JET SPORT			JET FIN		
International Sizing									
♂ US	♀	UK	EU						
4	5	3	35-36	XS	XS	XS	----	----	----
5	6	4	37	XS	XS	S	----	----	----
6	7	5	38	S	S	S	----	----	M
7	8	6	39-40	S	S	M	----	M	M
8	9	7	41	S	M	M	M	M	L
9	10	8	42	M	M	L	M	L	L
10	11	9	43-44	M	L	L	L	L	XL
11	12	10	45	L	L	XL	L	XL	XL
12	13	11	46	L	L	XL	XL	XL	2XL
13	14	12	47	L	XL	XL	XL	2XL	2XL
14	15	13	48-49	XL	XL	----	2XL	2XL	----
15	16	14	50	XL	XL	----	2XL	----	----
16	17	15	51-52	XL	----	----	----	----	----

This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size. Individual fit will vary depending on foot shape and boot construction.

‘----’ shows that the selected model is not available to fit that particular foot size.

SIZE CHART: FULL FOOT FINS					SEAWING NOVA & ELEMENT S1, S2, S3. * SEAWING NOVA NOT AVAILABLE IN 2XL.			JET SPORT	GO	RENTAL
International Sizing										
♂ US	♀	UK	EU	(cm)						
10		9	27	18	----	----	----	----	3XS	----
11		10	28	18.5	----	----	----	----	3XS	----
12		11	29	19	----	----	----	----	3XS	----
13		12	30	20	----	----	----	----	3XS	----
1		13	31-32	21	----	----	----	----	2XS	----
2		1	33	22	----	----	----	----	2XS	----
3	4	2	34	23	----	----	XS	----	2XS	----
4	5	3	35-36	23.5	XS	----	XS	XS	2XS	2XS
5	6	4	37	24.5	XS	XS	S	XS	XS-S	2XS
6	7	5	38	25.5	S	XS	S	S	XS-S	XS
7	8	6	39-40	26	S	S	M	S	XS-S	XS or S
8	9	7	41	27.5	M	S	M	M	M-L	S
9	10	8	42	28	M	M	L	M	M-L	M
10	11	9	43-44	29	L	M	L	L	M-L	M
11	12	10	45	30	L	L	XL	L	XL	L
12	13	11	46	30.5	XL	L	XL	L	XL	L or XL
13	14	12	47	31.5	XL	XL	2XL*	XL	XL	XL
14	15	13	48-49	32	2XL*	XL	2XL*	XL	XL	XL

This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size. Individual fit will vary depending on foot shape.

‘----’ shows that the selected model is not available to fit that particular foot size.





SCUBAPRO





Part number	Color	Retail
24.250.300	D-Mask complete with UV 420 lens	LKR 32,400
24.252.101	Colour kit-Black	LKR 1,920
24.252.102	Colour kit-Blue	LKR 1,920
24.252.103	Colour kit-Turquoise	LKR 1,920
24.252.104	Colour kit-Pink	LKR 1,920
24.252.105	Colour kit-Yellow	LKR 1,920

Sharing the design scheme of the new D-Series D420 regulator, the new D-Mask is a sleek, premium mask well-suited for all types of diving. It is equipped with UV+420cut™ lenses that filter out high-energy visible (HEV) light as well as UV light without affecting how colors appear under water. It is also the only premium mask that features an interchangeable lens system for optional optical lenses. The D-Mask is available in black with blue accents to match the D420 regulator's color scheme. It comes with a choice of black or clear skirts in two sizes: Medium for the western market and Small to fit divers with smaller face shapes. For the Asian market it is available in one size with a black skirt only. Also included is a new black-on-black Comfort Strap and an adapter for mounting a HUD hands-free dive computer.

- Sleek design matches the new D420 regulator.
- UV+420cut™ lens technology filters out HEV and UV light without affecting how colors appear.
- Interchangeable lens system makes it easy to install optional optical lenses.
- Available with a choice of skirts to suit western or Asian dive markets as well as divers with small face shapes.

- Rotating buckles work with a new black-on-black Comfort Strap to optimize range of motion and achieve a comfortable, watertight fit.
- Includes an adapter for mounting a HUD hands-free dive computer.
- Packaged in a durable molded fabric transport box.
- Optional lenses available: Optical lenses (6x positive +1.5 to +4.0/8x negative -1.5 to -5.0); Bi-Focus lenses (3x positive +1.0 to +3.0).



24.250.XX0



Shown with D420 sold separately



Case



Black  
24.252.101



Blue  
24.252.102



Turquoise  
24.252.103



Pink  
24.252.104



Yellow  
24.252.105

# SYNERGY 2 TRUFIT

Part number	Color	Skirt Color	Retail
24.838.130	Silver	Black	LKR 18,600
24.838.310	Red	Black	LKR 18,600
24.838.200	Blue	Clear	LKR 18,600
24.838.500	Yellow	Clear	LKR 18,600
24.838.700	Pink	Clear	LKR 18,600
24.839.140	Silver - Mirror lens	Black	LKR 24,600
* Inline change to 24.839.X00 with comfort strap, with new price			LKR 21,000

Called the most comfortable dive mask on the market, you have only to try on a single lens Synergy 2 Trufit to feel the difference. Its Trufit Technology design incorporates not one but two separate silicone skirts – a thin, soft inner skirt for fit and comfort, and a thicker outer skirt to provide support near the mask frame. This innovative dual skirt design sets it apart from the original Synergy, and has proven to provide an entirely new level of comfort during extended periods under water while ensuring a reliable watertight seal on virtually all face shapes. This low-volume single lens mask also provides a wide and unobstructed field of view, and the buckle system is easy to use. The mask frame is spray painted for that premium look.

- Ultra-clear glass provides a bright and clear view of the underwater world.
- New-generation Trufit Technology design uses two skirts for creating a comfortable, watertight seal.
- Main skirt offers a thin and soft silicone material for the best possible fit, seal and comfort against the skin.
- Outer skirt, made with firmer silicone, provides support and rigidity where needed.
- Trufit Technology can be identified by its unique ribbing texture.
- Rotating buckles work with a micro-adjustable strap to achieve a comfortable, watertight fit.
- Buckle tabs are flexible, enabling the mask to be folded flat for traveling.
- Mirrored lens option delivers a glare-free view of the underwater world.



24.838.700



24.838.200



24.838.500



24.838.130



24.838.310



24.838.140

# SYNERGY TWIN TRUFIT

Part number	Color	Skirt Color	Retail
24.713.140	Silver - Mirror Lens	Black	LKR 22,200
24.713.200	Blue	Clear	LKR 18,600
24.713.310	Red	Black	LKR 18,600
24.713.500	Yellow	Clear	LKR 18,600
24.713.510	Yellow	Black	LKR 18,600
24.713.730	Pink	Black	LKR 18,600
24.713.230	Turquoise	Black	LKR 18,600
24.713.700	White/Pink	Clear	LKR 18,600
24.813.140	Silver - Mirror lens	Black	LKR 24,600
Inline change to 28.813.X00 with confort strap. with new price			LKR 21,000

The Synergy Twin benefits from SCUBAPRO's second-generation Trufit Technology. Unlike its predecessor, which featured a skirt made with uniformly thin silicone, the Synergy Twin Trufit features a skirt made of two thicknesses of silicone – thin and pliable where it touches the face for comfort and to ensure a watertight seal, and thicker near the mask frame for support and rigidity. It's an effective combination that delivers a comfortable fit for a wide range of face shapes as well as a reliable seal against water intrusion. The dual-lens design is low volume and offers a wide field of view.

- Trufit Technology can be identified by its unique ribbing texture on the mask skirt.
- Silicone near the mask frame is thicker and firmer with a matte finish for additional support and rigidity.
- Silicone contouring the face is thinner, providing a pliable, comfortable watertight seal.
- Push-button buckles attach to tabs on the skirt to optimize range of motion when dialing in fit.
- Rotating buckles work with a micro-adjustable strap to achieve a comfortable, watertight fit.
- Buckle tabs are flexible, enabling the mask to be folded flat for traveling.
- Mirrored lens option delivers a glare-free view of the underwater world.



24.713.700



24.713.500



24.713.510



24.713.730



24.713.230



24.713.140



24.713.130



24.713.200



24.713.310

## SOLO

Part number	Color	Retail
24.849.110	Black	LKR 14,400

- Single lens mask, low volume styling
- Crystal-clear or black double sealed silicone skirt
- Easy clearing and equalization
- Swivel buckles



## CRYSTAL VU

Part number	Color	Skirt Color	Retail
24.855.110	Metallic Black/Silver	Black	LKR 17,400
24.855.810	Metallic Black/Orange	Black	LKR 17,400
24.855.200	Metallic Blue	Clear	LKR 17,400
24.855.300	Metallic Red	Clear	LKR 17,400
24.855.500	Metallic Yellow	Clear	LKR 17,400
24.855.700	White	Clear	LKR 17,400

- Exclusive paint process
- Patented single lens with seamless side window design
- Crystal-clear, double sealed silicone skirt
- Low volume styling
- Swivel buckles
- Tempered glass lenses



24.855.810



24.855.110



24.855.200



24.855.300



24.855.500



24.855.700



## FRAMELESS

Part number	Color	Retail
24.340.110	Black	LKR 17,400

- Single-Lens Design
- Extremely Low Volume
- Soft Black Silicone Skirt



\* From 1/10/2018, item numbers changed

## FRAMELESS FOR HUD

new

Part number	Color	Retail
24.343.100	Black	LKR 18,600

Available with an integrated holder to mount the new HUD hands-free dive computer.



24.343.100



HUD sold separately

# FLUX TWIN

Part number	Color	Skirt Color	Retail
24.833.100	Metallic Black	Black	LKR 16,800
24.833.320	Metallic Red	Black	LKR 16,800
24.833.600 <b>*While stocks last</b>	White	Clear	LKR 16,800
24.833.200	Blue	Clear	LKR 16,800

This attractive low-volume dual-lens mask comes with a strong, impact-resistant polycarbonate frame to withstand lots of use and abuse. The hypoallergenic, silicone skirt features a double-feathered edge to provide a comfortable, watertight seal on a variety of face shapes. The non-slip strap and easy adjust buckles let you dial in the perfect fit. A wide range of optical lenses are available.

- Replacable optical lens. Negative: -1.0 to -8.0 (in .5 diopter increment)



24.833.320



24.833.100



24.833.600



24.833.200

# SPECTRA

Part number	Color	Skirt Color	Retail
24.847.130	Black/Silver	Black	LKR 13,800
28.847.100	Black	Black	LKR 13,800
24.847.140	Silver /Black-Mirror Lens	Black	LKR 15,912
24.847.840	Bronze - Mirror Lens	Black	LKR 15,912
24.847.830	Bronze	Black	LKR 13,800
24.847.230	Blue	Black	LKR 13,800
24.847.320	Red	Clear	LKR 13,800
24.847.600	White	Clear	LKR 13,800
24.847.210	Silver /Blue	Clear	LKR 13,800
24.847.910	Silver /Yellow	Clear	LKR 13,800

The stellar dual lens Spectra offers a wide view and a comfortable water-blocking seal, plus it features an exclusive paint process that transforms your mask into stylish eyewear.



- NEW. All-black version for military use or for divers who don't want colored equipment.
- Dual-lens design is low volume for easy clearing plus offers maximum field of view.
- Ultra Clear lenses are made from tempered glass for safety and long-term durability.
- Universal skirt design is super comfortable and fits a variety of face shapes.
- Mirrored lens option delivers a glare-free view of the underwater world.
- Special nose pocket design makes easy work of equalizing.
- Swivel buckles adjust easily to achieve a perfect fit.
- Bold frame colors include stylish duotones.
- Note: Painted finish may be damaged if cleaned with abrasive products.
- Equipped with a standard silicone strap.
- Compatible with optional Comfort Straps.
- Will accommodate the mask mount for the new Galileo HUD hands-free dive computer.

new color



24.847.100



24.847.130



24.847.140



24.847.830



24.847.320



24.847.600



24.847.840



# ZOOM MASK

Part number	Color	Retail
24.157.001	Black/ Sliver	LKR 11,712
24.157.002	Blue/ Sliver	LKR 11,712
24.157.005	Yellow/ Black	LKR 11,712
24.157.006	Red/ Black	LKR 11,712
24.157.007	Pink/ Black	LKR 11,712
24.157.011	White/ Sliver	LKR 11,712
24.157.101	Color Kit - black/ sliver	LKR 1,920
24.157.102	Color Kit - blue/ sliver	LKR 1,920
24.157.103	Color Kit - yellow/ sliver	LKR 1,920
24.157.104	Color Kit - sliver	LKR 1,920
24.157.105	Color Kit - yellow/ black	LKR 1,920
24.157.106	Color Kit - red/ black	LKR 1,920
24.157.107	Color Kit - pink/ black	LKR 1,920
24.157.108	Color Kit - Turquoise/ black	LKR 1,920
24.157.109	Color Kit - purple/ black	LKR 1,920
24.157.200	Zoom HUD Mount	LKR 2,160





# PRESCRIPTION LENSES

Part number	Description	Retail
<b>ZOOM</b>		
24.595.201	LEFT SIDE ONLY +1.75, BIFOCUS LENS	LKR 3,840
24.595.202	LEFT SIDE ONLY +2.25, BIFOCUS LENS	LKR 3,840
24.595.301	RIGHT SIDE ONLY +1.75, BIFOCUS LENS	LKR 3,840
24.595.302	RIGHT SIDE ONLY +2.25, BIFOCUS LENS	LKR 3,840
24.595.401	LEFT OR RIGHT -1.5	LKR 6,000
24.595.402	LEFT OR RIGHT -2.0	LKR 6,000
24.595.403	LEFT OR RIGHT -2.5	LKR 6,000
24.595.404	LEFT OR RIGHT -3.0	LKR 6,000
24.595.405	LEFT OR RIGHT -3.5	LKR 6,000
24.595.406	LEFT OR RIGHT -4.0	LKR 6,000
24.595.407	LEFT OR RIGHT -4.5	LKR 6,000
24.595.408	LEFT OR RIGHT -5.0	LKR 6,000
24.595.409	LEFT OR RIGHT -5.5	LKR 6,000
24.595.410	LEFT OR RIGHT -6.0	LKR 6,000
24.595.411	LEFT OR RIGHT -6.5	LKR 6,000
24.595.412	LEFT OR RIGHT -7.0	LKR 6,000
24.595.413	LEFT OR RIGHT -7.5	LKR 6,000
24.595.414	LEFT OR RIGHT -8.0	LKR 6,000
<b>FLUX TWIN</b>		
24.833.210	LEFT OR RIGHT -1.0	LKR 8,160
24.833.215	LEFT OR RIGHT -1.5	LKR 8,160
24.833.220	LEFT OR RIGHT -2.0	LKR 8,160
24.833.225	LEFT OR RIGHT -2.5	LKR 8,160
24.833.230	LEFT OR RIGHT -3.0	LKR 8,160
24.833.235	LEFT OR RIGHT -3.5	LKR 8,160
24.833.240	LEFT OR RIGHT -4.0	LKR 8,160
24.833.245	LEFT OR RIGHT -4.5	LKR 8,160
24.833.250	LEFT OR RIGHT -5.0	LKR 8,160
24.833.255	LEFT OR RIGHT -5.5	LKR 8,160
24.833.260	LEFT OR RIGHT -6.0	LKR 8,160
24.833.265	LEFT OR RIGHT -6.5	LKR 8,160
24.833.270	LEFT OR RIGHT -7.0	LKR 8,160
24.833.275	LEFT OR RIGHT -7.5	LKR 8,160
24.833.280	LEFT OR RIGHT -8.0	LKR 8,160

## FULL FACE MASK

Part number	Description	Color	Retail
24.150.000	Black Silicone	Black	LKR 112,800
24.150.030	Octopus kit		LKR 4,800

- Unique separate compartments for nose and mouth
- Direct inhalation with or without internal mouthpiece
- Top compartment equivalent to a two lens mask
- Mineral anti-fogging treated lens
- Chemically resistant silicone skirt
- Very easy regulator(s) DIN connection
- One way valve optional alternate air source adapter



## OSPREY MASK - BLACK/YELLOW

Part number	Color	Retail
24.853.510	Black/Yellow	LKR 7,920



## ECCO & VENT 2 SET

Part number	Color	Retail
24.315.280	Turquoise	LKR 5,760

- Ideal for snorkeling
- Ecco mask and Vent 2 snorkel



## TRINIDAD MASK & SNORKEL COMBO

Part number	Description	Color	Retail
24.156.100	Trinidad Frameless Mask	Black	LKR 9,600
26.070.000	Trinidad Snorkel	Black	LKR 3,840

- Frameless, low-volume mask design.
- Vented flex snorkel with splash guard.



## NEXUS

Part number	Color	Retail
26.810.100	Black	LKR 10,512
26.810.220	Metallic Blue	LKR 10,512
26.810.320	Metallic Red	LKR 10,512
26.810.500	Yellow	LKR 10,512

The low-drag Nexus is fitted with a rotating mouthpiece so you can position it perfectly for maximum comfort. It also has an angled purge valve to divert bubbles out of the line of sight. The oval shape of the upper tube minimizes drag and allows for a lot of air to flow. It is also flexible, so if you don't want to hang the Nexus from your mask strap, you can fold it up and stow it in a BC pocket.

- Splashguard top design helps keep water from entering the large-bore barrel.
- Flexible, corrugated section is easy to use and drops away from face when not needed.
- Angled purge directs bubbles out of your sight line.
- Ergonomic mouthpiece offers maximum comfort during long snorkel sessions.
- Flexible upper barrel allows snorkel to be folded for stowing.
- Quick-connect clip makes it easy to attach or remove snorkel from mask strap.



26.810.220



26.810.320



26.810.500



26.810.100

## SPECTRA SNORKEL DRY

Part number	Color	Retail
26.722.710	Black/Pink	LKR 9,312
26.722.810	Black/Bronze	LKR 9,312
26.722.230	Black/Turquoise	LKR 9,312
26.722.130	Black/Silver	LKR 9,312
26.722.200	Clear/Blue	LKR 9,312
26.722.300	Clear/Red	LKR 9,312
26.722.500	Clear/Yellow	LKR 9,312
26.722.600	Clear/White	LKR 9,312

- Exclusive paint process including new duotones colors
- Flexible corrugated joint
- Purge valve at lowest point
- Regulator style mouthpiece



26.722.130



26.722.710



26.722.810



26.722.230



26.722.200



26.722.300



26.722.500



26.722.600

## SPIDER MASK / SNORKEL COMBO KIDS

Part number	Color	Retail
24.301.230	Turquoise #315	LKR 8,400

This high-quality snorkeling set for younger divers comes with a single-lens mask complete with soft silicone skirt, and a comfortable snorkel with dry top and lower purge valve. A quick-clip for attaching the snorkel to mask is included, as is a convenient mesh storage bag.





# SPECTRA SNORKEL - SEMI DRY

Part number	Color	Retail
26.704.750 <b>*While stocks last</b>	Black/Purple	LKR 6,600
26.704.300 <b>*While stocks last</b>	Clear/Red	LKR 6,600
26.704.500 <b>*While stocks last</b>	Clear/Yellow	LKR 6,600
26.704.700 <b>*While stocks last</b>	Clear/White	LKR 6,600
26.706.220	Clear/Blue	LKR 6,600
26.706.320	Clear/Red	LKR 6,600
26.706.600	Clear/White	LKR 6,600
26.706.720	Clear	LKR 6,600
26.706.130	Black/Silver	LKR 6,600
26.706.830	Black/Bronze	LKR 6,600

- Exclusive paint process including new duotones colors
- Flexible corrugated joint
- Purge valve at lowest point
- Regulator style mouthpiece



26.704.200



26.704.300



26.704.500



26.704.700



26.704.710



26.706.600



26.704.750



26.706.220



26.706.830



26.706.320



26.706.130



26.706.720

new color

## COMFORT MASK STRAP

Part number	Description	Retail
24.730.010	Comfort Mask strap - PINK / PURPLE	LKR 4,320
24.730.020	Comfort Mask strap - TURQUOISE	LKR 4,320
24.730.030	Comfort Mask strap - BLACK/YELLOW	LKR 4,320
24.730.040	Comfort Mask strap - BLUE	LKR 4,320
24.730.050	Comfort Mask strap - BLACK	LKR 4,320
24.730.060	Comfort Mask strap - ALL BLACK	LKR 4,800



## MASK STRAPS

Part number	Description	Retail
24.700.030	Mask Strap Cover Neoprene - 2.5mm Black/Gray	LKR 2,160
24.700.040	Mask Strap Cover Neoprene - 2.5mm Black/Purple	LKR 2,160
24.700.050	Mask Strap Cover Neoprene - 2.5mm Black/Yellow	LKR 2,160
24.700.060	Mask Strap Cover Neoprene - 2.5mm Black/Orange	LKR 2,160
24.700.070	Mask Strap Cover Neoprene - 2.5mm Black/Blue	LKR 2,160
24.700.080	Mask Strap Cover Neoprene - 2.5mm Black/White	LKR 2,160
24.700.090	Mask Strap Cover Neoprene - 2.5mm Black/Black	LKR 2,160
24.700.100	Mask Strap Cover Neoprene - 2.5mm Black/Pink	LKR 2,160

Mask strap protection made of neoprene as sleeve model.  
Comfortable protection against pressure marks, and tangled hair, black, fits to all standard masks. From 300 pieces with own shop logo deliverable.



## ACCESSORIES AND SPARES

Part number	Description	Retail
24.090.000	Scuba Clear, Antifog - 30 ml	LKR 2,160
24.340.010	Mask Strap - Frameless - Black	LKR 3,840
24.570.023	Silicone Mask Strap - Black (replaced 24.811.103)	LKR 960
24.570.025	Silicone Mask Strap - Clear (replaced 24.811.102)	LKR 960
24.845.102	Mask Strap Scubapro 5/8» - Clear (Spectra) / Crystal VU	LKR 1,200
24.845.104	Mask Strap Scubapro 5/8» - Black (Spectra) / Crystal VU	LKR 1,200
24.835.102	Mask Strap with Logo - Clear - 22cm	LKR 1,440
24.835.104	Mask Strap with Logo - Black - 22cm	LKR 1,440
26.711.001	Mouthpiece - Clear (Phoenix/Trinidad/Laguna)	LKR 864
26.711.002	Mouthpiece Black (Phoenix/Trinidad/Laguna)	LKR 864
26.705.002	Bottom Valve, Spectra Dry	LKR 240
26.704.002	Valve for Snorkel Clear	LKR 192



**SCUBAPRO**





## STEEL COM MASK

Part number	Description	Retail
24.108.100	Black Skirt	LKR 14,112
24.108.600	White Skirt	LKR 14,112

- perfect for free diver
- very low profile for easy cleaning



24.108.100




24.108.600

## APNEA SNORKEL

Part number	Color	Retail
26.130.000	Black - soft tube w/removable tops & quick clip	LKR 3,600
26.130.600	White - soft tube w/removable tops & quick clip	LKR 3,600

Made from flexible, non-toxic silicone, the upper barrel on this versatile surface breather can be removed if you prefer to use a shorter pipe. The snorkel easily attaches to your mask strap when being used. When not needed, it can be folded and stowed in an accessory pocket.



26.130.000



26.130.600

removable top





**SCUBAPRO**





## DIVE'N ROLL LIGHT

Part number	L	W	H	V	Wg.	Retail
53.360.170	66	40	32	84	3.98	LKR 58,800

The 2-in-1 concept of the Dive 'N Roll wheeled bag takes the hassle out of dive travel, and this new lighter version eliminates some of the weight. The back portion of the main compartment is semi-rigid to lighten the load while providing outstanding protection. Separate the two pieces for quick baggage stowage and carry-on convenience, then zip them together and you're ready to roll again.

- One semi-rigid case plus one removable soft bag equals a hassle-free gear transport system.
- Non-rigid portion of the exterior is made from a combination of 420D Nylon NT, 450D Rip-stop and 600D Polyester/PU for strength and durability.
- Large main compartment holds lots of dive gear while providing plenty of protection.
- Coil double-slider zippers are durable and make accessing the large main compartment that much easier.
- Additional packing space in the main compartment's soft lid is ideal for stashing clothes and other soft goods.
- Detachable backpack enables you to keep your most valuable gear with you throughout your journey.
- Two rubber-covered handles plus a telescopic tow handle and reinforced saltwater-resistant wheels offer a bevy of lifting, carrying and rolling options.
- Dimensions: 66x40x32cm. Weight: 3.98g. Volume: 84L.



## CARAVAN BAG

Part number	L	W	H	V	Wg.	Retail
53.350.120	75	40	35	105	4.65	LKR 48,480

The Caravan will cart your dive gear safely and conveniently, no matter where in the world you do your diving. As a roller bag it works great moving gear from car trunk to local dive boat, but it can just as easily negotiate crowded airports as you journey to exotic dive destinations. Easy to lift, carry and roll, the Caravan is a solid all-round choice for hassle-free gear transport.

- Bag's exterior is made from a combination of 420D Nylon NT and 450D Rip-stop for strength and durability. The interior lining is 150D Polyester.
- The bag enjoys a 20% lighter overall weight thanks to the new PU lining and updated construction.
- Offering over four gallons more volume than its predecessor, the Caravan comes with substantially increased gear-packing capacity.
- A large main compartment with U-shaped opening, two side pockets and one flat pocket on top provide a variety of packing and stowage options.
- YKK saltwater-resistant double-slider zippers are durable and allow for easy access of the large main compartment.
- External compression straps help snug down a partial load to make bag handling easier.
- Telescopic double-bar tow handle, side, top and bottom carry handles and reinforced saltwater resistant wheels provide a bevy of lifting, carrying and rolling options.
- Dimensions: 75x40x35cm. Weight: 4.65kg. Volume: 105L.



## PORTER BAG

Part number	L	W	H	V	Wg.	Retail
53.310.190	35	80	45	125	2.5	LKR 38,400

This big carrier offers lots of volume to handle your gear. It comes with reinforced “off-road” skate-style roller wheels plus a backpack system, so you’ll be able to easily roll or carry the bag wherever you want to go. But what’s really great about the Porter Bag is its easy-fold feature that allows it to stow compactly as it awaits your next dive adventure.

- Bag’s exterior is made from a combination of 420D Nylon NT and 450D Rip-stop for strength and durability. The interior lining is 150D Polyester.
- The bag enjoys a 20% lighter overall weight thanks to the PU lining.
- Offering lots of gear carrying capacity, the bag folds into a compact package for storage.
- Large main compartment, two front pockets and two inside pockets provide a variety of packing and stowage options.
- YKK saltwater-resistant double-slider zipper is durable and makes accessing the large main compartment that much easier.
- Backpack system plus top handle with reinforced “off-road” skate-style wheels provide multiple transport options.
- Adjustable top handle makes rolling easy and convenient.
- Dimensions (approximate): 34x23x14in/ 85x57x36cm. Weight: 5.84lbs/2.65kg.



## CABIN BAG 4 WHEELS

Part number	L	W	H	V	Wg.	Retail
53.365.170	53	37	19	37	3.18	LKR 34,800

Carry-on airline travel has never been easier. The new Cabin Bag now sports four wheels, making it more luggage-like and user-friendly and the ideal carry-on bag for traveling. The large main compartment with U-shaped double-slide coil zipper, along with smaller pockets on the inside and outside, are just a few of the features offered by this convenient multi-wheeled carry-on.

- Made of 500D heavy-duty PVC (Tarpaulin) fabric for the ultimate in durability.
- Large compartment includes elastic hold-downs to keep the load from shifting.
- U-shaped double-slider coil zipper provides easy access for packing or unpacking.
- Small horizontal pocket on the front cover and zippered inside pocket are perfect for stowing smaller items.
- Telescopic tow handle and 4 reinforced skate wheels allow for excellent balance and effortless maneuvering through busy airport terminals.
- Side and top carry handles make easy work of hefting the bag into overhead compartments.
- Conforms to new IATA size regulations.
- Dimensions: 53x37x19cm. Weight: 3.18kg. Volume: 37L.





## MESH BAG

Part number	L	W	H	V	Wg.	Retail
53.379.000	73	40	33	96	0.5	LKR 11,520

- Made of nylon mesh
- Top-loading U-shaped
- Saltwater-resistant YKK Vision zipper features double-sliders
- Padded carry handles
- Dimensions: 70x40x30cm, Weight: 0.49kg, Volume: 84L



## MESH SACK

Part number	L	W	H	V	Wg.	Retail
53.369.000	70	39	39	109	0.5	LKR 10,560

This lightweight nylon mesh backpack is the perfect carryall for snorkeling gear or tropical dive gear. Durable soft mesh material holds a lot cargo.

- Bag opening secures with a top rope fitted with a sliding, spring-loaded button closure.
- Main compartment handles the larger-sized gear while the front exterior pocket is perfect for small items.
- Padded shoulder strap makes it easy to sling the bag for the hike down to the boat or beach.
- Folds into a compact size for storage.
- Dimensions: 70x39x39cm. Weight: 0.5kg. Volume: 106L.



## REGULATOR BAG + INSTRUMENT BAG

Part number	Description	L	W	H	V	Wg.	Retail
53.309.000	Reg.	34	26	10	9	0.42	LKR 8,160
	Ins.	10	7	14	1	0.10	

- Constructed from a combination of 420D Nylon NT and 450D Rip-stop
- The interior lining is 150D Polyester
- Internal Velcro straps secure a coiled reg or console hoses
- Double slider zipper
- Padded handle and shoulder strap
- Transparent zippered pouch inside
- Regulator Bag dimensions:  
34x26x10cm, Weight: 0.42kg, Volume: 9L
- Instrument Bag dimensions:  
10x7x14cm, Weight: 0.1kg, Volume: 1L



## TRAVEL REG BAG, VINTAGE

Part number	L	W	H	V	Wg.	Retail
53.309.100	32	32	10	10	0.72	LKR 10,560

The SCUBAPRO Travel Reg Bag comes in a new “vintage” style commemorating SCUBAPRO’s 50 years in diving. It features one large main compartment with straps to secure your reg while in transit. A clear zippered inside pocket allows you to store a logbook or any documents you might need while traveling. The bag comes with a top handle and shoulder strap for easy carrying.

- Constructed of 500D water-resistant Tarpaulin with a lined interior to hold all the essentials.
- Dimensions: 32x32x10cm.  
Weight: 0.72kg. Volume: 10L.



## DRY BAG 45

Part number	Description	L	W	H	V	Wg.	Retail
53.399.180	Dry 45	76	33	20	44	0.65	LKR 19,680

- No PVC. Made from a new and super resistant fabric
- 500 D 85% Nylon and 15% Poly Ripstop outside with PU coating when backing is TPU coated.
- Backpack with top rolled closing system
- Outside pocket for small belonging.
- 45L – Dimensions: 76x33x20cm, Weight: 0.65kg, Volume: 44L



## DUFFLE BAG HD

Part number	L	W	H	V	Wg.	Retail
53.339.190	32	65	26	54	1.08	LKR 17,520

- Made from 1000D nylon material
- Heavy Duty YKK Zip Nylon
- Large Nylon Zip Slider
- All round heavy duty webbing straps
- Two Compression straps fitter for reducing bag volume
- Opening reinforced with heavy duty webbing
- Two rounded HD Grip handles on each end
- Perfect bag for checking extra dive gear



## CARRY-ON FOLDABLE

Part number	L	W	H	V	Wg.	Retail
53.338.190	55	43	12	28	0.2	LKR 4,080

- 120D Nylon
- 600D Polyester Straps
- Designed to fit/slide on top cabin bag handle
- Great reusable shopping bag too



Detail



Folded



Opened



## NOVA 2100 SF

Part number	Description	Retail
30.400.001	NOVA 2100 with Goodman Handle, Pistol Grip & GoPro Adaptor	LKR 127,200
30.400.005	LI-ION Battery 7.4V, 3200 Mah	LKR 24,480
30.402.000	1/4-20 Ball Joint Adaptor	LKR 7,200
30.403.000	1/4-20 Y-S Adaptor (Packaged)	LKR 8,640

The powerful new SF (Spot Flood) multi-use dive light offers both a 65° wide beam and a 15° spot beam to perfectly match different diving situations. Five light modes plus an emergency signal mode provide lots of versatility, with one-button control for easy operation. Extremely reliable, the waterproof battery compartment is isolated so even if the O-ring seal fails, water cannot reach the internal electronics. The Nova 2100 SF comes as a set with both a large and a small a Goodman handle, plus a pistol grip handle and a GoPro adapter. Both lights come with a wrist lanyard, rechargeable battery, charger and spare parts, all packed in a zippered EVA carry case.

- Dual beams include a powerful 2100 lumen 65° wide beam, and 800 lumen 15° spot beam.
- Wide beam features 6 Cree XM-L2 LEDs; the spot beam features 1 Cree XPL LED.
- Five primary light modes: 100% Flood, 50% Flood, 100% Spot, 50% Flood + 75% Spot, and 25% Flood + 50%Spot.
- Hidden emergency signal mode offers a one-second blink interval or a SOS Morse code. Simply push and hold the power button for four seconds to activate.
- Simple one-button control lets you power on and off, adjust brightness and switch beam angle.
- Provides 55 minutes of burn time at full power and constant brightness.
- Depth tested to 100m.
- Corrosion-proof metal light head improves heat dispersion and increases durability.
- Completely isolated battery compartment protects internal electronics from water intrusion.
- Universal 1/4-20 tripod mount attaches to a Goodman handle, Monopod or optional Y-S adapter.
- Complete Nova 2100 SF set includes: SCUBAPRO UW light head, wide and narrow Goodman handles, pistol grip handle, wrist lanyard, GoPro adapter, 25w lithium-ion rechargeable battery, AC power adapter, charging tray, international plug adapters, spare O-rings, O-ring lubricant, O-ring removal tool, EVA carry case with foam insert and instruction manual. Packaged in a four-color box.



30.400.001

## NOVA LIGHT 250

Part number	Description	Retail
30.224.000	NOVA 250	LKR 17,280

- Push button switch
- Cree LED
- CR123 rechargeable or disposable batteries (Batteries sold separately)
- Light beam direction cap to avoid blinding buddies
- Three modes: 100% and 50% and flash
- 250 real lumen
- A depth rating of 100m ensures worry-free lighting in virtually all diving conditions
- Run time up to 1 hour
- Mask attachment rubber band included



## NOVA LIGHT 850

Part number	Description	Retail
30.226.000	NOVA 850	LKR 38,400

- Push button switch
- Cree XPL/XML LED
- Powered by 3xC batteries (Batteries sold separately)
- Light beam direction cap to avoid blinding buddies
- 850 real lumen
- Double O-ring seals ensure watertight integrity
- Over-pressure valve releases any battery o -gassing
- A depth rating of 100m ensures worry-free lighting in virtually all diving conditions
- Run time up to 1 hour on full power



## NOVA LIGHT 850R

Part number	Description	Retail
30.228.002	NOVA 850R	LKR 35,520

- Push button switch
- Cree XPL/XML LED
- **Standard 18650 rechargeable battery** (Batteries sold separately)
- Light beam direction cap to avoid blinding buddies
- 850 real lumen
- Double O-ring seals ensure watertight integrity
- Over-pressure valve releases any battery o -gassing
- A depth rating of 100m ensures worry-free lighting in virtually all diving conditions
- Run time up to 2 hours on full power



## TK15

Part number	Description	Retail
32.009.100	Stainless Steel	LKR 43,200

- 15cm multifunctional blade
- With line cutter
- Marine grade stainless steel polished blade



## MAKO

Part number	Description	Retail
32.022.000	Titanium	LKR 21,120
32.023.000	Stainless Steel	LKR 12,720
32.005.206	Strap Assembly - Mako Knife	LKR 1,680

- 8,5cm multifunctional blade
- providing a conventional edge, line-cutting notch, serrated edge and bottle opener
- Comes with a locking sheath with a one-hand release mechanism
- Titanium: extreme resistance to corrosion with durable edge
- Stainless Steel: excellent cutting edge & high resistance to rust



## WHITE TIP

Part number	Description	Retail
32.002.000	WHITE TIP BCD KNIFE	LKR 11,760

- Compact 6,5cm stainless steel classic blade with multi-use serrated edge
- Comes with a locking sheath and kit for BC/hose attachment.



## MESH CUTTER

Part number	Description	Retail
32.065.000	MESH CUTTER	LKR 12,720

- A contoured shackle spanner tool with 7,5cm stainless steel blade
- Curved edge design
- Protective sheath



## K6

Part number	Description	Retail
32.006.100	K6 BLACK	LKR 24,480

- A classic 15,5cm stainless steel blade with hammer in handle
- Comes with a locking sheath





## POCKET WEIGHT BELT

Part number	Description	Retail
23.201.200	S-Black, 3 Pockets	LKR 13,440
23.201.300	M-Black, 4 Pockets	LKR 13,440
23.201.400	L-Black, 5 Pockets	LKR 13,440
23.201.500	XL-Black, 6 Pockets	LKR 14,160



## SLIDE POCKET WEIGHT BELT 50MM BUCKET

Part number	Description	Retail
23.081.200	S-Black	LKR 8,400
23.081.300	M-Black	LKR 9,600
23.081.400	L-Black	LKR 10,320



23.081.200



23.081.300



23.081.400

## STANDARD WEIGHT BELT

Part number	Description	Retail
23.030.100	Black w/ Nylon Buckle	LKR 3,600
23.030.200	Blue w/ Nylon Buckle	LKR 3,600
23.029.100	Black w/ Stainless Steel Buckle	LKR 6,960
23.428.001	Stainless Steel Buckle	LKR 4,560



## ECO WEIGHT

Part number	Description	Retail
23.051.101	1.0 kg	LKR 6,480
23.051.151	1.5 kg	LKR 8,880
23.051.251	2.5 kg	LKR 14,880



## SCUBAPRO REEL

Part number	Description	Retail
40.122.000	75 M	LKR 23,280

- Anodized alloy frame and nylon fiberglass reel & handle
- Folding knob & friction adjustment
- Includes 75 m length of 2mm diameter polyester line and one swivel carabinier
- 15M reel is available



## SEALED MARKER BUOY

Part number	Description	Retail
40.310.001	210D Nylon - 1M, Orange	LKR 11,520
40.312.001	210D Nylon - 1.4M, Orange	LKR 14,640
40.312.002	210D Nylon - 1.4M, Yellow	LKR 14,640
40.316.000	210D Nylon - 1.8M Orange	LKR 15,600



40.310.001

40.312.001

40.312.002

40.316.000

## UNIVERSAL HANGER

Part number	Description	Retail
51.054.000	Neon Yellow	LKR 3,600
51.056.000	Graphite	LKR 3,600



## UNIVERSAL GO PRO® MASK MOUNT

Part number	Retail
24.101.004	LKR 2,640

- Universal fit for most double lens mask brands
- secure mounting so you can enjoy the dive
- low volume, lightweight and easy to attach



## RETRACTOR

Part number	Description	Retail
28.010.000	0.5KG FORCE/140CM	LKR 6,480

- Underwater retractor to secure accessories and gauge



## SHAKER WITH MAGNET AND HOOK

Part number	Description	Retail
51.538.000	Shaker w/ magnet	LKR 9,360







**SCUBAPRO**

**SCUBAPRO**





## BASEBALL CAP

Part number	Description	Retail
50.792.000	Black	LKR 4,800

- One size fits all
- YKK stopper
- Water resistant material



## SNAPBACK CAP

Part number	Description	Retail
50.793.000	Black	LKR 4,800

- One size fits all



# T-SHIRT DIVERS BELOW

Part number	Size	Retail
<b>MEN</b>		
<b>Black</b>		
50.415.200	S	LKR 6,600
50.415.300	M	LKR 6,600
50.415.400	L	LKR 6,600
50.415.500	XL	LKR 6,600
50.415.600	XXL	LKR 6,600
<b>Gray</b>		
50.416.200	S	LKR 6,600
50.416.300	M	LKR 6,600
50.416.400	L	LKR 6,600
50.416.500	XL	LKR 6,600
50.416.600	XXL	LKR 6,600
<b>LADY</b>		
<b>White</b>		
50.417.200	S	LKR 6,600
50.417.300	M	LKR 6,600
50.417.400	L	LKR 6,600
50.417.500	XL	LKR 6,600
<b>Blue</b>		
50.418.200	S	LKR 6,600
50.418.300	M	LKR 6,600
50.418.400	L	LKR 6,600
50.418.500	XL	LKR 6,600



50.415.X00



50.416.X00



50.417.X00



50.418.X00

## T-SHIRT REG, MASK, FIN

Part number	Size	Retail
<b>Men</b>		
<b>White</b>		
50.419.200	S	LKR 6,600
50.419.300	M	LKR 6,600
50.419.400	L	LKR 6,600
50.419.500	XL	LKR 6,600
50.419.600	XXL	LKR 6,600
<b>Blue</b>		
50.420.200	S	LKR 6,600
50.420.300	M	LKR 6,600
50.420.400	L	LKR 6,600
50.420.500	XL	LKR 6,600
50.420.600	XXL	LKR 6,600



50.419.X00



50.420.X00

## SCUBAPRO BUSINESS SHIRT

Part number	Size	Retail
<b>MEN</b>		
<b>Grey</b>		
50.410.200	S	LKR 16,800
50.410.300	M	LKR 16,800
50.410.400	L	LKR 16,800
50.410.500	XL	LKR 16,800
50.410.600	2XL	LKR 16,800
<b>Blue</b>		
50.411.200	S	LKR 16,800
50.411.300	M	LKR 16,800
50.411.400	L	LKR 16,800
50.411.500	XL	LKR 16,800
50.411.600	2XL	LKR 16,800

45% cotton / 55% polyester long sleeves business-shirt with a classic Scubapro embroidery logo on the sleeve and the front.



50.410.X00



50.411.X00

## SCUBAPRO SHORT SLEEVES SHIRT

Part number	Size	Retail
<b>White</b>		
50.413.200	S	LKR 15,000
50.413.300	M	LKR 15,000
50.413.400	L	LKR 15,000
50.413.500	XL	LKR 15,000
50.413.600	2XL	LKR 15,000
<b>Black</b>		
50.414.200	S	LKR 15,000
50.414.300	M	LKR 15,000
50.414.400	L	LKR 15,000
50.414.500	XL	LKR 15,000
50.414.600	2XL	LKR 15,000

45% cotton / 55% polyester short sleeves shirt with a classic Scubapro embroidery logo on the front.



## POLO SHIRT

Part number	Size	Retail
50.384.100	XS	LKR 9,000
50.384.200	S	LKR 9,000
50.384.300	M	LKR 9,000
50.384.400	L	LKR 9,000



## MICROFIBER TOWEL

Part number	Description	Retail
50.583.000	Blue 160 x 75cm	LKR 9,600

- Microfiber Towel with anti-bacterial





## CAMO JET FIN USB FLASH DRIVE

Part number	Description	Retail
51.906.000	32 GB - 3.0 USB	LKR 14,400



## SEAWING NOVA KEY RING

Part number	Description	Retail
47.106.000	Black	LKR 600
47.106.002	Blue	LKR 600
47.106.003	Pink	LKR 600
47.106.006	Orange	LKR 600



## GO SPORT KEYRING

Part number	Description	Retail
47.107.000	Go Sportr keychain - Black	LKR 600
47.107.001	Go Sport keychain - White	LKR 600
47.107.002	Go Sport keychain - Blue	LKR 600
47.107.003	Go Sport keychain - Turquoise	LKR 600
47.107.004	Go Sport keychain - Yellow	LKR 600



## METAL PEN

Part number	Description	Retail
50.900.100	Metal Pen - Scubapro	LKR 720



## FLAG

Part number	Description	Retail
47.100.003	1 x 1.5m	LKR 7,200



## SAIL FLAG

Part number	Description	Retail
47.100.005	50 x 250cm	LKR 22,800
47.100.007	50 x 250cm Flag only	LKR 10,800
47.100.020	70 x 340cm	LKR 33,000
47.100.025	70 x 340cm Flag only	LKR 17,400

- 3 ply fabric with both side printing



## NON-WOVEN BAG

Part number	Description	Retail
53.381.200	Small - 26 x 38 x 10cm	LKR 720
53.381.300	Large - 45 x 38 x 12cm	LKR 960



# TOOLS

Part No.	Part Name	Description	Retail
41.047.000	SCUBAPRO Christo-lube	MCG-111, 2 oz Tube version	LKR 14,880
41.496.101	Monojet Syringe		LKR 1,920
43.018.000	Hose Protector Installation Tool		LKR 11,040
43.036.158	Tool,158/147 o-ring cap		LKR 2,880
43.036.160	Tool,160 o-ring cap		LKR 2,880
43.039.103	BC Pull Dump Valve Remover Tool	All SCUBAPRO BC's	LKR 24,000
43.040.000	Universal Multi-Tool		LKR 25,200
43.080.000	T-10 Torque Driver 5-10 inch pounds		LKR 82,800
43.080.100	Torque Blade T-10		LKR 5,040
43.080.101	AIR2 Bullet Kit		LKR 10,080
43.080.102	Slotted Screwdriver	3mm	LKR 4,080
43.300.002	Nut Driver 1/4"		LKR 6,720
43.300.003	Socket Driver 5.5mm		LKR 6,960
43.300.011	Polishing sticks		LKR 16,800
43.300.017	Brass O-Ring Pick Set		LKR 10,800
43.300.020	Tool for unscrewing case ring		LKR 1,440
43.300.101	AIR 2 Seat Slider Tool		LKR 9,600
43.300.107	Plastic O-Ring Pick		LKR 1,680
43.300.108	Piston Bullet Brass		LKR 4,800
43.300.112	Adjust Tool With Gauge		LKR 72,000
43.300.119	AIR 2 Spider Tool		LKR 21,600
43.300.127	Field Handle	3/8" unf LP & 7/16" unf HP threads	LKR 6,960
43.300.221	Schrader Valve Tool		LKR 2,880
43.300.235	LP Hose Tool	Front Cover - SG100	LKR 25,440
43.300.998	Torque Wrench	5-35 Nm with 3/8" adaptor	LKR 115,200
43.707.109P	Torque Wrench Tool - MK11		LKR 22,080
43.080.001	O-3 Magnehelic and IP Gauge - Dual Pro Stand		LKR 208,800
43.404.001P	Magnehelic Calibration Mouthpiece		LKR 2,880
43.090.106P	AIR 2 - 5th Gen Tool		LKR 15,360
43.300.114	Field handle brass +		LKR 23,280
43.730.000	Tool 2-Pin Driver - 10.5mm PCD	For HYDROS PRO color kit	LKR 28,800



41.047.000



41.496.101



43.018.000



43.039.103



43.040.000



43.080.000



43.080.101

# TOOLS



43.080.102



43.300.002



43.300.017



43.300.101



43.300.107



43.300.112



43.300.119



43.300.127



43.300.221



43.300.235



43.300.998



43.404.001P



# SERVICE KITS

Part number	Description	Retail
<b>1st Stage Service Kits</b>		
10.042.045	MK2	LKR 3,360
10.063.045	MK2 EVO	LKR 4,080
10.105.045	MK5	LKR 3,840
10.500.045	MK10	LKR 3,840
10.550.045	MK10 PLUS	LKR 3,840
10.707.045	MK11	LKR 6,720
10.705.045	MK14 DPH	LKR 3,120
10.117.045	MK17, MK19	LKR 7,200
10.756.045	MK16, MK18 / MK18 UL	LKR 8,640
10.721.045	MK21	LKR 4,560
10.750.045	MK25 EVO, MK25, MK20	LKR 4,680
<b>2nd Stage (Including Octopus) Service Kits</b>		
11.420.045	D420	LKR 10,080
11.012.045	D300/350/400	LKR 5,760
11.109.045	G200/ADJUSTABLE/M50	LKR 3,600
11.254.045	S360/S600/S550/555/G200B/250/250HP/G500/ Bal.ADJ/Classic	LKR 4,560
11.261.045	G250V/ G260	LKR 3,120
11.300.045	R095/190/295/380/390/295/395/HP	LKR 3,120
11.361.045	C300/C200/C350/C370	LKR 4,080
11.620.045	S620Ti	LKR 4,080
11.650.045	X650	LKR 4,560
11.700.045	A700	LKR 4,560
<b>BC Kits</b>		
21.085.045	AIR-2 - 3rd/4th Gen	LKR 4,080
21.090.045	AIR-2 - 5th Gen	LKR 4,320
21.626.045	BPI	LKR 2,640
<b>Nitrox Kits</b>		
10.062.032	Service Kit, MK2+, EAN 100	LKR 10,560
10.063.032	MK2 EVO Nitrox	LKR 11,040
10.712.032	Service Kit, MK20, MK25, EAN 100 (Brass Only)	LKR 11,520
11.263.005	Service Kit, Swivel for LP Hose	LKR 6,240
10.062.030	Conversion Kit, MK2 to MK2 Nitrox	LKR 11,040
10.063.033	Conversion Kit - Mk2Evo to Mk2Evo Nitrox	LKR 13,440
10.712.030	Conversion Kit, MK25 to MK25 Nitrox	LKR 13,440
10.712.033	Conversion Kit, MK25 EVO to MK25 EVO Nitrox	LKR 14,640
10.714.033	Conversion Kit - Mk17Evo Nitrox (USA)	LKR 17,040
10.750.121	Conversion Kit, MK20 Nitrox	LKR 14,160
<b>Quick Release Kits</b>		
06.205.406	Comp.QR Service Kit	LKR 3840

## TOOLS - Computers Tools

Part No.	Part Name	Description	Retail
43.062.200	MANTIS COVER TOOL (M1, M2)		LKR 42,240
43.460.000	Watch Base Tool (M1, M2, Chromis)		LKR 36,000
06.204.329	Mini Table Vise		LKR 10,080



43.080.200



43.062.200

## TOOLS - 1st Stage

Part No.	Part Name	Description	Retail
43.040.009	Drive Extension (for 43.191.107)		LKR 12,480
43.191.107	1" Yoke Socket	All 1st Stage Yoke Retainers	LKR 19,680
43.300.210	MK2 HP Seat Removal Tool		LKR 6,000
43.300.226	MK20/25 Bushing Assembly Tool		LKR 8,400
43.300.240	MK16/17/18 Balance Chamber Tool	Aluminium	LKR 13,440
43.117.130P	Tool MK17 Ambient Cap		LKR 57,600



43.040.009



43.191.107



43.300.210



43.300.226



43.300.240

## TOOLS - 2nd Stage

Part No.	Part Name	Description	Retail
41.043.010	Tool, 2nd Stage Adjust		LKR 25,440
41.043.012P	Pin	For adjust tool (41.043.010)	LKR 4,320
43.300.225	Flow Vane Removal Tool	2nd Stage EXCEPT AIR 2 & X650	LKR 7,920
43.403.000	Cover Tool	R295/395, S555/600, AIR 2 - 4th & 25th GEN	LKR 3,840
43.403.001P	Cover Tool	C200/300	LKR 960
41.403.002P	Diaphragm Tool	C200/300	LKR 8,640



41.043.010



43.300.225



43.403.000



**DEEP DOWN** YOU WANT THE **BEST**

SCUBAPRO.COM





SCUBAPRO





## RENTAL PACKAGE - Console 2 - Metal PG

Part number	Description	Dealer
05.023.210	<b>Console 2 - Metal PG</b>	
12.096.000	Mk 2 EVO / R095	
11.330.400	R095 Octopus	
21.703.300	T-One	



## RENTAL PACKAGE - Compact Metal PG

Part number	Description	Dealer
05.023.112	<b>Compact Metal PG</b>	
12.096.000	Mk 2 EVO / R095	
11.330.400	R095 Octopus	
21.703.300	T-One	




# Display

Special Order Only

## SCUBAPRO TOWER DISPLAY

Part No.	Description
51.200.022	Tower Display 56x91x193cm
51.200.021	Hook Bar for wetsuits
51.200.019	Fin Display
51.200.017	Snorkel Display
51.200.018	Console Display
51.200.016	Wrist Computer Display
51.200.020	Mask Display
51.200.015	Regulator Display





**DEEP DOWN** YOU WANT THE **BEST**

SCUBAPRO.COM